

TC

824

C2


A2

no. 130:63

v. 1

c. 2

LITRARY  
UNIVERSITY OF CALIFORNIA





FORM  
SERIALS  
SECTION  
COPY




State of California  
THE RESOURCES AGENCY  
Department of Water Resources

BULLETIN No. 130-63

HYDROLOGIC DATA: 1963

Volume I: NORTH COASTAL AREA


MAY 1965



HUGO FISHER  
*Administrator*  
The Resources Agency

EDMUND G. BROWN  
*Governor*  
State of California

WILLIAM E. WARNE  
*Director*  
Department of Water Resources



State of California  
THE RESOURCES AGENCY  
Department of Water Resources

BULLETIN No. 130-63

HYDROLOGIC DATA: 1963

Volume I: NORTH COASTAL AREA

MAY 1965

HUGO FISHER  
*Administrator*  
The Resources Agency

EDMUND G. BROWN  
*Governor*  
State of California

WILLIAM E. WARNE  
*Director*  
Department of Water Resources

ORGANIZATION OF BULLETIN NO. 130 SERIES

Volume I - NORTH COASTAL AREA

Volume II - NORTHEASTERN CALIFORNIA

Volume III - CENTRAL COASTAL AREA

Volume IV - SAN JOAQUIN VALLEY

Volume V - SOUTHERN CALIFORNIA

Each volume consists of the following:

TEXT and

Appendix A - CLIMATE

Appendix B - SURFACE WATER FLOW

Appendix C - GROUND WATER MEASUREMENTS

Appendix D - SURFACE WATER QUALITY

Appendix E - GROUND WATER QUALITY








TABLE OF CONTENTS

	<u>Page</u>
ORGANIZATION OF BULLETIN NO. 130 SERIES . . . . .	ii
AREA ORIENTATION MAP . . . . .	iii
LETTER OF TRANSMITTAL . . . . .	vii
ORGANIZATION, DEPARTMENT OF WATER RESOURCES . . . . .	viii
CHAPTER I. HYDROLOGIC CONDITIONS: 1962-63 . . . . .	1
Statewide Conditions . . . . .	1
North Coastal Area Conditions . . . . .	4
CHAPTER II. HYDROLOGIC DATA PROGRAM ACTIVITIES . . . . .	8
Climate . . . . .	8
Surface Water Flow . . . . .	8
Ground Water Measurements . . . . .	9
Water Quality . . . . .	11
Surface Water . . . . .	11
Ground Water . . . . .	11

APPENDIXES

Appendix

A Climate . . . . .	13
B Surface Water Flow . . . . .	27
C Ground Water Measurements . . . . .	41
D Surface Water Quality . . . . .	59
E Ground Water Quality . . . . .	93

FIGURES

<u>Figure</u>		<u>Page</u>
1	Water Year Precipitation in Percent of Normal October 1, 1962 - September 30, 1963 . . . . .	2
2	Average Ground Water Level Changes in North Coastal Area Basins Spring 1962 - Spring 1963 . . . . .	10

PLATES  
(Bound at back of Bulletin)

<u>Plate</u>	
1	Climatological Observation Stations in North Coastal Area
2	Distribution of Mean Seasonal Precipitation in North Coastal Area
3	Surface Water Measurement Stations in North Coastal Area
4	Ground Water Basins in North Coastal Area
5	Surface Water Quality Monitoring Stations in North Coastal Area

## DEPARTMENT OF WATER RESOURCES

P. O. BOX 388  
SACRAMENTO

March 8, 1965

Honorable Edmund G. Brown, Governor,  
and Members of the Legislature of  
the State of California

Gentlemen:

The Bulletin No. 130 series of reports incorporates data on surface water, ground water, and climate previously published annually in Bulletins No. 23, 39, 65, 66, and 77. With the inauguration of the new series, publication of the earlier reports is suspended.

Bulletin No. 130 will be published annually in five volumes, each volume to report hydrologic data for one of five specific reporting areas of the State. The area orientation map on page iii delineates these areas. Page ii outlines the organization of the bulletin, its volumes and appendixes.

This report is Volume I, "North Coastal Area". It includes a text which summarizes hydrologic conditions in this part of California during the 1963 water year (October 1, 1962 through September 30, 1963) and five appendixes of detailed hydrologic data: Appendix A, "Climate", Appendix B, "Surface Water Flow", Appendix C, "Ground Water Measurements", Appendix D, "Surface Water Quality", and Appendix E, "Ground Water Quality".

The collection and publication of data such as is contained in Bulletin No. 130 is authorized by Sections 225, 226, 229, 232, 345, 12609, and 12616 of the Water Code of the State of California.

The basic data programs of the Department of Water Resources have been designed to supplement the activities of other agencies, in order to satisfy specific needs of this State. Bulletin No. 130 is designed to present useful, comprehensive, accurate, and timely hydrologic data to the public.

Collection of much of the data presented has been possible only because of the generous assistance of other agencies. I wish especially to acknowledge the help given by agencies whose measurements directly contributed to Bulletin No. 130-63. They include the United States Bureau of Reclamation, Corps of Engineers, Geological Survey, Forest Service, and Weather Bureau, the California Department of Public Health, and the California Disaster Office.

Without the data supplied by these people, Bulletin No. 130-63 should have been much less the valuable tool it is today.

Sincerely yours,

A handwritten signature in dark ink, appearing to read "William E. Evans".

Director

State of California  
The Resources Agency  
DEPARTMENT OF WATER RESOURCES

EDMUND G. BROWN, Governor  
HUGO D. FISHER, Administrator, The Resources Agency  
WILLIAM E. WARNE, Director, Department of Water Resources  
ALFRED R. GOLZE', Chief Engineer  
JOHN M. HALEY, Acting Assistant Chief Engineer

- - - - 0 - - - -

NORTHERN BRANCH

Stuart T. Pyle . . . . . Acting Branch Chief  
Robert E. Whiting . . . . . Chief, Operations Section

Activities covered by this report were under the supervision  
of

Robert F. Middleton, Jr. . . . . Chief, Basic Data Unit

Assisted by

Donald A. Ralph . . . . . .Climate  
Linwood L. Bates . . . . . Redding Field Office  
Walter D. McIntyre . . . . . Colusa Field Office  
Ernest G. Olsen . . . . . Surface Water Flow  
Thomas I. Rausch . . . . . Ground Water Measurements  
Stewart L. Struchen . . . . . Water Quality

Reviewed and coordinated by  
Division of Resources Planning  
Data Coordination Section

The climate of California is unique in many respects. Land forms throughout the State differ widely, setting California apart from adjacent areas. California does, in fact, span all of the dissimilarities of climate and topography from the arid plateaus of the Great Basin to the marshy tidelands of the Pacific. California climate is fostered by a balance between the varied land masses and the turbulent seasonal storms of the Pacific Ocean.

The Sierra Nevada and the Cascade Mountains, forming the eastern border of the Great Central Valley, receive much of their rainfall from the lifting of the maritime air masses. Interior lands of southern California are shielded from these masses by the transverse mountain ranges and the southerly extension of the coastal range. The 1963 water year is typical of the extreme variability of weather conditions that normally occur in California.

#### Statewide Conditions

On a statewide basis the 1963 water year was near normal. However, extreme conditions occurred in certain regions. Figure 1, showing 1963 water year precipitation in percent of normal, indicates that although normal annual precipitation amounts were recorded in the latitude of San Luis Obispo and Bakersfield, annual precipitation south of that latitude ranged to less than 50 percent of normal in the vicinity of San Diego. It ranged to greater than 150 percent of normal near the Oregon border.

In mid-October a series of storm waves drenched northern California, Oregon, and Washington. Rivers in northern California were at near flood stage; and the Feather River at Oroville reached the highest October peak





flood of record, inundating construction work at the Oroville dam site. Southern California remained dry. A mid-winter drought followed, setting new records for lack of precipitation and for continuous days of fog in the Central Valley. Again, southern California was dry.

The drought was broken by a three day downpour at the end of January. Again, flood conditions prevailed in northern California and some areas, particularly in the upper Yuba River basin, suffered from serious flooding. Much of southern California received moderate rainfall.

During April, northern California was covered by a series of storms; rainfall was moderate but continued for nearly two weeks. The April rains, along with record late season snowfall during May built up snowpacks and assured a normal potential water supply during the summer. Southern California received some precipitation, but the below normal trend persisted. This trend has continued since 1941.

Other hydrologic conditions also showed abnormal responses. Streamflows alternated between extreme highs and lows, but the average flows during the summer were about normal. With the recurring threat of floods, the operation of reservoirs was difficult. The amount of water stored in reservoirs at the end of the 1963 water year was generally greater than the previous year. Still, an excessive amount of winter rain wasted to the ocean. In southern California both surface runoff and reservoir storage were below normal.

Ground water conditions followed the pattern of precipitation. In the northern part of the State, ground water storage generally increased. However, due to the distribution of the precipitation, the increase in stored ground water was less than expected in some areas. Throughout southern California precipitation was well below normal and ground water levels continued to drop.

## North Coastal Area Conditions

The North Coastal Area extends southward from the Oregon state line, approximately 300 miles, to the northernmost boundary of the Russian River drainage and is further delineated by the westerly and northerly boundary of the Sacramento River drainage. The area's eastern limits include the Lost River-Clear Lake drainage. The area, as shown on "Area Orientation Map", comprises the major part of Water Pollution Control Board Region No. 1, excluding the Russian River Basin and the coastal area south of the Mattole River drainage.

The topography of the area is largely mountainous including the western slope of the Coast Ranges, the Trinity and Klamath Mountains, a portion of the Cascade Mountains, and the westerly portion of the Modoc Plateau. While the Klamath, Trinity, and Eel Rivers are major drainage systems within the area, there are a number of other large streams that are of local importance.

Local economic development is primarily based on the lumbering and wood products industry and agriculture. However, the tourist and recreational trade has recently assumed a key role in the plans of local communities. The area's beautiful scenery and recreational activities such as fishing, hunting, and camping are becoming prominent factors in the economy. These activities are directly concerned with the quantity and quality of surface waters in the more widely used areas.

The climate of the North Coastal Area is conducive to the extensive forest cover found throughout most of the area and in elevated areas in the Modoc Plateau. Climate ranges from humid, averaging 100 inches of precipitation annually, in the mountains along the coast to semiarid, with an average of 15 inches of precipitation annually in the Modoc Plateau. Summers are

normally cool and dry, while winters are cold with heavy rain and some snow.

Precipitation in the North Coastal Area was generally above normal for the report period, from July 1, 1962 to June 30, 1963. It varied from 200 percent of normal in Siskiyou County to near normal in Mendocino County.

Streamflow was extremely high during April 1963, making the 1962-63 water year the second highest year, as far as runoff is concerned, during the seven-year period from 1956-57 through 1962-63.

Unimpaired runoff of major streams in the North Coastal Area during the 1962-63 water year averaged about 135 percent of normal. Department gaging stations have recorded streamflows for a relatively short time, and no long-term mean average runoff values have been developed. It is safe to say, however, that the relative magnitude of the runoff from gaged areas closely approximates that of the major streams in the North Coastal Area.

The use of ground water in the North Coastal Area is relatively small and is not a major factor in the evaluation of the potential water supply.

There was no marked change in ground water levels during 1962-63. Though streamflow and precipitation were above normal, the intensity of precipitation was high and the duration low, factors not conducive to greater infiltration of water. Figure 2 summarizes some measured values in basins of the area.

Surface waters throughout the area are normally low in mineral content and are generally satisfactory for all uses. As is common in most streams, concentrations of dissolved minerals increase with a decrease in streamflow.

No definite trends of surface water quality in North Coastal area streams were noted during the 1962-63 water year. Boron concentrations in Outlet Creek (located in the upper Eel River watershed) ranged from 1.0 to

1.8 ppm between July and September 1963, but were substantially lower than September 1962 (3.1 ppm) or September 1961 (4.2 ppm, maximum of record).

Quality conditions of ground water sources monitored during 1963 were generally excellent and show little change from 1962. The principal exception is the partially degraded ground water in the lower Eel River Valley near the mouth of the Eel River. Three wells of the ten sampled in the Eel River delta area during the past few years have shown a fairly large chloride concentration, suggesting a problem of sea water intrusion.

CHAPTER II

HYDROLOGIC DATA  
PROGRAM ACTIVITIES

## CHAPTER II. HYDROLOGIC DATA PROGRAM ACTIVITIES

The Department of Water Resources is concerned with the development and use of water supplies, and with the methods that are employed to observe and measure hydrologic conditions. Hydrologic data are used for the planned development of new water supplies, hydropower, drainage, flood control, navigation, and other associated engineering projects. The Department's basic data programs have been designed to supplement and augment other agencies' activities to fulfill the specific needs of the Department and the State.

### Climate

Climatologic data collected by the Department include information on precipitation, temperature, and evaporation. Both surface flow and recharge to ground water vary in direct response to precipitation. Evaporation is an important part of the consumptive use of water and, with other climatological events, affect conditions and use of a water supply.

Table A-1 contains a listing of all active climate stations in the North Coastal Area during the 1962-63 report period which covers the period from July 1, 1962 through June 30, 1963. Measurements of precipitation, air temperature, evaporation, and corresponding data are shown in Tables A-2, A-3, and A-4 in Appendix A, "Climate".

### Surface Water Flow

Hydrographic data activities, augmented by the climate data program, supplement streamflow observations carried on by the U. S. Geological Survey. The Department's program consists of both field and office work. Field activities in the North Coastal Area include construction and maintenance of streamflow gaging stations and measurement of flow in the larger streams.

Office work includes the preparation of hydrographic data for computation by electronic computers. Instantaneous stream discharge, mean discharge, and stage are normally obtained.

The Department operates eight stream gaging stations in the North Coastal Area. Two were installed during the 1956-57 water year, five in 1957-58, and one in 1960-61.

Plate 3 shows the location of surface water measurement stations in the North Coastal Area for the reporting period which covers the water year from October 1, 1962 through September 30, 1963. Tables B-1 through B-8 present daily mean discharge records at each station during the water year.

#### Ground Water Measurements

Ground water is the source of supply for the major portion of water beneficially used in California. However, the use of ground water in the North Coastal Area is less extensive than in other areas of the State. Data on the current status of the major ground water basins is collected and processed within the framework of the Department's Ground Water Measurement Program. Field measurements are made by the U. S. Geological Survey. The review, processing, and editing of the data is performed by the Department.

Nine local ground water basins or areas are measured on a monthly basis by the U. S. Geological Survey for the report period from July 1, 1962 through June 30, 1963. Locations of the basins measured are shown on Plate 4 and results of the measurements are presented in Table C-1 of Appendix C. In addition, a summary of the average change in ground water levels is given in Figure 2. Since only a few wells are measured in any of the monitored ground water basins, it is difficult to derive meaningful values for the average changes in water level elevations.

FIGURE 2  
 AVERAGE GROUND WATER LEVEL CHANGES  
 IN NORTH COASTAL AREA BASINS  
 SPRING 1962 - SPRING 1963

Ground Water Basin Name	Number	Number of Wells Considered in Analysis	Average Ground Water Level Change 1962 to 1963, in feet	Location and Recorded Maximum and Minimum Depth to Water Spring 1963, in feet	
				Maximum	Minimum
Smith River Plain	1-1.00	4	-1.2	17N/01W-02F01 18.4	16N/01W-02J01 14.8
Butte Valley	1-3.00	5	+2.1	46N/01E-06N01 20.8	47N/01W-07B01 9.7
Shasta Valley	1-4.00	6	+0.2	44N/05W-34H01 28.1	43N/06W-22A01 2.9
Scott River Valley	1-5.00	4	+3.3	42N/09W-08C03 28.6	42N/09W-27N01 3.1
Mad River Valley	1-8.00	2	-1.0	06N/01E-29P01 9.0	06N/01E-06H01 2.6
Bel River Valley	1-10.00	3	-1.0	03N/01W-34J01 32.3	03N/01W-18D01 3.3
Round Valley	1-11.00	4	-0.3	23N/13W-36C03 8.2	23N/13W-36Q01 2.4
Laytonville Valley	1-12.00	2	-0.6	21N/15W-12M02 7.2	21N/15W-24A01 1.6
Little Lake Valley	1-13.00	3	+0.3	18N/13W-18E01 21.0	18N/13W-08L01 0.4



## Water Quality

Water quality is a measure of the characteristics of a water supply that affect the usability of the water. As greater demand is placed on available water supplies more effective use and reuse of the State's water becomes necessary. Since quality may limit the usability of a water, knowledge of quality conditions is necessary for the most efficient use of water supplies.

## Surface Water


During the 1962-63 water year, twenty-four stream locations were monitored on a monthly basis for water quality including mineral, bacteriological, and radioassay analyses. Twice a year samples from eight selected stations were subjected to spectrographic analysis to determine concentrations of trace elements.

Samples were taken from the larger streams in the North Coastal Area and locations of the sampling stations is shown on Plate 5. Table D-1 is an index to sampling station data. Table D-2 presents analyses of mineral and other selected constituents. Table D-3 presents the spectrographic analysis for trace elements, and Table D-4 presents radioassays.

## Ground Water

During the 1962-63 water year, samples were collected and analyzed for 76 ground water sources. The nine basins sampled in this program are shown on Plate 4, "Ground Water Basins in North Coastal Area". Normally the sampling period is from June through September.

The samples were analyzed for mineral constituents and some trace elements. Table E-1 presents the observed values from the ground water quality analyses.



APPENDIX A

CLIMATE



TABLE OF CONTENTS

	<u>Page</u>
Climate . . . . .	16

TABLES

Table

A-1	Index of Climatological Stations for 1962-63 . . . . .	19
A-2	Precipitation Data for 1962-63 . . . . .	21
A-3	Temperature Data for 1962-63 . . . . .	24
A-4	Evaporation Data for 1962-63 . . . . .	26

## CLIMATE

The Department of Water Resources cooperates with the U. S. Weather Bureau and local agencies in the collection of climatological data. Climatological data programs are dependent, for the most part, on the cooperation of local observers. Data from selected key stations are published by both the Department and the U. S. Weather Bureau.

The tables in this appendix include total monthly and seasonal precipitation; monthly temperatures showing absolute maximum, average maximum, average, average minimum and absolute minimum temperatures; and evaporation data showing the total evaporation for each month of the 1962-63 fiscal year.

Most of the stations use standard meteorological equipment. Commonly accepted procedures are employed in summing up monthly totals and computing mean values. In the preparation of the mean seasonal isohyetal map (Plate 2) the long term mean values are based on the 50-year mean period 1905-06 to 1954-55, for those stations with sufficient length of record. At other stations all available records are used in determining the mean. Station density in the North Coastal Area is adequate for making reasonable estimates of average conditions over extended areas, with the possible exception of the areas in the higher altitudes.

A description of the tables and plates included in this appendix follows:

Table A-1, "Index of Climatological Stations", contains a listing of all active climatological stations in the North Coastal Area during the 1962-63 fiscal year. The station names are arranged in alphabetical order. Each station is given a code number which is composed of two parts -- a drainage basin designation, and an Alpha Order Number

which corresponds to the alphabetical sequence of the station with respect to the other stations in that drainage basin. A sub-number of two digits is occasionally affixed to the four digit Alpha Order Number. This is to provide for greater flexibility as new stations are added to the listing. The cooperator index number is used when the Alpha Order Number is in conflict with the U. S. Weather Bureau number.

Certain other information is also given, including the year in which the record was begun, the year the record ended and the years of missing record. The code for the county in which the station is located is shown below:

<u>County</u>	<u>Code</u>
Del Norte	08
Humboldt	12
Mendocino	23
Modoc	25
Siskiyou	47
Trinity	53

Table A-2, "Precipitation Data", contains a listing of all precipitation measurements collected in the North Coastal Area during the 1962-63 fiscal year. The listing is in alphabetical order by station name. The table includes a summary of total seasonal precipitation and lists each monthly amount for the 1962-63 fiscal year.

Table A-3, "Temperature Data", describes unpublished air temperature data collected by the Department of Water Resources in the North Coastal Area. The stations are listed in alphabetical order. A listing by drainage basin and Alpha Order Number is also given. A column titled "Season" summarizes the extreme values of temperature reported at each station and also lists the mean of the monthly values. The absolute maximum, average maximum, average, average minimum and absolute minimum monthly values are given for each station, and are based on 1962-63 data.

Table A-4, "Evaporation Data", describes the data collected from all evaporation stations in the North Coastal Area. This information is used to determine loss of water by evaporation from existing and proposed water storage and conveyance facilities. The stations are listed alphabetically. The table includes a listing of drainage and Alpha Order Numbers corresponding to the station names. Total evaporation is shown for each month during the 1962-63 fiscal year.

Plate 1, "Climatological Observation Stations, North Coastal Area", shows the locations of all actively reporting climatological stations in the North Coastal Area. These include the U. S. Weather Bureau stations reported in the U. S. Department of Commerce monthly publication, "Climatological Data", and many stations operated by cooperative observers. A legend on the map describes the symbols used for the various types of measuring equipment and observations made.

Plate 2, "Distribution of Mean Seasonal Precipitation in North Coastal Area", shows the rainfall pattern over the North Coastal Area. Lines of equal mean seasonal precipitation are drawn to define the normal amounts. The lines represent normals based on a 50-year mean period of 1905-06 through 1954-55.



TABLE A-1  
INDEX OF CLIMATOLOGICAL STATIONS FOR 1962-63

NORTH COASTAL AREA

Station		Elevation (in feet)	Section	Township	Range	40-Late Tract			Base B Meridian			Cooperator Number	Cooperator's Index Number	Record Begin	Record Ended	Years Missing	County Code
Number	Name					40-Late	Tract	Base B	Meridian	Latitude	Longitude						
F6 0018	ADANAC LODGE	1100	SEC 14	T23N	R17W	H	M	39	50	48	123	42	00	000		1950	23
F6 0088	ALDERPOINT	435	SEC 27	T03S	R05E	H	M	40	11	00	123	36	00	900		1940	12
F5 0253	ARCATA A P	200	SEC 19	T07N	R01E	O	H	40	58	18	124	05	24	000		1957	12
F3 0715	RFSWICK 7 S	6140	SEC 33	T47N	R03W	M	M	41	52	00	122	14	00	900		1952	47
F4 0738	RIG RAR RANGER STA	1270	SEC 05	T33N	R12W	M	M	40	44	54	123	14	42	900		1943	53
F5 0764	RIG LAGOON	100	SEC 18	T09N	R01E	R	H	41	09	36	124	05	54	000		1958	12
F2 0786-01	RIG SPRINGS 4 E	2955	SEC 05	T43N	R04W	R	M	41	35	30	122	19	42	000		1960	47
F3 0899	BLUE CREEK MTN LO	4870	SEC 30	T12N	R04E	R	H	41	23	42	123	45	54			1960	08
F5 0901	BLUE LAKE	105	SEC 30	T06N	R02E	A	H	40	52	54	123	59	12	000		1951	12
F5 0903	BLUE LAKE REDWOOD CR	975	SEC 11	T06N	R03E	H	M	40	55	00	123	49	00	900		1956	12
F6 1046	BRANSCOMB 2 NW	1480	SEC 09	T21N	R16W	M	M	39	41	12	123	39	36	900		1959	23
F1 1050	BRAY 10 WSW	5759	SEC 24	T43N	R03W	M	M	41	34	00	122	08	00	900		1951	47
F6 1080	BRIDGEVILLE 4 NNW	2050	SEC 27	T02N	R03E	H	M	40	31	00	123	49	00	900		1954	12
F6 1083	BRIDGEVILLE P D	650	SEC 11	T01N	R03E	O	H	40	28	06	123	48	00	000		1959	12
F6 1181	BULL CREEK	410	SEC 36	T01S	R01E	H	H	40	21	00	124	06	30	000		1960	12
F6 1210	BURLINGTON ST PARK	200	SEC 12	T02S	R02E	D	H	40	18	30	123	54	24	000		1950	12
F4 1215	BURNT RANCH 1S	2150	SEC 23	T05N	R06E	E	H	40	47	48	123	28	48	900		1945	53
F2 1316	CALLAHAN RANGER STA	3136	SEC 21	T40N	R08W	M	M	41	18	00	122	48	00	900		1943	47
F7 1505	CAPE RANCH	710	SEC 23	T01N	R03W	F	H	40	27	24	124	22	48	000		1959	12
F6 1608	CEDAR CREEK HATCHERY	950	SEC 14	T23N	R17W	O	M	39	50	24	123	42	18	805		1957	23
F3 1799	CLEAR CREEK	975	SEC 07	T15N	R07E	H	H	41	42	30	123	26	54	900		1959	47
F4 1886	COFFEE CREEK RS	2500	SEC 06	T07N	R37W	M	M	41	05	00	122	42	00	900		1960	53
F3 1990	COPCO DAM NO 1	2700	SEC 29	T48N	R04W	P	H	41	59	00	122	20	00	900		1928	47
F6 2081	COVELO	1385	SEC 12	T22N	R13W	M	M	39	47	00	123	15	00	900		1921	23
F6 2084	COVELO EEL RIVER RS	1514	SEC 28	T23N	R11W	M	M	39	50	00	123	05	00	900		1939	23
F0 2147	CRESCENT CITY 1 N	40	SEC 20	T16N	R01W	H	M	41	46	00	124	12	00	900		1931	08
F0 2148	CRESCENT CITY 7 ENE	120	SEC 08	T16N	R01E	H	M	41	48	00	124	05	00	900		1913	08
F0 2150	CRESCENT CITY HMS	50	SEC 20	T16N	R01W	H	M	41	46	00	124	12	00	900		1941	08
F0 2152	CRESCENT CITY 11 E	360	SEC 30	T16N	R02E	B	H	41	45	18	123	59	30	000		1947	08
F6 2218	CUMMINGS	1270	SEC 21	T23N	R16W	M	M	39	50	00	123	38	00	900		1927	23
F1 2480	DORRIS INSPECT STA	4240	SEC 36	T48N	R01W	R	M	41	57	18	121	54	30	000		1959	47
F6 2490	DOS RIOS	927	SEC 31	T22N	R13E	M	M	39	43	00	123	21	00	900		1917	23
F0 2749	ELK VALLEY	1711	SEC 34	T19N	R04E	H	M	42	00	00	123	43	00	900		1938	08
F2 2899	ETNA	2912	SEC 28	T42N	R09W	M	M	41	28	00	122	54	00	900		1940	47
F7 2906	ETTERSBURG 2 SE	1370	SEC 16	T04S	R02E	O	H	40	07	12	123	58	18	000		1953	12
F6 2910	EUREKA WB CITY	43	SEC 22	T05N	R01W	H	M	40	48		124	10		900		1878	12
F7 3025	FERNDALE 8 SSW	1445	SEC 06	T01N	R02W	P	H	40	29	30	124	20	24	900		1959	12
F6 3030-01	FERNDALE 2NW	10	SEC 34	T03N	R02W	K	H	40	35	54	124	16	36	900		1963	12
F5 3041	FIELDAROOK 4 D RCH	285	SEC 36	T07N	R01E	P	H	40	56	36	124	01	06	000		1956	12
F3 3122	FOOTHILL SCHOOL	2960	SEC 25	T46N	R05W	F	M	41	48	42	122	22	18	000		1962	
F4 3130	FOREST GLEN	2340	SEC 22	T01S	R08E	H	M	40	23	00	123	20	00	900		1930	53
F3 3151	FORKS OF SALMON	1270	SEC 24	T10N	R07E	A	H	41	15	12	123	19	00	900		1959	47
F2 3176	FORT JONES 6 ESE	3324	SEC 12	T43N	R08W	M	M	41	35	00	122	43	00	900		1941	47
F2 3182	FORT JONES RANGER ST	2720	SEC 02	T43N	R09W	C	M	41	36	00	122	51	00	900		1936	47
F6 3194	FORTUNA	60	SEC 35	T03N	R01W	O	H	40	36	00	124	09	00	900		1956	12
F6 3217	FOX CAMP	2500	SEC 09	T02S	R01E	R	H	40	18	24	124	03	54	811		1960	12
F6 3322-01	GARRERVILLE MAINTSTN	540	SEC 24	T04S	R03E	G	H	40	06	00	123	47	40	809		1935	12
F0 3357	GASQUET RANGER STA	384	SEC 21	T17N	R02E	N	H	41	52	00	123	58	00	900		1940	08
F2 3362-03	GAZELLE 4NNW	2730	SEC 16	T43N	R06W	C	M	41	34	42	122	32	42	000		1949	47
F2 3363	GAZELLE LOOKOUT	5200	SEC 08	T41N	R07W	J	M	41	24	30	122	40	30	000		1956	47
F1 3564	GRASS LAKE HWY M S	5080	SEC 28	T44N	R03W	G	M	41	37	48	122	11	30	900		1954	47
F2 3614	GREENVIEW	2818	SEC 29	T43N	R09W	M	M	41	33	00	122	54	00	900		1943	47
F3 3761	HAPPY CAMP RANGR STA	1090	SEC 11	T16N	R07E	H	M	41	48	00	123	23	00	900		1914	47
F6 3785	HARRIS 7 SSE	1910	SEC 27	T05S	R05E	N	H	39	59	24	123	36	42	000		1953	23
F6 3810	HARTSOOK INN	470	SEC 24	T05S	R03E	D	H	40	00	48	123	47	30	000		1958	12
F4 3859	HAYFORK RANGER STA	2340	SEC 12	T31N	R12W	R	M	40	33	00	123	10	00	900		1915	53
F4 3949	HIDDEN VALLEY RCH	1978	SEC 32	T01N	R07E	M	H	40	24	54	123	24	30	000		1959	53
F6 3956	HIGH ROCK	900	SEC 15	T01S	R02E	K	H	40	22	48	123	56	30	808		1960	47
F3 3987	HILTS	2900	SEC 23	T48N	R07W	M	M	42	00	00	122	38	00	900		1939	47
F6 4037-02	HOLMES	150	SEC 33	T01N	R02E	R	H	40	25	06	123	57	06	000		1954	12
F7 4074	HONEYDEW 2 WSW	380	SEC 02	T03S	R01W	C	H	40	14	18	124	05	00	900		1953	12
F7 4074-01	HONEYDEW HUNTER	380	SEC 02	T03S	R01W	M	H	40	14	18	124	09	06	000		1955	12
F5 4077	HONOR CAMP 42	1875	SEC 31	T07N	R03E	K	H	40	56	48	123	52	42	000		1956	12
F4 4082	HOOPA	350	SEC 25	T08N	R04E	H	M	41	03	00	123	40	00	900		1941	12
F4 4084	HOOPA 2 SF	315	SEC 31	T08N	R05E	H	M	41	02	00	123	39	00	900		1954	12

TABLE A-1 (Continued)

## INDEX OF CLIMATOLOGICAL STATIONS FOR 1962-63

## NORTH COASTAL AREA

Station		Elevation (in feet)	Section	Township	Range	40-Zone Tract		Base B. Meridian			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name					40-Zone Tract	Base B. Meridian	0	1	0	1	0	1						
F4 4191	HYAMPOM	1260	SEC 25	T03N	R06E	H	40	37	00	123	28	00	900			1940			53
F0 4202	10LEWILD MAINT STN	1250	SEC 06	T17N	R04E	O	H	41	54	00	123	46	12	900		1946			08
F6 4305	ISLAND MTN	940	SEC 15	T05S	R06E	G	H	40	01	42	123	29	30	006		1943			53
F3 4577	KLAMATH	25	SEC 15	T13N	R01E	H	41	31	00	124	02	00	900		1941			08	
F3 4583	KLAMATH RIVER 1 SW	1750	SEC 12	T46N	R09W	A	M	41	51	06	122	50	06	000		1958	1963		47
F6 4587	KNEFLAND 10 SSE	2356	SEC 13	T03N	R02E	H	40	38	00	123	54	00	900		1952			12	
F5 4602	KORBEL	150	SEC 28	T06N	R02E	P	H	40	52	00	123	57	30	900		1937			12
F6 4690	LAKE MOUNTAIN		SEC 21	T05S	R07E	H	40	01	00	123	24	00	900		1939			53	
F1 4838	LAVA BEDS NAT MON	4770	SEC 28	T45N	R04E	H	M	41	43	48	121	30	30	900		1940		06	47
F6 4851	LAYTONVILLE	1640	SEC 01	T21N	R15W	M	39	42	00	123	29	00	000		1940			23	
F5 4982	LITTLE RIVER	150	SEC 31	T08N	R01E	P	H	41	01	54	124	06	36	000		1949			12
F2 4984-02	LITTLE SHASTA	2725	SEC 26	T45N	R05W	C	M	41	43	00	122	23	00	000		1960			47
F5 5086	LONG PRAIRIE RCH	1875	SEC 06	T06N	R03E	H	40	56	30	123	52	30	000		1952	1962		12	
F7 5295-41	MANN RANCH	2200	SEC 35	T02S	R01E	E	H	40	15	24	124	02	48	811		1960			12
F1 5505	MEDICINE LAKF	6660	SEC 10	T43N	R03E	M	41	35	00	121	37	00	900		1946			47	
F6 5676	MINA 3 NW	2875	SEC 28	T05S	R07E	A	H	40	00	06	123	23	30	000		1927			53
F6 5713	MIRANDA SPENGLER RCH	400	SEC 19	T03S	R04E	H	40	12	00	123	46	00	900		1939			12	
F2 5783	MONTAGUE	2500	SEC 27	T45N	R06W	D	M	41	43	42	122	31	36	000	045783	1888		05	47
F2 5785	MONTAGUE 3 NE	2640	SEC 18	T45N	R05W	M	41	45	00	122	28	00	900		1948			47	
F1 5941	MOUNT HERRON R S	4250	SEC 32	T46N	R01W	M	41	47	00	122	00	00	900		1942			47	
F4 6032	MUMBO BASIN	5700	SEC 35	T39N	R06W	E	M	41	12	00	122	32	00	900		1946			53
F6 6050	MYERS FLAT	175	SEC 30	T02S	R03E	J	H	40	15	42	123	52	00	900		1950			12
F3 6328	OAK KNOLL RANGER STA	1963	SEC 12	T46N	R09W	M	41	50	00	122	51	00	900		1942			47	
F6 6408	OLD HARRIS	2225	SEC 30	T04S	R05E	G	H	40	05	00	123	39	42	000		1956			12
F5 6497-01	ORICK 3 NW	50	SEC 22	T11N	R01E	K	H	41	19	24	124	02	30	000		1954			12
F5 6497-02	ORICK ARCATIA REDWOOD	75	SEC 22	T11N	R01E	K	H	41	19	24	124	02	36	000		1954			12
F5 6498	ORICK PRAIRIE CRFFK	161	SEC 02	T11N	R01E	H	41	20	00	124	02	00	900		1937			12	
F3 6499	ORICK 10 SE	2475	SEC 11	T09N	R02E	F	H	41	11	00	123	55	00	900		1958	1963		12
F3 6508	ORLEANS	403	SEC 31	T11N	R06E	H	41	18	00	123	32	00	900		1885			12	
F5 6745	PATRICKS PT STATE PK	250	SEC 26	T09N	R01W	L	H	41	08	12	124	09	00	804		1947			12
F7 6835-01	PETROLIA	175	SEC 03	T02S	R02W	L	H	40	19	30	124	16	48	000		1958			12
F7 6835-02	PETROLIA 4 NW	900	SEC 19	T01S	R02W	D	H	40	22	24	124	18	30	000		1953			12
F6 6851-15	PHILLIPSVILLE 1SE	300	SEC 19	T03S	R04E	B	M	40	11	42	123	46	00	000		1963			
F6 6976	PLASKETT	6580	SEC 27	T22N	R09W	A	M	39	44	12	122	51	24	000		1960			11
F4 7698	SALYER RANGER STA	623	SEC 14	T06N	R05E	H	40	53	00	123	35	00	900		1931			53	
F3 8025	SAWYERS BAR R S	2169	SEC 20	T40N	R11W	M	41	18	00	123	08	00	900		1931			47	
F6 8045	SCOTIA	139	SEC 07	T01N	R01E	H	40	29	00	124	06	00	900		1926			12	
F3 8083-01	SEIAD VALLEY R S	1371	SEC 13	T46N	R12W	R	M	41	50	36	123	11	42	905		1953			47
F6 8163	SHERWOOD VALLEY	2170	SEC 32	T20N	R14W	F	M	39	32	36	123	26	30	901		1958			23
F0 8311-01	SMITH RIVFR 2 WNW	195	SEC 21	T18N	R01W	A	H	41	56	30	124	10	42	000		1951			08
F0 8311-02	SMITH RIVER 7 SSE	60	SEC 30	T17N	R01E	F	H	41	50	24	124	06	36	000		1952			08
F3 8346	SOMESBAR IW	520	SEC 04	T11N	R06E	H	41	23	00	123	29	00	900		1954			12	
F6 8490	STANDISH HICKEY PARK	850	SEC 03	T23N	R17W	F	M	39	52	30	123	43	30	900		1950			23
F7 8899	THORN 2 NW	1000	SEC 09	T05S	R02E	M	40	02	00	123	57	00	000		1958	1962		12	
F3 8919	TI BAR R S	710	SEC 08	T13N	R06E	L	H	41	31	48	123	31	30	905		1959			47
F4 9024	TRINITY OAM VISTA PT	2500	SEC 16	T34N	R08W	M	40	48	00	122	46	00	900		1959			53	
F4 9045-01	TUMBLE RANCH	3190	SEC 23	T39N	R07W	E	M	41	13	44	122	38	44	000		1961			53
F1 9053	TULELAKF	4035	SEC 06	T47N	R05E	M	41	58	00	121	28	00	900		1932			47	
F1 9057	TULELAKE INSP STN	4408	SEC 31	T44N	R07E	F	M	41	36		121	12		000	049057	1953			25
F7 9177	UPPER MATTOLE	255	SEC 33	T02S	R01W	H	40	15	00	124	11	00	900		1896			12	
F4 9490	WEAVERVILLE RANGER S	2050	SEC 12	T33N	R10W	M	40	44	00	122	56	30	900		1871			53	
F2 9499	WFO 1 S	3630	SEC 11	T41N	R05W	M	41	25	00	122	23	00	900		1937			47	
F6 9527	WFOIT 2SE	600	SEC 12	T02S	R02E	H	H	40	18	29	123	53	40	000		1961			12
F7 9654	WHITETHORN	1050	SEC 15	T05S	R02E	E	M	40	01	18	123	56	12	000		1962			12
F6 9684	WILLITS 1 NE	1350	SEC 17	T18N	R13W	M	39	25	00	123	21	00	900		1950			23	
F6 9685	WILLITS HOWARD RS	1925	SEC 05	T17N	R13W	M	39	21	00	123	19	00	900		1935			23	
F2 9866	YRFA	2631	SEC 27	T45N	R07W	M	41	43	00	122	38	00	900		1871			47	
F6 9940	ZENIA 1 SSE	2880	SEC 22	T03S	R06E	G	H	40	11	18	123	28	54	000		1950			53

TABLE A-2  
 PRECIPITATION DATA FOR 1962-63  
 NORTH COASTAL AREA

Station	Precipitation in inches												
	Season	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June
<b>SMITH RIVER</b>													
CRESCENT CITY 1 N	72.23	0.00	3.97	2.29	10.51	8.30	7.19	2.68	7.28	7.28	13.60	8.81	0.32
CRESCENT CITY 7 ENE	90.59	0.00	3.46	2.08	12.93	10.97	10.10	3.07	9.39	9.70	16.41	11.95	0.53
CRESCENT CITY HWS	-	0.00	4.00	2.21	10.70	8.66	7.61	-	-	-	13.28	8.78	0.39
CRESCENT CITY 11 E	107.90	0.00	3.07	2.23	16.83	14.35	13.07	4.04	10.61	14.57	19.58	9.14	0.41
FLK VALLEY	81.48	0.00	2.62	1.17	14.00	9.69	8.85	5.04	9.25	10.76	12.93	6.44	0.73
<b>GASQUET RANGER STA</b>													
INFIELD MAINT CTN	104.17	0.00	3.05	2.05	15.88	12.62	11.49	3.48	11.97	11.96	20.93	9.96	0.78
SMITH RIVER 7 WNW	89.87	0.00	3.13	1.62	14.75	10.83	10.20	3.26	12.92	11.37	13.35	7.77	0.67
SMITH RIVER 7 SSE	133.40	T	6.30	4.45	16.60	17.00	10.80	6.30	17.60	15.15	23.85	13.25	1.30
SMITH RIVER 7 SSE	121.60	T	3.10	2.60	12.60	11.50	12.50	3.10	13.70	14.70	26.40	21.00	0.40
<b>LOST RIVER</b>													
BRAY 10 WSW	31.64	0.14	0.90	0.69	7.33	3.57	3.86	2.21	4.34	2.63	3.96	1.30	0.71
DORRIS INSPECT STA	-	0.09	-	-	-	-	-	-	2.72	0.77	2.63	0.62	0.53
GRASS LAKE HWY M S	20.95	T	0.72	0.49	6.74	2.12	1.45	0.60	1.16	1.69	2.40	1.81	1.77
LAVA BEDS NAT MON	19.81	0.04	0.26	0.23	8.30	0.98	1.38	0.48	1.14	1.38	1.77	2.26	1.59
MEDICINE LAKE	66.95	0.00	0.90	0.85	15.75	4.90	6.45	5.25	5.85	9.80	11.45	3.40	1.85
<b>MOUNT HERRON R S</b>													
TULELAKE	14.96	0.03	0.53	0.37	4.81	1.57	1.59	0.28	2.02	0.66	1.59	0.73	0.78
TULELAKE	13.07	0.00	0.11	0.34	5.04	0.63	1.19	0.41	1.29	0.53	1.22	1.42	0.89
TULELAKE INSP STA	19.84	0.44	0.51	0.02	8.29	0.84	1.57	0.73	1.47	1.87	1.79	0.94	1.37
<b>SHASTA-SCOTT</b>													
RIG SPRINGS 4 E	15.28	0.01	0.21	0.37	5.07	1.32	1.50	0.61	1.78	0.44	1.65	1.35	0.97
CALLAHAN RANGER STA	28.42	0.10	1.06	0.74	7.02	3.46	3.54	0.43	3.87	1.74	4.31	1.78	0.37
ETNA	35.67	0.05	0.89	1.30	8.59	4.61	4.49	3.21	4.11	1.68	3.66	1.43	1.65
FORT JONES 4 ESE	27.03	0.32	1.01	0.59	6.14	3.81	3.26	1.88	2.99	1.70	3.46	1.03	0.84
FORT JONES RANGER ST	26.69	0.05	0.75	0.48	5.78	4.03	3.65	1.83	3.55	1.68	3.18	1.56	0.15
<b>GAZELLE ANHW</b>													
GAZELLE LOOKOUT	17.54	0.16	0.57	0.42	5.29	1.70	2.19	1.32	2.08	0.46	1.21	1.28	0.86
GREENVIEW	-	0.49	1.05	0.03	-	-	-	-	-	-	-	-	0.89
LITTLE SHASTA	28.20	0.54	0.75	0.06	7.15	4.02	3.75	1.90	4.44	1.85	2.85	0.62	2.27
MONTAGUE	16.47	0.00	0.28	0.45	4.53	1.88	1.90	0.75	2.30	0.70	1.51	0.80	1.37
MONTAGUE 3 NE	15.29	0.05	0.53	0.42	3.85	1.65	1.90	1.24	1.97	0.85	1.23	1.23	0.37
<b>WEEP 1 S</b>													
WEEP 1 S	14.92	0.00	0.42	0.31	4.04	1.78	1.94	0.95	1.94	0.55	1.70	0.89	0.40
YREKA	29.70	T	0.89	0.57	8.30	3.56	3.60	1.05	5.15	3.66	6.14	3.01	1.24
YREKA	23.77	0.20	0.88	0.78	6.00	2.71	3.32	1.06	4.35	1.42	2.02	0.53	0.50
<b>KLAMATH RIVER</b>													
REBICK 7 S	51.49	0.91	1.65	1.40	12.68	7.05	7.05	2.25	7.15	3.85	4.90	2.00	0.60
BLUF CREEK MTN LO	126.53	-	-	-	-	-	-	-	-	-	-	-	-
CLEAR CREEK	72.38	1.32	1.93	1.30	12.18	8.87	8.44	3.21	9.94	10.44	10.92	3.21	0.62
CORCO DAM NO 1	24.42	0.03	0.50	0.56	6.15	2.49	2.84	1.63	2.72	1.33	3.53	1.06	1.58
FOOTHILL SCHOOL	-	-	-	-	-	-	-	-	2.01	1.04	2.18	0.93	1.10
<b>FORKS OF SALMON</b>													
HAPPY CAMP RANGER STA	52.98	0.00	1.61	1.02	12.33	5.82	5.44	2.45	7.40	5.60	9.29	1.73	0.29
HILTE	64.36	0.40	1.40	1.00	11.48	8.55	7.93	2.69	8.55	8.07	9.36	3.31	1.02
KLAMATH	30.22	0.40	1.00	0.86	7.41	4.50	4.28	1.17	4.66	1.96	2.24	1.29	0.45
KLAMATH RIVER 1 SW	83.69	T	3.50	1.70	13.07	12.64	7.05	3.79	10.66	8.69	15.32	6.90	0.57
KLAMATH RIVER 1 SW	30.05	0.65	0.77	0.75	7.74	4.36	4.00	2.31	3.04	2.43	3.08	0.58	0.34
<b>OAK KNOLL RANGER STA</b>													
OPICK 10 SE	34.07	0.61	1.06	0.91	8.46	4.30	4.50	1.65	4.26	2.89	3.92	1.22	0.29
ORLEANS	-	0.00	3.37	1.76	15.82	-	4.01	5.25	7.40	12.27	10.67	0.00	-
SAWYERS BAR R S	61.70	0.00	2.49	1.41	11.55	7.91	6.76	3.62	7.08	8.27	9.78	2.67	0.16
SETAD VALLEY R S	53.54	0.00	1.97	0.79	9.31	5.10	5.72	1.82	8.33	6.11	9.71	1.96	2.72
SOMESBAR 1W	54.42	0.23	2.10	0.93	11.00	7.77	6.28	3.13	7.04	5.80	7.38	2.20	0.56
<b>SOMESBAR 1W</b>													
TJ BAR R S	67.62	0.02	2.98	1.72	12.02	8.81	7.66	2.29	9.75	9.05	10.32	2.67	0.33
TJ BAR R S	72.67	0.00	2.39	1.66	12.48	9.38	8.72	3.34	9.80	9.31	11.78	3.42	0.39
<b>TRINITY RIVER</b>													
RIG BAR RANGER STA	43.01	0.03	2.22	0.58	7.52	4.69	6.51	1.80	6.01	5.11	7.34	0.93	0.27
RURN RANCH 15	52.75	0.33	1.95	0.50	9.78	5.06	4.76	1.93	6.92	8.91	10.47	1.77	0.27
COFFEE CREEK RS	55.09	0.00	2.39	0.69	11.63	5.82	8.45	6.72	7.73	5.79	1.10	3.91	0.86
FOREST GLEN	-	0.48	2.24	0.78	-	7.55	6.80	4.47	10.80	13.95	13.35	1.78	0.33
HAYFORD RANGER STA	38.83	0.01	1.69	0.47	7.60	3.23	4.28	2.79	5.97	5.10	6.53	0.99	0.17

TABLE A-2 (Continued)  
 PRECIPITATION DATA FOR 1962-63  
 NORTH COASTAL AREA

Station	Precipitation in inches												
	Season	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June
TRINITY RIVER													
HIDDEN VALLEY RCH	68.39	0.40	1.67	1.14	12.49	5.40	6.44	6.55	6.58	12.73	12.95	1.59	0.45
HOOPA	67.24	0.00	2.55	1.94	11.30	9.15	7.18	1.95	9.79	8.96	12.62	1.43	0.37
HOOPA 2 SE	63.32	0.00	2.42	2.03	10.89	7.58	7.24	2.31	9.18	9.21	9.91	2.30	0.25
HYAMPON	50.37	0.06	1.43	0.73	10.54	5.37	5.98	5.47	4.65	6.36	8.86	0.87	0.05
MUMRO RASTN	68.91	-	-	-	-	-	-	-	-	-	-	-	-
SALYER RANGER STA	52.10	0.00	1.97	0.79	9.31	5.10	5.72	1.84	6.90	7.70	10.21	2.38	0.18
TRINITY DAM VISTA PT	41.80	0.00	1.39	0.21	8.75	5.06	4.35	2.93	7.84	* 9.67	9.67	1.04	0.56
TRIMBLE RANCH	-	-	-	-	-	-	-	4.20	7.60	7.90	12.20	-	-
WEAVERVILLE RANGER S	45.06	0.00	2.15	0.48	7.99	4.86	4.38	3.91	6.61	5.01	6.27	2.84	0.56
MAD RIVER													
ARCATA A P	53.84	T	2.30	1.19	9.18	8.28	4.77	1.78	5.93	6.24	10.90	2.85	0.42
BIG LAGOON	68.40	0.00	2.45	1.41	11.66	9.45	5.31	2.87	8.14	7.62	14.74	4.36	0.39
BLUFF LAKE	57.61	0.00	2.43	0.90	10.21	8.03	5.09	1.54	7.59	7.16	11.54	2.54	0.58
BLUFF LAKE REDWOOD CR	-	0.00	1.59	1.54	-	8.73	7.45	1.72	7.55	7.46	13.97	3.36	0.46
FIELDBROOK 4 N RCH	66.25	0.00	3.20	1.55	11.35	10.95	5.20	5.90	5.20	7.75	12.35	2.40	0.40
HONOL CAMP 42	85.33	0.00	3.59	1.71	15.00	13.56	8.38	4.50	7.30	8.06	17.94	5.07	0.22
KORREL	58.34	0.00	2.86	1.00	10.48	8.39	5.00	2.25	6.03	7.78	11.51	2.53	0.51
LITTLE RIVER	68.38	0.00	3.12	1.55	9.07	10.60	5.68	2.68	8.33	7.93	14.82	4.08	0.52
LONG PRAIRIE RCH	-	0.00	4.12	-	-	-	-	-	-	-	-	-	-
ORICK 3 ANE	79.44	0.04	3.30	1.66	14.20	11.50	5.93	2.97	9.29	8.36	16.77	4.92	0.50
ORICK ARCATA REDWOOD	69.64	0.03	3.13	1.38	12.63	9.99	5.23	2.44	8.28	7.65	13.73	4.72	0.43
ORICK DRAIDIE CREEK	71.42	0.00	3.53	1.40	12.83	9.84	5.77	2.58	8.43	7.53	14.28	4.72	0.61
PATRICKS PT STATE PK	80.80	0.00	2.25	1.55	10.50	10.74	6.28	2.62	10.57	10.38	16.41	7.20	0.30
FEL RIVER													
ADANAC LODGE	77.26	0.00	2.04	1.35	17.27	7.62	9.18	7.70	4.95	11.05	14.92	1.13	0.05
ALDENPOINT	60.98	T	2.21	1.13	14.05	7.16	5.17	4.17	8.12	8.23	9.35	1.21	0.18
BRANSCOMR 2 NW	85.72	0.00	1.94	1.89	19.62	8.36	11.31	5.20	8.65	9.80	17.46	1.49	0.00
BRIDGEVILLE 4 NNW	78.99	0.00	3.52	1.33	13.49	*	16.75	2.50	9.78	12.51	14.23	4.61	0.35
BRIDGEVILLE P O	-	0.00	3.08	1.06	12.80	-	-	-	-	-	-	-	-
BILL CREEK	89.10	0.00	2.50	1.60	13.58	7.93	8.49	6.41	11.93	15.23	17.00	4.25	0.18
HURLINGTON ST PARK	77.93	0.00	2.27	1.24	13.79	7.44	7.67	4.29	10.83	12.44	14.88	2.95	0.13
CENAR CREEK HATCHERY	76.37	0.00	2.03	1.45	17.66	7.58	8.88	3.80	9.11	10.06	14.72	1.05	0.03
COVLO	43.17	0.00	0.70	0.80	8.84	4.09	5.12	3.22	5.45	7.33	6.97	0.55	0.10
COVLO FEL RIVER RS	39.36	0.00	0.97	0.60	8.13	3.77	4.20	4.06	2.63	6.70	7.48	0.71	0.11
CUMMINGS	80.91	0.00	2.03	1.46	16.56	7.81	9.30	8.02	7.77	11.66	14.88	1.32	0.10
DOS RIOS	50.21	0.00	0.90	0.85	10.31	4.38	3.07	3.92	8.14	8.58	9.18	0.74	0.14
FIDEXA WR CITY	43.94	T	1.92	0.71	6.49	6.77	2.58	1.70	4.74	6.28	10.68	1.74	0.33
FERNDALE 2NW	-	-	-	-	-	-	-	-	-	-	-	10.98	1.70
FORTINA	45.91	0.00	2.02	0.70	7.23	5.94	3.02	1.58	5.61	6.22	11.26	2.02	0.31
FOX CAMP	103.94	0.00	4.28	2.00	16.84	8.86	10.23	8.86	11.25	15.54	19.00	7.01	0.07
GARRERVILLE MAINTSTN	93.08	0.00	2.65	0.13	15.31	6.07	6.86	7.97	6.72	18.03	12.69	16.09	0.56
HARRIS 7 SSE	73.24	0.00	2.20	0.00	16.89	6.90	6.33	9.08	6.41	11.92	12.51	0.95	0.05
HARTSOOK INN	-	0.00	1.31	1.20	13.26	8.87	9.40	7.80	7.95	11.80	13.28	1.64	-
HIGH ROCK	70.21	0.00	1.87	1.19	11.75	7.53	6.28	5.31	7.52	12.88	12.42	3.34	0.12
HOLMES	66.51	0.00	2.04	1.17	10.69	6.31	5.84	5.18	6.74	13.08	12.17	3.14	0.15
ISLAND MTN	45.86	0.00	1.36	0.43	10.58	4.18	4.05	5.66	2.87	8.52	7.60	0.61	0.00
KNEFLAND 10 SSE	58.44	0.00	2.71	1.00	10.34	8.23	4.78	3.79	0.85	9.80	12.94	3.50	0.50
LAKE MOUNTAIN	60.14	0.00	1.67	0.93	13.00	6.93	5.91	6.90	3.57	9.74	9.89	1.44	0.16
LAYTONVILLE	66.93	0.00	1.45	1.22	12.51	6.35	7.27	10.59	6.26	9.06	11.23	0.92	0.07
MINA 3 NW	64.50	0.00	1.98	1.00	13.14	7.25	6.86	3.59	8.27	9.93	10.98	1.50	0.00
MIRANDA SPENGLER RCH	65.03	0.00	2.67	1.24	12.96	7.41	6.79	6.15	5.75	10.55	9.96	1.50	0.05
MYERS FLAT	82.13	0.00	2.60	1.56	13.27	8.38	8.29	9.05	7.41	12.63	15.03	3.76	0.15
OLD HARRIS	72.41	0.00	2.67	1.03	12.81	7.98	7.67	7.22	6.63	12.11	12.07	1.97	0.25
PHILLIPSVILLE 1SE	-	-	-	-	-	-	-	7.36	4.85	10.64	10.57	1.66	0.12
PLASKETT	-	-	0.90	1.09	10.91	-	-	-	-	-	-	-	-
SCOTIA	57.31	0.01	1.46	0.98	9.14	6.57	4.54	2.73	7.54	9.26	12.38	2.45	0.25
SHERWOOD VALLEY	72.27	0.00	2.14	1.66	11.78	6.03	8.86	4.53	7.01	12.40	16.39	1.97	0.00
STANDISH HICKEY PARK	78.82	0.00	2.42	1.96	17.50	8.08	9.45	3.69	9.09	10.64	14.66	1.28	0.05
WFOOT 2SE	-	0.00	-	1.26	13.94	-	-	2.32	9.07	12.55	12.63	3.46	0.15

TABLE A-2 (Continued)  
 PRECIPITATION DATA FOR 1962-63  
 NORTH COASTAL AREA

Station	Precipitation in Inches												
	Season	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June
<b>EFL RIVER</b>													
WILLITS 1 NF	55.37	0.00	0.49	0.93	11.36	5.17	6.56	6.89	4.70	7.92	10.38	0.91	0.06
WILLITS HOWARD PS	-	0.00	0.59	1.31	11.78	4.53	7.24	7.20	3.25	-	10.45	-	0.08
7FNIA 1 SSF	82.51	0.00	3.43	1.52	17.78	9.97	9.59	6.05	7.82	11.07	13.32	1.88	0.08
<b>MATTOLE RIVER</b>													
CAPF RANCH	-	-	-	-	-	-	-	3.52	9.04	9.38	15.87	3.40	-
ETTERSBURG 2 SE	86.70	0.00	5.30	2.95	14.52	8.70	6.61	10.10	12.14	8.08	15.65	2.65	0.00
FERNDALE 8 SSW	68.55	0.09	2.65	0.83	10.11	10.54	5.87	3.21	8.17	9.91	12.97	3.16	1.04
HONEYDEW 2 WSW	125.85	0.00	2.78	2.27	18.60	14.60	12.44	8.20	16.35	18.11	26.06	6.14	0.30
HONEYDEW HUNTER	125.82	0.00	2.90	2.00	18.50	14.97	12.52	10.40	13.05	18.28	26.90	5.90	0.40
<b>MANN RANCH</b>													
PETROLIA	122.55	0.00	4.02	1.80	18.15	13.63	12.17	10.00	15.45	19.43	21.08	6.48	0.34
PETROLIA 4 NW	75.17	0.00	2.00	0.95	10.24	9.46	5.81	5.40	7.14	10.90	19.12	3.83	0.32
THORN 2 NW	64.55	0.00	3.00	0.85	8.55	9.30	4.00	2.50	7.75	8.50	16.50	3.15	0.45
UPPER MATTOLE	-	0.00	2.93	3.18	16.65	12.87	11.15	-	-	-	-	-	-
UPPER MATTOLE	94.91	0.00	3.10	1.40	13.82	11.00	8.74	7.70	10.39	12.69	21.30	4.54	0.23
<b>WHITETHORN</b>													
WHITETHORN	98.83	0.00	3.00	2.75	18.25	12.00	11.62	8.11	8.92	14.70	17.17	2.19	0.12

TABLE A-3  
**TEMPERATURE DATA FOR 1962-63**  
**NORTH COASTAL AREA**

Station			Temperature in Degrees Fahrenheit												
Number	Name		Season	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June
F5-0901	BLUE LAKE	ABS. MAX.	82	76	73	82	73	72	71	66	72	65	65	73	70
		AVG. MAX.	62.2	68	68	67	64	60	57	56	63	57	58	62	67
		AVERAGE	54.6	60	62	60	56	52	48	45	55	48	52	56	60
		AVG. MIN.	46.9	52	55	56	47	45	40	34	47	40	45	51	53
		ABS. MIN.	22	47	44	43	37	33	25	22	34	30	35	45	41
F6-1608	CEDAR CREEK HATCHERY	ABS. MAX.	104	98	96	94	84	78	61	56	70	68	72	92	104
		AVG. MAX.	66.9	89	84	81	67	58	51	49	60	55	57	72	80
		AVERAGE	54.6	68	68	64	55	48	44	38	52	45	50	60	64
		AVG. MIN.	42.2	48	51	46	43	39	36	28	43	35	42	48	48
		ABS. MIN.	16	42	40	41	33	26	21	16	31	26	30	38	39
F1-2480	DORRIS INSPECT STA	ABS. MAX.	-	-	-	-	-	-	-	-	62	65	67	85	88
		AVG. MAX.	-	-	-	-	-	-	-	-	52.4	49.0	50.2	65.6	70.7
		AVERAGE	-	-	-	-	-	-	-	-	40.4	36.4	37.0	50.4	54.4
		AVG. MIN.	-	-	-	-	-	-	-	-	28.4	23.9	23.8	35.1	38.0
		ABS. MIN.	-	-	-	-	-	-	-	-	15	11	-3	22	26
F5-3041	FIELDROCK 4 DRCH	ABS. MAX.	85	80	76	85	78	76	64	63	70	63	67	68	72
		AVG. MAX.	63.6	71	71	69	68	63	57	56	61	57	58	63	69
		AVERAGE	53.2	60	61	60	56	52	47	44	54	47	48	53	59
		AVG. MIN.	43.1	48	51	50	45	41	37	31	46	37	39	43	49
		ABS. MIN.	20	45	48	46	39	30	26	20	36	32	33	36	46
F6-3422-01	GARBERVILLE MAINTSTN	ABS. MAX.	104	104	100	-	76	79	65	61	70	70	70	88	90
		AVG. MAX.	67.4	90	87	-	70	62	51	52	64	60	61	71	74
		AVERAGE	55.0	70	68	-	55	51	44	42	56	48	50	60	62
		AVG. MIN.	42.5	49	50	-	40	40	36	32	47	37	40	48	49
		ABS. MIN.	22	44	47	-	31	30	26	22	37	28	34	38	44
F2-3363	GAZELLE LOOKOUT	ABS. MAX.	-	-	89	89	-	-	-	-	-	-	-	-	86
		AVG. MAX.	-	-	82	80	-	-	-	-	-	-	-	-	71
		AVERAGE	-	-	68	67	-	-	-	-	-	-	-	-	58
		AVG. MIN.	-	-	54	54	-	-	-	-	-	-	-	-	46
		ABS. MIN.	-	-	44	45	-	-	-	-	-	-	-	-	31
F1-3564	GRASS LAKE HWY M 5	ABS. MAX.	-	-	89	87	79	68	63	64	64	-	55	70	82
		AVG. MAX.	57.0	-	74.1	75.6	60.5	49.0	48.1	44.3	49.7	-	44.0	58.7	65.8
		AVERAGE	42.8	-	54.8	54.4	45.4	37.6	35.8	29.8	39.6	-	33.7	46.0	50.4
		AVG. MIN.	28.5	-	35.4	33.3	30.2	26.1	23.6	15.2	29.5	-	23.4	33.2	35.1
		ABS. MIN.	-1	-	29	25	21	7	11	-1	17	-	5	23	16
F6-4097-02	HOLMES	ABS. MAX.	99	85	82	99	77	71	69	61	73	74	74	88	82
		AVG. MAX.	65.3	75	75	75	68	60	57	55	65	60	61	67	72
		AVERAGE	56.0	62	64	64	59	52	49	45	56	50	52	58	62
		AVG. MIN.	46.3	49	54	52	50	45	41	35	48	41	42	48	51
		ABS. MIN.	20	42	45	44	42	34	25	20	39	33	34	40	44
F5-4077	HONOR CAMP 42	ABS. MAX.	90	90	81	90	84	84	72	70	70	64	64	82	88
		AVG. MAX.	62.2	76.0	71.6	69.6	67.5	57.9	55.0	59.9	50.8	52.2	59.2	67.7	
		AVERAGE	51.7	61.2	58.5	57.4	55.6	49.2	50.1	43.3	51.0	42.9	44.0	50.6	56.0
		AVG. MIN.	41.0	46.5	45.4	45.2	43.6	40.6	40.5	31.6	42.2	35.0	35.7	42.1	44.3
		ABS. MIN.	24	40	40	41	36	28	30	24	32	26	30	36	38
F0-4202	IDLEWILD MAINT STN	ABS. MAX.	103	103	94	92	80	62	60	56	60	64	68	88	98
		AVG. MAX.	65.0	90	83	77	62	54	48	46	58	58	53	70	81
		AVERAGE	52.7	70	66	62	52	46	40	36	50	46	44	56	62
		AVG. MIN.	40.5	49	50	48	42	38	33	27	42	34	36	43	44
		ABS. MIN.	18	40	44	40	34	26	22	18	30	25	30	34	38
F3-4583	KLAMATH RIVER 1 SW	ABS. MAX.	100	100	95	97	84	79	71	64	71	72	76	93	95
		AVG. MAX.	69.3	91	86	86	70	61	52	54	61	60	60	76	80
		AVERAGE	56.0	72	70	68	57	50	44	40	51	46	50	62	64
		AVG. MIN.	42.3	52	53	49	44	40	35	25	41	33	40	47	49
		ABS. MIN.	17	43	46	43	35	27	21	17	30	27	30	37	41
F5-4602	KORREFL	ABS. MAX.	85	81	82	85	75	74	-	62	75	66	70	80	78
		AVG. MAX.	65.5	75.3	74.1	72.1	66.2	60.7	-	53.3	64.4	59.0	59.7	63.9	72.0
		AVERAGE	55.6	62.2	63.5	62.6	56.4	52.0	-	43.8	55.8	49.2	50.5	56.0	60.2
		AVG. MIN.	45.3	49.2	52.9	53.1	46.7	43.4	-	34.2	47.1	39.3	41.3	48.1	48.5
		ABS. MIN.	24	42	44	45	39	31	-	24	36	31	34	37	41
F1-4838	LAVA BEDS NAT MON	ABS. MAX.	95	94	92	90	83	70	61	60	62	58	67	84	88
		AVG. MAX.	60.5	82.6	82.2	77.9	61.8	50.9	45.4	43.7	53.0	46.8	46.8	65.5	69.9
		AVERAGE	48.7	66.8	66.6	63.1	49.8	41.8	36.8	32.8	43.6	36.6	37.4	53.2	55.8
		AVG. MIN.	36.9	50.9	51.1	48.3	37.8	32.7	28.2	21.9	34.3	27.3	28.0	40.8	41.7
		ABS. MIN.	-5	39	38	34	23	15	9	-5	23	18	11	25	29
F2-5783	MONTAGUF	ABS. MAX.	100	-	-	100	84	71	61	53	67	68	73	94	97
		AVG. MAX.	61.2	-	-	86.7	66.0	55.4	42.4	45.6	57.0	55.5	55.7	74.3	79.2
		AVERAGE	46.7	-	-	65.2	51.4	43.8	35.4	31.2	45.8	42.6	44.8	60.4	-
		AVG. MIN.	33.6	-	-	43.7	36.8	32.2	28.4	16.9	34.7	29.6	34.0	46.6	-
		ABS. MIN.	5	-	-	33	28	18	14	5	24	17	19	31	-



TABLE A-3 (Continued)  
 TEMPERATURE DATA FOR 1962-63  
 NORTH COASTAL AREA

Station		Temperature in Degrees Fahrenheit													
Number	Name	Season	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	
F3-6499	DRICK 10 SF	ABS. MAX.	94	94	92	92	78	-	-	68	70	62	80	-	-
		AVG. MAX.	64.1	74	76	77	61	-	-	56	60	51	58	-	-
		AVERAGE	54.6	66	66	65	54	-	-	45	52	42	48	-	-
		AVG. MIN.	45.0	57	56	53	47	-	-	34	43	33	37	-	-
		ABS. MIN.	23	46	40	44	30	-	-	23	32	26	30	-	-
F3-8083-01	SEJAD VALLEY R S	ABS. MAX.	106	106	100	102	80	78	58	60	68	71	76	98	102
		AVG. MAX.	69.6	94.8	90.1	91.2	70.1	58.1	47.7	49.4	59.4	58.6	57.9	76.7	81.6
		AVERAGE	55.3	71.6	70.9	68.6	56.8	48.8	40.8	36.0	50.3	46.0	47.6	61.2	64.6
		AVG. MIN.	40.9	48.5	51.7	46.0	43.4	39.5	34.0	22.7	41.2	33.5	37.2	45.6	47.5
		ABS. MIN.	13	40	43	40	32	28	19	13	30	24	30	38	38
F6-8490	STANDISH HICKEY PARK	ABS. MAX.	92	92	88	90	76	72	64	56	66	64	64	80	92
		AVG. MAX.	64.2	83	77	76	65	58	53	51	61	55	52	66	73
		AVERAGE	54.0	68	62	63	56	50	46	42	53	46	46	56	62
		AVG. MIN.	43.3	52	47	50	46	43	39	32	45	38	40	45	50
		ABS. MIN.	22	48	53	46	38	30	24	22	36	32	34	36	42
F7-8899	THORN 2 NW	ABS. MAX.	97	97	96	96	92	90	80	-	-	-	-	-	-
		AVG. MAX.	-	87	83	83	74	69	68	-	-	-	-	-	-
		AVERAGE	-	67	66	65	59	54	53	-	-	-	-	-	-
		AVG. MIN.	-	47	49	47	44	40	38	-	-	-	-	-	-
		ABS. MIN.	-	41	40	40	35	29	23	-	-	-	-	-	
F1-9057	TULELAKE INSP STN	ABS. MAX.	94	94	93	93	85	72	58	55	66	60	59	63	87
		AVG. MAX.	60.2	84.8	82.5	80.5	63.4	51.2	45.5	44.1	52.4	48.5	45.2	52.7	72.3
		AVERAGE	45.7	64.4	62.8	60.6	47.5	39.6	34.4	28.2	40.3	35.6	35.0	44.8	55.7
		AVG. MIN.	31.2	44.1	43.1	40.6	31.6	27.9	23.2	12.2	28.2	22.8	24.8	37.0	39.1
		ABS. MIN.	-5	36	30	28	24	8	6	-5	13	12	4	25	28

**TABLE A-4**  
 EVAPORATION DATA FOR 1962-63  
 NORTH COASTAL AREA

Station		Evaporation in Inches												
Number	Name	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
F6-3030-01	Ferndale 2 MW									Inc 3.06	3.40	5.22		
F3-8083-01	Seiad Valley R. S.											Inc 6.62		
F4-9024	Trinity Dam Vista Point	11.47	8.62	6.72	2.63b	1.13b	4.08b			Inc 2.08	5.50	9.11		
F1-9053	Tulelake	Inc	8.29	6.38	2.38					3.01b	7.02	8.16		

b - Partially estimated.

Inc- Incomplete.



APPENDIX B  
SURFACE WATER FLOW



TABLE OF CONTENTS

	<u>Page</u>
Surface Water Flow . . . . .	30
Definition of Terms . . . . .	30

TABLES

Table

Daily Mean Discharge		
B-1	Shasta River at Edgewood . . . . .	33
B-2	Little Shasta River near Montague . . . . .	34
B-3	Etna Creek near Etna . . . . .	35
B-4	Moffett Creek near Fort Jones . . . . .	36
B-5	Weaver Creek near Douglas City . . . . .	37
B-6	Browns Creek near Douglas City . . . . .	38
B-7	North Fork Trinity River at Helena . . . . .	39
B-8	Big Creek near Hayfork . . . . .	40

## SURFACE WATER FLOW

The Surface Water Measurement Program is a long-term, continuing, basic data activity of the Department, providing accurate measurements of water stages and corresponding streamflow discharges.

The program incorporates both field and office activities. The field activities include the installation and maintenance of gaging stations as well as the actual measurement of streamflow. The office work includes the preparation of data for computation by machine methods. This consists of developing a rating curve for each streamflow station from a series of instantaneous discharge measurements, and a related formula. Manual computation of discharge is required when the direct stage-discharge relationship has been destroyed by ice forming on the control or by back-water from a tributary or control structure downstream.

### Definition of Terms

The following terms are used:

Second-foot or cubic foot per second is the unit rate of discharge of water. It is a measure of a cubic foot of water passing a given point in one second.

Acre-foot is the quantity of water required to cover one acre to a depth of one foot. It is equivalent to 43,560 cubic feet or 325,850 gallons.

Drainage area of a stream at a specified location is that area, measured in a horizontal plane, which is enclosed by a drainage divide.

Water year is the 12-month period from October 1 of one year through September 30 of the subsequent year and is normally designated by the calendar year in which it is terminated.

The data shown in Table Nos. B-1 through B-8 have been determined from observations during the current year by Department personnel. Measurement procedures which have been employed are consistent with those used by the U. S. Geological Survey.

Accuracy of the flow records range between "excellent" (less than 5 percent error) and "good" (less than 10 percent error). The records of monthly and seasonal mean discharge and runoff are generally more accurate than the daily flow records.

When flows at a single station are in excess of 140 percent of the highest measurement on the rating curve, the computed daily mean discharges from the electronic computer are shown as "estimates". Normally, the rating is good where there is a fixed channel and flow regimen at the station. The rating varies, of course, where aquatic growth or shifting sands are present. Where the rating is not permanent more frequent measurements of discharge are necessary.

Locations of individual measurement stations are given in the tables of flow. Location numbers have been assigned in accordance with the Department's "Hydrologic Procedures Manual".

The location number is a six-digit number. The first letter designates the hydrographic area; the first number the river basin; the second number the reach of the stream. The last three numbers are sequence numbers assigned to a specific station. The sequence numbers begin at the downstream end of the reach.

The streamflow tables are arranged in a downstream order. Stations on a tributary entering between two main stem stations are listed between those stations and in downstream order. A stream gaging station normally derives its name from the stream and the nearest post office (e.g., Weaver Creek near Douglas City).

An automatic water stage recorder is in operation at all of the Department's gaging stations in the North Coastal Area.

Following are the significant figures used in reporting stream-flow data, consistent with the accuracy of measurements obtained:

1. Daily flow - Second-feet  
0.0 - 9.9 Tenths  
10 - 99 2 Significant figures  
100 - above 3 Significant figures
2. Mean flows - Second-feet  
0.0 - 99.9 Tenths  
100 - 999 3 Significant figures  
1000 - above 4 Significant figures

The water year totals are reported to a maximum of four significant figures.

Station descriptions and historical data are provided at the bottom of each table of flow. Gage heights are in feet above assumed "local" datum planes.

The eight surface water measurement stations measured by the Department in the North Coastal Area are located on Plate 3.

TABLE B-1  
DAILY MEAN DISCHARGE  
SHASTA RIVER AT EDGEWOOD

STATION NO.	WATER YEAR
82,700	1965

IN SECOND FEET

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	15	50	143	30	406 *	108	113	84	102	27	7.7 E	NR	1
2	13	53	502	77	442	107	99	84	73	23 #	7.7 E	NR	2
3	15	58	366	77	731	110	62	31	86	21 E	7.2 E	NR	3
4	16	59	232	93	722	102	72	69	82	22 E	6.6 E	NR	4
5	17	43	189	87	735	107	109	114	105	21 E	7.0 E	NR	5
6	18	44	173	86	493	101	195	121	84	20 E	6.3 #	NR	6
7	17	47	157	85	365	97	176	179	79	20 E	NR	NR	7
8	17	42	148	85	351	95	143	237	70	19 E	NR	NR	8
9	16	51	141	85	288	93	125	160	8	19 E	NR	NR	9
10	338	53	136	83	261	91	129	114	57	18 E	NR	NR	10
11	710 E	57	131 *	72	230 *	66 *	126	119	54	17 E	NR	NR	11
12	1310 E	110	120	78	227	83	323	103	52	17 E	NR	NR	12
13	470	88	142	79	238	81	303	95	53	16 E	NR	NR	13
14	205	72 *	160	79	125	81	1030	92	55	16 E	NR	NR	14
15	164	67	508	79	176	82	516	94	56	16 E	NR	NR	15
16	160	64	365	78	200	81	310	94	56	15 E	NR	NR	16
17	130	67	313	78	182	85	208	100	55	15 E	NR	NR	17
18	116	64	143	77	161	83	159	110	62	14 E	NR	NR	18
19	103	61	210	76	156	84	148	126	68	13 E	NR	NR	19
20	93	57	182	75	161	82	120	156	62	13 E	NR	NR	20
21	85	54	164	74	149	79	113	176 *	54	12 E	NR	NR	21
22	75	52	152	75	139	73	102	173	54	12 E	NR	NR	22
23	77	64	138	74	131	88	96	163	50	12 E	NR	NR	23
24	74	53	121	75	126	82	93	158	42	11 E	NR	NR	24
25	69	54	115	72	123	77	90	141	37	10 E	NR	NR	25
26	65	573	110 *	69	127	73	89	137	33	10 E	NR	NR	26
27	56	253	108	70	117	207	87	116	31	9.6 E	NR	NR	27
28	55	176	106	69	111	160	86	113	46	9.6 E	NR	NR	28
29	53	148	100	69	128	90	124	37	3.0 E	NR	NR	29	
30	53	143	100	137	122	88	117	35	5.4 E	NR	NR	30	
31	52	101	101	776	126	126	113	35	6.4 E	NR	NR	31	
MEAN	185	92.4	191	104	298	98.3	182	126	10.3	15.3	NR	NR	MEAN
MAX.	1310 E	573	508	776	442	207	1030	237	109	27.0	NR	NR	MAX.
MIN.	13.0	44.0	100	69.0	111	73.1	86.0	31.0	3.0	8.4 E	NR	NR	MIN.
ACFT.	3330	5498	11730	6411	16570	6046	10800	7732	3586	442	NR	NR	ACFT.

WATER YEAR SUMMARY

E - Estimated

NR - No Record

\* - Discharge measurement or observation of no flow made on this day.

\*\* - E and \*

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL ACRE-FEET
	DISCHARGE	GAGE HT.	MO.	DAY	DISCHARGE	GAGE HT.	MO.	DAY	
NR	420 E	7.37	10	12	NR				NR

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC T.&R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			C.F.S.	GAGE HT.	DATE			FROM	TO		
41 28 20	122 26 18	SE20 42N 5W	2520 E	7.37	10/12/62	MAR 61-DATE	MAR 61-DATE	1961		0.00	LOCAL

Station located on downstream side of Edgewood Road Bridge, 1.2 miles north of Edgewood. Tributary to Dwinell Reservoir. Stage-discharge relationship at times affected by ice.

TABLE B-2  
DAILY MEAN DISCHARGE  
LITTLE SHASTA RIVER NEAR MONTAGUE

STATION NO.	WATER YEAR
F21300	1963

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	4.8	5.1	7.6	10	20.4 E	29	24	4.3	21	8.9	5.5	4.2E	1
2	5.8	5.1	9.7 F	11	9.0	27	20	4.3	20	8.6	5.7	4.2E	2
3	6.4	5.1	9.4 F	13	18.9 E	26	20	4.5	19	8.5	5.3	4.2E	3
4	5.5	5.5	4.5	11	10.9 E	24	20	4.6	19	7.5	5.6	4.0	4
5	5.6	6.2	3.4	9.1	6.7 E	23	38 E	4.6	21	7.4	5.0	4.0	5
6	5.0	5.6	2.7	8.9	5.3	24	11.2 E	4.6	19	7.3	4.8	4.0	6
7	5.4	5.5	2.2	7.5#	4.3	22	9.3 E	5.4	17	7.1	5.0	3.7	7
8	6.3	5.5	1.9	6.5E	3.9	21	5.9	5.1	16	7.3	5.1	4.0	8
9	2.2 *	6.4	1.7	6.0E	3.1 E	20	5.1	5.1	14	7.1	5.1	4.2	9
10	7.7 F	8.0	1.6	5.0E	2.7 E	19	4.7	4.7	15	6.8	5.0	4.2	10
11	7.9 F	11	1.4 *	5.0E	2.6 #	18	4.2	5.3	16	7.0	4.8	4.2	11
12	2.08 F	2.4	1.5	5.0E	2.5	18	3.6	4.8	15	7.3	4.8	4.3	12
13	9.2 F	1.4	1.5	5.0E	2.5	16	3.5	4.3	14	7.1	4.8	4.3	13
14	4.7	9.0	1.8	5.0E	2.2	17	1.42 E	3.9	12	6.7	4.8	4.2	14
15	3.5	7.5*	4.5	5.0E	2.1	17	8.4 E	4.1	11	5.8	4.8	4.0	15
16	2.1	7.4	3.4	5.0E	2.3	17	5.9	3.7	12	6.1*	5.1	4.2	16
17	1.7	7.5	4.8	5.0E	2.3	16	4.9	3.6	13	6.4	5.1	4.0	17
18	1.3	8.6	3.5	5.0E	3.4	16	4.5	3.5	15	6.4	5.0	4.0	18
19	1.1	9.2	2.5	5.0E	4.0	23	4.2	3.4	14	6.5	4.8	4.2	19
20	9.7	8.8	2.2	5.0E	7.4 F	28	3.7	3.3	11	5.8	4.9*	4.0	20
21	8.6	1.2	1.9	5.0E	5.1	26	3.4	3.3	11	6.0	5.3	4.2	21
22	7.9	1.3	1.9	5.0E	3.9	22	3.9	3.2	12	5.7	5.3	4.0	22
23	7.3	1.0	1.4	5.0E	3.4	21	4.4	3.1	12	5.6	5.1	3.8	23
24	6.6	8.6	1.3	5.0E	3.1	19	4.2 *	3.0	11	5.5	5.1	3.8E	24
25	6.6	8.5	1.6	5.0E	3.2	17 *	3.6	2.8	10	5.3	5.1	3.8E	25
26	6.6	8.6 E	1.2	4.5E	4.1	17	3.5	2.7	9.6	5.3	5.1	3.8E	26
27	6.8	4.1	1.2	5.0E	3.1	20	3.4	2.6	9.4	5.2	5.1	3.6E	27
28	6.2	2.3	1.4	5.0E	3.0	26	4.0	2.6	11	4.8	4.8	3.6E	28
29	6.2	1.3	1.3	5.5	2.5	25	4.6	2.5	12	5.1	4.8	3.3E	29
30	6.0	1.7	1.4	5.4	2.7	27	4.7	2.3	10	5.8	4.5	3.3E	30
31	5.8		1.2	7.0 E		3.2		2.2		5.7	4.2F		31
MEAN	24.2	13.2	26.6	8.3	52.0	21.7	48.4	37.9	14.1	6.5	5.0	4.0	MEAN
MAX.	208 F	86.0E	97.0E	70.0E	206 E	32.0	142 E	54.0	21.0	8.9	5.7	4.3	MAX.
MIN.	4.8	5.1	12.0	4.5E	21.0	16.0	20.0	22.0	9.4	4.8	4.2E	3.3E	MIN.
AC.FT.	1490	788	1638	513	2888	1335	2880	2329	837	400	308	237	AC.FT.

WATER YEAR SUMMARY

E - Estimated

NR - No Record

\* - Discharge measurement or observation

# - flow made on this day.

\*\* - E and #

MEAN	MAXIMUM					MINIMUM					TOTAL ACRE-FEET
	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	
21.6	525	4.23	10	12	1840	0.3	1.44	1	12	0300	15640

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M. D. B. & W.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			C.F.S.	GAGE HT.	DATE						FROM
41 45 11	122 17 58	3N15 45N 4W	74.1 E	4.76	11/13/57	25-NOV 51 # APR 52-APR 55 SEP 56-DAT#	26-NOV 51 B APR 52-APR 55 SEP 56-DAT#	1956	0.00	LOCAL	

Station located south of Ball Mountain Road, 12 miles northeast of Montague, 16 miles southwest of MacDoel. Stage-discharge relationship at times affected by ice. Drainage area is 48.1 square miles.

B - Irrigation season only



TABLE B-3  
DAILY MEAN DISCHARGE  
ETNA CREEK NEAR ETNA

STATION NO.	WATER YEAR
F2562N	1963

DAY	OCT.	NOV	DEC.	JAN.	FEB.	MAR	APR	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	4.5	25	136	39	558 E	57	49	113 E	98 E	19	4.5	4.9	1
2	5.1	23	1100	38	378 E	55	44	115 E	86 E	18	4.4	4.4	2
3	6.5	22	450 E	39	928 E	52	43	115 E	76 E	17	4.3	3.9	3
4	5.5	22	256	36	439 E	50	45	119 E	66 E	17	4.2	4.3	4
5	5.1	23	191	34	326 E	48	213 E	195 E	61	16	4.1	4.7	5
6	5.0	21	155	33	252	47	446 E	173 E	56	16	3.9	5.1	6
7	6.8	20	131	34 E	201	45	257	183 E	52	16	4.7	5.2	7
8	29	19	113	31 E	180	42	180	177 E	50	15	5.9	4.6	8
9	227	44	101	31 E	158	40	140	159 E	48	13	6.1	4.0	9
10	200	35	93	30 E	138	37	118	145 E	45	13	6.1	3.9	10
11	281 E	117	87	29 E	121	36	101	135 E	44	12	5.7	4.1	11
12	438 E	230	80	28 E	119	35	96	125 E	42	11	5.2	4.6	12
13	287 E	149	82	27 E	111	34	103	116 E	43	11	5.1	6.0	13
14	167	107	80	27 E	100	35	145	113 E	43	10	4.6	5.9	14
15	122	85	206	26 E	92	34	135	135 E	38	9.8	4.6	5.8	15
16	94	71	166	25 E	88	35	109	169 E	39	9.8	4.5	5.7	16
17	80	64	141	25 E	81	33	95	211 E	37	9.5	4.7	5.6	17
18	71	57	114	24 E	97	32	87	254 E	32	9.3	4.6	4.6	18
19	68	51	94	23 E	101	33	78	309 E	30	8.8	4.4	2.8	19
20	64	48	84	23 E	98	34	71	346 E	27	8.7	4.7	2.7	20
21	60	48	77	22	91	34	66	283	27	8.5	4.7	2.8	21
22	55	53	71	25 E	83	33	63	249 E	30	7.6	4.6	2.7	22
23	51	45	65	18	78	34	63	229 E	28	7.5	4.7	2.6	23
24	46	40	58	8.2	72	33	64	213 E	25	7.3	4.9	2.5	24
25	42	49	54	9.9	70	32	67	195 E	23	7.0	4.7	2.4	25
26	39	410 E	51	12	72	36	63	181 E	22	6.8	4.3	2.4	26
27	36	208	50	13	64	53	64	165 E	21	6.8	4.1	2.1	27
28	33	140	48	13	61	58	72	150 E	23	6.3	3.9	2.2	28
29	30	111	44	15	59	59	94	136 E	23	5.8	3.9	2.2	29
30	27	119	45	28	62	62	115 E	124 E	21	5.5	5.5	2.2	30
31	26		42	376 E		57		110 E		5.3	5.9		31
MEAN	84.2	81.9	144	36.8	184	42.1	110	176	41.9	10.8	4.8	3.9	MEAN
MAX	438 E	410 E	1100 E	376 E	928 E	62.0	446 E	346 E	98.0E	19.0	6.1	6.0	MAX
MIN	4.5	19.0	42.0	8.2	61.0	32.0	43.0	110 E	21.0	5.3	3.9	2.1	MIN
ACFT	5180	4871	8956	2265	10230	2588	6518	10790	2491	663	293	232	ACFT

E - Estimated  
NR - No Record  
\* - Discharge measurement or observation of no flow made on this day.  
# - E end \*

WATER YEAR SUMMARY

MEAN	MAXIMUM				MINIMUM				TOTAL ACRE-FEET		
	DISCHARGE	GAGE HT.	MO.	DAY	DISCHARGE	GAGE HT.	MO.	DAY			
75.9	2090	11.55	12	2	1440	1.6	6.2	9	30	2000	54980

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M. D. B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			C.F.S.	GAGE HT.	DATE			FROM	TO		
41 25 53	122 54 57	NEC 41N 9W				SEP 30-JUN 55 JUN 56-DATE	SEP 30-JUN 55 JUN 56-DATE	1957		0.00	LOCAL

Station located south of Savyers Bar-Etna Highway, 2.1 miles southwest of Etna. Tributary to Scott River. Stage-discharge relationship at times affected by ice. Flow influenced by upstream diversion dam of city of Etna. Drainage area is 26.1 square miles.

TABLE B-4  
DAILY MEAN DISCHARGE  
MOFFETT CREEK NEAR FORT JONES

STATION NO.	WATER YEAR
F25420	1963

DAY	OCT.	NOV	DEC.	JAN.	FEB.	MAR.	APR	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.5	3.5	21	21	78	30	12	59	25	11	2.1	1.8	1
2	1.6	3.5	201	20	83	30	13	58	24	10	1.6	1.8	2
3	1.7	3.6	211	22	294	30	12	57	23	10	1.3	1.74	3
4	1.6	3.6	122	21	270	28	12	60	23	9.9	1.2	1.4	4
5	1.5	3.9	89	19	210	28	13	55	22	10	1.1	1.2	5
6	1.5	3.9	66	18	164	28	21	53	22	10	1.24	1.1	6
7	1.6	3.6	50	17	128	28	24	51	21	10	1.3	1.2	7
8	2.0	3.6	47	18	108	27	24	47	20	9.2	1.2	1.1	8
9	2.4*	3.6	38	16	93	28	23	35	19	8.2	1.2	0.9	9
10	2.6	3.6	34	15	81	26	23	35	19	8.0	1.1	1.2	10
11	4.7	4.5	30	11	69	26	23	35	18	7.3	1.3	1.0	11
12	13	6.1	30	10	66	25	22	35	17	7.0	1.4	1.2	12
13	21	6.1	27	8.0	56	24	21	35	17	6.9	1.4	0.7	13
14	15	6.3*	26	9.7	51	24	28	35	16	6.4	1.4	0.7	14
15	11	5.9	34	9.1	49	24	40	25	16	6.3	1.5	0.6	15
16	8.2	5.1	38	8.3	50	24	100	25	16	6.1	1.7	0.5	16
17	6.1	5.6	45	8.5	48	15	90	29	17	5.6	2.1	0.5	17
18	5.4	4.8	42	7.4	45	13	80	32	17	5.5	2.3	0.6	18
19	5.3	4.7	40	7.1	46	12	80	30	16	5.4	2.4	0.5	19
20	4.9	4.8	39	7.3	45	11	80	36	15	5.3	2.3	0.5	20
21	4.5	5.0	38	6.6	45	11	80	42	15	4.0	2.0	0.5	21
22	4.3	5.1	36	6.6	43	10	80	40	15	2.2	2.0	0.6	22
23	4.6	5.1	34	6.6	40	9.7	80	42	14	2.6	2.2	0.7	23
24	3.9	4.7	32	5.9	37	9.1	79	37	13	2.6	2.1	0.6	24
25	3.7	4.5	29	5.9	36	9.1	86	34	11	3.0	1.5	0.6	25
26	3.7	74	29	5.9	36	9.8	84	36	13	3.1	1.5	0.7	26
27	4.1	52	26	5.3	35	12	75	36	13	4.7	1.3	0.8	27
28	3.9	38	25	5.3	33	12	71	28	13	3.6	1.3	0.8	28
29	3.6	27	24	5.3	31	13	68	30	12	2.8	1.2	0.8	29
30	3.6	23	23	5.4	13	13	64	28	11	2.7	4.0E	1.0	30
31	3.4		23	33	13	13		25		2.9	2.6		31
MEAN	5.0	11.0	50.0	11.8	83.5	19.4	50.3	38.9	17.1	6.2	1.7	0.9	MEAN
MAX.	21.0	74.0E	211	33.0E	294	30.0	100	60.0E	25.0	11.0	4.0E	1.8	MAX.
MIN.	1.5	3.5	21.0	5.3	33.0E	9.1	12.0	25.0E	11.0	2.2	1.1	0.5	MIN.
ACFT.	309	652	3072	724	4639	1195	2991	2390	1018	381	105	53	ACFT.

E - Estimated  
NR - No Record  
\* - Discharge measurement or observation  
of no flow made on this day.  
# - E and \*

WATER YEAR SUMMARY

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE-FEET
	DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	
24.2	74.9	E	3.42	12	2 1440	0.5	2.31	9	16	2400	17530

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD				DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC T.B.R M O.B.B.M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM	
			C.F.S.	GAGE HT.	DATE			FROM	TO			
41 35 N	122 44 W	NE27 44N SW	1880	E	4.39	1.29	50	OCT 56-OCT 57- JUN 57-DATE	OCT 56-OCT 57- JUN 57-DATE	1957	1.00	LOCAL

Station located 90 feet above Old Fort Jones-Yreka Highway Bridge, 5.1 miles northeast of Fort Jones. Tributary to Scott River. Stage-discharge relationship at times affected by ice. Drainage area is 69.8 square miles.

TABLE B-5  
DAILY MEAN DISCHARGE  
WEAVER CREEK NEAR DOUGLAS CITY

STATION NO.	WATER YEAR
F41540	1963

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	5.4	16	59	26	882 E	58	207	127	73	20	6.3	2.9	1
2	5.6	17	713 E	25	590 E	55	187	122	69	17 *	5.6	2.6	2
3	6.8	16	245 E	24	473 E	52	205	124	66	18 E	5.6	2.6	3
4	7.5	15	116	23	269	48	187	122	62	17	5.3	2.4	4
5	8.2	15	84	21	213	46	412 E	136	59	17	5.0*	2.2*	5
6	9.1	15	66	22	193	45	523 E	136	57	16	4.9	2.9	6
7	9.9	15	55	21	166	43	348	136	54	16	3.9*	2.5	7
8	12	16	47	20	166	40	261 *	135	52	15	4.1	2.1	8
9	17	17	41	19 *	189	40	217	127	48	14	5.1	1.9	9
10	4.8	18	37	20	243	37	203	128	48	14	4.7	1.8	10
11	93 *	24	33	18	200	34	182	119	47	14	4.0	2.0	11
12	222	36	29	18	404 E	33	201	113	45	13	3.6	2.2	12
13	97	30	33	14 E	365 #	31 *	307	107	43	13	3.5	2.3	13
14	69	24	32 *	14 E	211	33	463 E	107	41	12	3.3	2.3	14
15	42	22	155	14 E	161	31	370	110	39	12	3.1	2.4	15
16	32	21	109	14 E	162	41	268	115	41	12	3.5	2.5	16
17	27	21	97 *	14 E	143	38	212	120	41	11	3.1	3.2	17
18	25	20	80	14 E	137	38	215	126	37	11	2.9	4.2	18
19	23	20	70	14 E	125	37	233	131	34	11	2.9	3.6	19
20	22	19	61	14 E	117	39	189	134	32	10	2.7	3.8	20
21	22	19	54	12 E	107	40	166	132	29	9.6	2.9	3.6	21
22	21	19	47	12 E	96	41	146	128	28	9.2	3.1	3.7	22
23	20	19	44	12 E	90	55	133	124 *	29	8.7	3.3	3.7	23
24	18	19	40	12 E	81	50	126	119	28	8.7	3.5	3.6	24
25	18	19	37	12 E	76	47	154	110	25	8.3	3.5	3.2	25
26	18	574 E	34	12 E	71	50	136	102	23	7.9	3.2	3.0	26
27	18	115	33	12 E	66	759 E	126	96	23	7.5	3.1	2.4	27
28	17	70	30	12 E	62	545 E	124	92	21	7.1	2.9	2.1	28
29	16	51	28	12 E	62	325	124	89	21	7.1	3.0	1.9	29
30	16	45	28	112	267	125	83	83	21	6.7	2.9	1.9	30
31	16	28	28	2280 F	240	240	76	76	21	6.7	3.2	3.1	31
MEAN	31.7	44.9	82.7	92.5	215	105	225	117	41.2	12.0	3.8	2.7	MEAN
MAX.	222	574 E	713 E	2280 E	882 E	759 E	523 E	136	73.0	20.0	6.3	4.2	MAX.
MIN.	5.4	15.0	28.0	12.0E	52.0	31.0	124	76.0	21.0	6.7	2.7	1.8	MIN.
AC.FT.	1947	2672	5088	5691	11940	6422	13390	7192	2452	755	233	162	AC.FT.

E - Estimated  
NR - No Record  
\* - Discharge measurement or observation  
of no flow made on this day.  
# - E and \*

WATER YEAR SUMMARY

MEAN	MAXIMUM				MINIMUM				TOTAL ACRE-FEET
	DISCHARGE	DISCHARGE	GAGE HT.	MO DAY TIME	DISCHARGE	GAGE HT.	MO DAY TIME		
80.0	7380 E	11.40	1	31 1510	NR				57920

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC T & R M D B B M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
40 00 12	122 56 33	SE36 33N 10W	7380 E	11.40	1/31/63	JAN 57-DWEE	JAN 57-DWEE	1957		0.00	LOCAL

Station located 0.2 mile below U. S. Highway 299 Bridge, 1.2 miles north of Douglas City, 4.2 miles south of Weaverville.  
Tributary to Trinity River. Drainage area is 46.4 square miles.

TABLE B-6  
DAILY MEAN DISCHARGE  
BROWNS CREEK NEAR DOUGLAS CITY

STATION NO.	WATER YEAR
F41510	1963

DAY	OCT.	NOV.	OCC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	6.2	12	39	35	61.4	82	275	194	58	20	8.5	6.9	1
2	5.3	12	175	33	388	80	224	185	57	19	8.5	6.4	2
3	4.5	12	277	32	323	76	214	172	55	19	7.6	5.8	3
4	4.0	13	135	31	276	73	194	166	53	19	7.6	5.7	4
5	4.0	13	93	28	215	70	270	166	50	19	7.7	5.9	5
6	4.4	13	75	27	169	69	378	156	50	19	8.4	6.9	6
7	5.2	12	65	27	140	66	375	146	49	19	8.5	7.0	7
8	5.4	13	56	25	134	65	328	138	48	18	7.7	6.4	8
9	4.7	13	40	24	265	65	292	129	45	18	9.1	5.7	9
10	45	14	44	23	1120	59	279	135	43	16	8.9	5.9	10
11	110	15	41	22	652	56	261	127	43	16	8.1	5.2	11
12	289	16	38	22 E	554	54	344	120	40	15	7.1	5.0	12
13	191	15	38	22 E	727	53	557	116	39	15	7.4	5.4	13
14	90	14	35	22 F	491	53	983	111	37	15	6.6	5.6	14
15	49	14	99	22 F	369	51	802	104	36	14	6.3	5.5	15
16	42	14	124	22 E	315	58	588	102	37	14	6.2	5.9	16
17	91	14	114	22 F	266	50	473	99	38	14	6.0	6.8	17
18	23	14	102	22 E	221	48	401	96	34	13	6.0	6.9	18
19	21	14	89	22 E	190	47	372	94	31	13	5.6	6.7	19
20	19	13	80	22 E	166	48	332	92	29	12	5.8	6.2	20
21	17	13	74	22 E	144	49	303	89	27	12	5.9	5.7	21
22	16	13	65	22 E	125	53	278	87	27	12	5.4	5.9	22
23	15	13	61	21 E	116	86	256	90	27	11	6.1	6.1	23
24	15	13	56	20 E	109	80	244	85	25	11	6.7	6.2	24
25	14	13	50	19 F	103	75	255	81	22	11	7.1	5.8	25
26	14	155	48	18 E	96	78	248	77	22	12	6.7	5.5	26
27	14	112	46	17 E	91	584	235	71	20	10	6.2	5.2	27
28	13	68	43	16 E	87	744	224	68	20	9.8	5.7	5.3	28
29	13	49	40	15 E		419	217	69	20	8.9	5.5	5.0	29
30	13	40	38	23		353	206	64	20	8.6	5.8	5.7	30
31	13		37	338		312		62		8.7	6.6		31
MEAN	36.6	25.3	75.0	33.4	303	131	347	113	36.7	14.3	6.9	5.9	MEAN
MAX.	289	155	277	338	1120	744	983	194	58.0	20.0	9.1	7.0	MAX.
MIN.	4.0	12.0	35.0	15.0	87.0	47.0	194	62.0	20.0	8.6	5.4	5.0	MIN.
ACFT.	2251	1505	4614	2055	16800	8045	20640	6924	2166	877	427	353	ACFT.

WATER YEAR SUMMARY

E - Estimated

NR - No Record

\* - Discharge measurement or observation of no flow made on this day.

± - E and \*

MEAN	MAXIMUM				MINIMUM				TOTAL ACRE-FEET
	DISCHARGE	DISCHARGE	GAGE HT.	MO. DAY TIME	DISCHARGE	GAGE HT.	MO. DAY TIME		
92.1	1270	12.89	3 27	2020	3.5	7.95	10 4	0250	66680

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M. O. B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		2ERD ON GAGE	REF DATUM
			C.F.S.	GAGE HT.	DATE			FROM	TO		
43 38 35	122 58 46	SEIC 32N 10W	3950 E	16.60	2 18 58	JAN 57-DATE	JAN 57-DATE	1957	0.00	LOCAL	

Station located at private bridge, 2.1 miles west of Douglas City. Tributary to Trinity River. Stage-discharge relationship at times affected by ice. Drainage area is 71.4 square miles.

TABLE B-7  
DAILY MEAN DISCHARGE  
NORTH FORK TRINITY RIVER AT HELEN<sup>1</sup>

STATION NO.	WATER YEAR
F 4210D	1963

DAY	OCT.	NOV	DEC.	JAN	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	37	129	636	224	3950	328	926	992	490	152	70	35	1
2	36	123	4590	212	2300	313	704	897	459	149	67	34	2
3	50	119	3590	209	3000	297	624	978	401	154	66	33	3
4	49	116	1750	196	2280	280	575	1020	360	156	63	31	4
5	41	119	1120	185	1820	267	1760	1560	354	162	62	31	5
6	40	114	821	177	1410	257	3430	1640	338	163	58	32	6
7	41	107	667	164	1110	244	2560	1550	326	160	57	31	7
8	144	102	566	156	943	231	1830	1300	330	149	57	31	8
9	670	131	495	153	833	225	1470	1010	340	141	62	29	9
10	1300	164	443	149	953	214	1250	867	367	140	62	29	10
11	2180	321	400	140	790	202	1030	771	318	141	57	29	11
12	4270	797	366	130	877	195	1920	702	326	136	54	31	12
13	2330	569	507	138	1190	186	2210	670	351	147	51	31	13
14	1340	391	495	135	1000	189	3210	662	384	145	49	32	14
15	917	314	1650	127	809	181	2640	702	383	132	46	30	15
16	626	274	1360	125	727	198	1860	776	372	120	44	30	16
17	495	245	968	121	673	181	1450	941	355	116	43	32	17
18	430	222	778	116	690	179	1210	1130	333	108	42	33	18
19	383	202	652	112	697	183	1050	1200	309	104	41	32	19
20	338	188	566	110	629	197	903	1270	271	103	40	30	20
21	301	183	501	107	573	205	823	1200	241	103	39	29	21
22	273	187	458	106	519	207	770	1060	217	99	37	28	22
23	241	176	413	102	474	246	746	969	208	94	36	28	23
24	218	162	379	99	440	241	762	853	181	92	36	28	24
25	202	162	345	97	411	237	778	749	175	88	36	27	25
26	186	2690	321	96	426	266	762	675	182	83	35	26	26
27	174	1470	301	94	380	1090	732	618	190	79	34	25	27
28	163	812	283	94	350	1600	760	611	178	79	33	24	28
29	153	587	266	97		1250	883	612	167	77	33	24	29
30	145	563	253	134		1330	994	639	153	74	33	24	30
31	136		238	2370		1280		546		72	33	24	31
MEAN	578	391	845	209	1081	403	1334	941	302	120	47.8	29.8	MEAN
MAX.	4270	2690	4590	2370	3950	1600	3430	1640	490	163	70.0	35.0	MAX.
MIN.	36.0	102	238	94.0	350	179	575	546	153	72.0	33.0	24.0	MIN.
ACFT.	35520	23280	51920	12840	60010	24790	79380	57860	17970	7375	2938	1771	ACFT.

WATER YEAR SUMMARY

E - Estimated

NR - No Record

\* - Discharge measurement or observation of no flow made on this day.

‡ - E end \*

MEAN		MAXIMUM				MINIMUM				TOTAL		
DISCHARGE	518	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE- FEET
		7890	16.41	12	2	1740	23.0	4.64	9	28	2400	375700

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T & R M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			C.F.S.	GAGE HT.	DATE			FROM	TO		
40 46 59	123 07 39	SW21 34N 11W	13500	19.66	1/12/59	JAN 57-DATE	JAN 57-DATE	1957		0.00	LOCAL

Station located 1.0 mile above mouth, 0.6 mile north of Helens. Stage-discharge relationship at times affected by ice. Drainage area is 151 square miles.

TABLE B-3  
DAILY MEAN DISCHARGE  
BIG CREEK NEAR HAYFORK

STATION NO.	WATER YEAR
F44500	1963

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	6.4	32	22	25.9 E	39	126	92	21	14	0.0	0.0	1
2	0.0	5.8	188 E	21	176	38	106	89	20	13	0.0	0.0	2
3	0.0	6.4	166 E	20	136	36	101	88	19	14	0.0	0.0	3
4	0.0	5.8	79	20	109	34	89	86	20	16	0.0	0.0	4
5	0.0	6.4	55 *	19	90	34 *	164 E	88	20	12	0.0	0.0	5
6	0.0	6.4	44	18	83	32	282 E	85	19	11	0.0	0.0	6
7	0.0	6.4	36	17	72	32	237	81	19	11	0.0	0.0	7
8	0.0	6.4	32	16	70	31	203 *	76	18	9.4	0.0	0.1	8
9	4.0	6.4	28	16 *	87	29	182	71	18	9.0	0.0	0.0	9
10	20	8.1	25	17	138	27	163	72	17	8.6	0.0	0.0	10
11	37	11	24	17	120	26	142	68	16	8.1	0.0	0.1	11
12	91 *	20	23	15	158	26	192	65	15	7.0	0.0	0.3	12
13	55	15	31	14 E	200 *	25	319	62	15	7.5	0.0	0.2	13
14	45	11	26 *	13 E	147	26	403	60	15	7.0	0.0	0.0	14
15	26	7.8 *	92	12 E	114	27	353 E	56	14	5.3	0.0	0.3	15
16	18	8.1	73	11 E	106	28	267 E	53	15	4.8	0.0	0.0	16
17	13	8.6	59	10 E	91	27	207	51	16	5.3	0.0	0.7	17
18	11	8.5	49	10 E	81	26	177	49	14 *	3.9	0.0	0.6	18
19	10	9.3	42	10 E	75	25	158	48	13	3.4	0.0	0.9	19
20	9.4	8.7	37	10 E	70	26	136	46	14	3.0	0.0	0.7	20
21	8.1	8.6	33	10 E	65	26	119	45	18	2.2	0.0	0.5	21
22	8.1	10	32	10 E	60	26	108	44	19	1.8	0.0	0.9	22
23	7.0	11	29	10 #	54	29	102	42	17	1.8	0.0	0.9	23
24	7.0	11	27	10 E	51	28	101	39	17	1.8	0.0	0.6	24
25	6.4	12	26	10 E	47	27	104	38	18	1.5	0.0	0.0	25
26	7.0	10.9	24	10 E	46	33	102	34	17	0.8	0.0	0.3	26
27	7.0	7.5	23	10 E	42	19.9 #	96	31	17	0.0	0.0	0.4	27
28	7.5	4.6	23	10 E	41	22.2 E	93	30	16	0.0	0.0	0.5	28
29	7.0	3.5	22	11 E	167	95	29	16	0.0	0.0	0.0	0.0	29
30	7.5	3.2	22	25	158	94	26	15	0.0	0.0	0.0	1.0	30
31	6.4		22	15.9 E	153		22		0.0	0.0	0.0		31
MEAN	13.5	17.4	45.9	18.8	99.6	53.6	167	57.0	16.9	5.9	0.0	0.3	MEAN
MAX.	91.0	109	188 E	159 E	259 E	222 E	403 E	92.0	21.0	16.0	0.0	1.0	MAX.
MIN.	0.0	5.8	22.0	10.0 E	41.0	25.0	89.0	22.0	13.0	0.0	0.0	0.0	MIN.
AC.FT.	830	1036	2824	1156	5530	3297	9959	3503	1008	363		18	AC.FT.

WATER YEAR SUMMARY

E - Estimated

NR - No Record

\* - Discharge measurement or observation of no flow made on this day.

# - E and \*

MEAN	MAXIMUM					MINIMUM					TOTAL ACRE-Feet 29520
	DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	
40.8	435	E	8.44	4	14	0600	0.0		10	1	0000

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M. D. B. B. M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			C.F.S.	GAGE HT.	DATE			FROM	TO		
40 33 11	123 08 35	SE7 31N 11W	1540 E	9.25	2/18/58	FEB 57-DATE	FEB 57-DATE	1957		0.00	LOCAL

Station located 30 feet above Hayfork-Douglas City Highway Bridge, 2 miles east of Hayfork. Tributary to South Fork Trinity River via Hayfork Creek. Flow influenced by upstream diversion dam of City of Hayfork. Drainage area is 27.3 square miles.

APPENDIX C  
GROUND WATER MEASUREMENTS






TABLE OF CONTENTS

	<u>Page</u>
Ground Water Measurements . . . . .	44
Numbering Systems . . . . .	45

TABLES

Table

C-1	Ground Water Level Measurements . . . . .	49
-----	-------------------------------------------	----

## GROUND WATER MEASUREMENTS

All studies of ground water problems, and plans for the solution of these problems, should be founded upon accurate records of ground water elevations obtained over a period of many years. This is true whether the problem is the determination of the safe yield of a ground water basin, an operation of a basin for cyclic storage in conjunction with surface water supplies, or the control of seawater intrusion.

The Department began the collection of ground water data in 1930, in conjunction with special investigations of water resources of specific areas, and has gradually developed a continuing program of basic data collection. Through cooperative activities with the federal and local agencies, coordinated and augmented by the Department, the program of ground water level measurements has gradually been expanded for adequate coverage in most basins.

Within the North Coastal Area the Department cooperates with the U. S. Geological Survey in the systematic observation of ground water levels in nine of the more important ground water basins. The field measurements are made by the U. S. Geological Survey. The review, processing and editing of the data is accomplished by the Department.

Wells are selected for measurement on the basis of geographical density, length of record, frequency of measurements, conformity to water level fluctuations in the basin and availability of a well log, mineral analyses and production records.

The depth to water in most of the wells is usually a direct measurement made with a tape. However, in some of the deeper wells measurements are made with an air line and gage or an electric sounder.



### Well Numbering System

The State Well numbering system used in this report is based on the township, range and section subdivision of the Public Land Survey. It is the system used in all ground water investigations and for numbering all wells for which data is published or filed by the Department. In this report, the number of a well assigned in accordance with this system is referred to as the State Well Number.

Within the system each section is divided into 40-acre tracts lettered as follows:

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Wells are numbered within each 40-acre tract according to the chronological sequence in which they have been assigned State Well Numbers. For example, a well which has the number 16N/1W-2J1H would be in Township 16 North, Range 1 West, Section 2, Humboldt Base and Meridian, and would be further designated as the first well assigned a State Well Number in tract J. In this report well numbers are referenced to the Humboldt Base and Meridian (H), and the Mount Diablo Base and Meridian (M).

### Agency Supplying Data

The code number assigned to the U. S. Geological Survey, the measuring agency for the wells listed in this appendix, is 5000.

### Well Use

The use of water is indicated as follows:

<u>Code</u>	<u>Well Use</u>
(Blank)	Unknown
1	Domestic
2	Irrigation
3	Municipal
4	Industrial
5	Injection or Recharge
6	Drainage
7	Domestic and Irrigation
8	Test
9	Stock
0	Unused

### Well Depth

Well depths shown were reported by the owner, obtained from a driller's log or measured at the time of the well canvass.

### Reason for Questionable Measurement

If the water level measurement is of questionable reliability, the reason is indicated by the following code preceding the measurement:

<u>Code</u>	<u>Reason</u>
1	Pump operating
2	Nearby pump operating
3	Casing leaking or wet
4	Pumped recently
5	Air or pressure gage measurement
6	Other
7	Recharge operation at or nearby well
8	Oil in casing
0	Caved or deepened

### Reason for No Measurement

If no measurement was made at a well scheduled to be measured, the reason for not making the measurement is indicated by the following code:

<u>Code</u>	<u>Reason</u>
1	Pump operating
2	Pump house locked
3	Tape hung up
4	Can't get tape into casing
5	Unable to locate well
6	Well has been destroyed
7	Special
8	Casing leaking or wet
9	Temporarily inaccessible
0	Measurement discontinued

TABLE C-1

## GROUND WATER LEVEL MEASUREMENTS

STATE WELL NUMBER	WELL USE	WELL DEPTH IN FEET	PERIOD OF RECORD		GROUND SURFACE ELEVATION IN FEET	DATE	GROUND TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA				
			BEGIN	END									
NORTH COASTAL REGION 1-00.00													
SMITH RIVER PLAIN 1-01.00													
16N/01W-02J01 H	1	36	53	127.0	7-25-62	19.1	107.9	5000					
					8-22-62	19.9	107.1	5000					
					9-20-62	20.0	107.0	5000					
					10-24-62	19.3	107.7	5000					
					11-27-62	14.6	112.4	5000					
					12-18-62	14.2	112.8	5000					
					1-22-63	15.9	111.1	5000					
					2-19-63	14.5	112.5	5000					
					3-20-63	14.8	112.2	5000					
					4-24-63	13.8	113.2	5000					
					5-21-63	14.8	112.2	5000					
					6-19-63	17.9	109.1	5000					
					16N/01W-17K01 H	1	40	53	48.0	7-25-62	18.8	29.2	5000
										8-22-62	19.8	28.2	5000
9-20-62	(1) 27.6	20.4	5000										
10-24-62	21.2	26.8	5000										
11-27-62	19.6	28.4	5000										
12-18-62	18.9	29.1	5000										
1-22-63	16.1	31.9	5000										
2-19-63	15.5	32.5	5000										
3-20-63	15.3	32.7	5000										
4-24-63	8.2	39.8	5000										
5-21-63	8.8	39.2	5000										
6-19-63	15.2	32.8	5000										
16N/01W-22Q02 H	1	33	58	39.0						7-25-62	17.0	22.0	5000
										8-22-62	16.4	22.6	5000
					9-22-62	(6)		5000					
17N/01W-02P01 H	1	27	52	31.0	7-25-62	22.7	8.3	5000					
					8-22-62	21.4	9.6	5000					
					9-20-62	22.4	8.6	5000					
					10-24-62	21.3	9.7	5000					
					11-27-62	13.2	17.8	5000					
					12-18-62	14.2	16.8	5000					
					1-22-63	19.8	11.2	5000					
					2-19-63	15.8	15.2	5000					
					3-20-63	18.4	12.6	5000					
					4-24-63	16.2	14.8	5000					
					5-21-63	17.2	13.8	5000					
					6-19-63	19.5	11.5	5000					
					18N/01W-26P01 H	7	28	52	38.0	7-25-62	22.5	15.5	5000
8-22-62	21.5	16.5	5000										
9-20-62	22.3	15.7	5000										
10-24-62	21.5	16.5	5000										
11-27-62	14.4	23.6	5000										
12-18-62	15.1	22.9	5000										
1-22-63	19.0	19.0	5000										
2-19-63	15.5	22.5	5000										
3-20-63	18.1	19.9	5000										
4-24-63	15.2	22.8	5000										
5-21-63	16.4	21.6	5000										
6-19-63	(1)		5000										

TABLE C-1 (Continued)  
**GROUND WATER LEVEL MEASUREMENTS**

STATE WELL NUMBER	WELL USE	WELL DEPTH IN FEET	PERIOD OF RECORD		GROUND SURFACE ELEVATION IN FEET	DATE	GROUND TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
			BEGIN	END					
BUTTE VALLEY 1-03.00									
46N/01E-06N01 M	2	200	52		4242.4	7-26-62	30.9	4211.5	5000
						8-23-62	28.5	4213.9	5000
						9-21-62	24.6	4217.8	5000
						10-23-62	23.6	4218.8	5000
						11-28-62	22.4	4220.0	5000
						12-17-62	(7)		5000
						1-23-63	21.2	4221.2	5000
						2-20-63	20.8	4221.6	5000
						3-21-63	20.2	4222.2	5000
						4-25-63	19.7	4222.7	5000
						5-22-63	24.0	4218.4	5000
						6-20-63	21.8	4220.6	5000
						46N/02W-25R02 M	2	116	52
8-23-62	(1)		5000						
9-21-62	34.2	4222.0	5000						
10-23-62	28.4	4227.8	5000						
11-28-62	27.1	4229.1	5000						
12-17-62	26.9	4229.3	5000						
1-23-63	26.6	4229.6	5000						
2-20-63	24.9	4231.3	5000						
3-21-63	24.5	4231.7	5000						
4-25-63	23.5	4232.7	5000						
5-22-63	23.7	4232.5	5000						
6-20-63	(1)		5000						
47N/01W-14B01 M	8	50	51		4233.7				
						8-23-62	12.1	4221.6	5000
						9-21-62	12.1	4221.6	5000
						10-23-62	12.8	4220.9	5000
						11-28-62	10.6	4223.1	5000
						12-17-62	10.7	4223.0	5000
						1-23-63	12.3	4221.4	5000
						2-20-63	11.8	4221.9	5000
						3-21-63	11.9	4221.8	5000
						4-25-63	11.9	4221.8	5000
						5-22-63	11.9	4221.8	5000
						6-20-63	11.9	4221.8	5000
						47N/01W-27B01 M	8	40	51
8-23-62	11.0	4222.4	5000						
9-21-62	12.8	4220.6	5000						
10-23-62	12.0	4221.4	5000						
11-28-62	10.5	4222.9	5000						
12-17-62	(7)		5000						
1-23-63	10.5	4222.9	5000						
2-20-63	9.2	4224.2	5000						
3-21-63	9.7	4223.7	5000						
4-25-63	9.7	4223.7	5000						
5-22-63	9.8	4223.6	5000						
6-20-63	10.0	4223.4	5000						



TABLE C-1 (Continued)

## GROUND WATER LEVEL MEASUREMENTS

STATE WELL NUMBER	WELL USE	WELL DEPTH IN FEET	PERIOD OF RECORD		GROUND SURFACE ELEVATION IN FEET	DATE	GROUND TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
			BEGIN	END					
BUTTE VALLEY 1-03.00									
48N/01W-26N01 M	0	375	53		4244.2	7-26-62	19.1	4225.1	5000
						8-23-62	20.3	4223.9	5000
						9-21-62	20.8	4223.4	5000
						10-23-62	20.6	4223.6	5000
						11-28-62	25.1	4219.1	5000
						12-17-62	24.5	4219.7	5000
						1-23-63	19.8	4224.4	5000
						2-20-63	17.9	4226.3	5000
						3-21-63	12.2	4232.0	5000
						4-25-63	16.5	4227.7	5000
						5-22-63	(1)		5000
						6-20-63	17.8	4226.4	5000
						SHASTA VALLEY 1-04.00			
42N/05W-20J01 M	1	40	53		2882.0	7-26-62	5.8	2876.2	5000
						8-23-62	6.0	2876.0	5000
						9-21-62	6.2	2875.8	5000
						10-23-62	5.8	2876.2	5000
						11-28-62	4.6	2877.4	5000
						12-17-62	4.9	2877.1	5000
						1-23-63	5.3	2876.7	5000
						2-20-63	5.2	2876.8	5000
						3-21-63	5.7	2876.3	5000
						4-25-63	4.9	2877.1	5000
						5-22-63	4.3	2877.7	5000
						6-20-63	4.4	2877.6	5000
						42N/06W-10J01 M	1	110	53
8-23-62	10.1	2824.9	5000						
9-21-62	13.3	2821.7	5000						
10-23-62	14.4	2820.6	5000						
11-28-62	6.9	2828.1	5000						
12-17-62	6.7	2828.3	5000						
1-23-63	6.1	2828.9	5000						
2-20-63	4.0	2831.0	5000						
3-21-63	5.2	2829.8	5000						
4-25-63	4.9	2830.1	5000						
5-22-63	3.7	2831.3	5000						
6-20-63	3.0	2832.0	5000						
43N/06W-22A01 M	1	100	52		2665.0				
						8-23-62	5.0	2660.0	5000
						9-21-62	4.9	2660.1	5000
						10-23-62	5.8	2659.2	5000
						11-28-62	5.6	2659.4	5000
						12-17-62	5.3	2659.7	5000
						1-23-63	4.3	2660.7	5000
						2-20-63	1.9	2663.1	5000
						3-21-63	2.9	2662.1	5000
						4-25-63	3.0	2662.0	5000
						5-22-63	3.8	2661.2	5000
						6-20-63	4.9	2660.1	5000

TABLE C-1 (Continued)

## GROUND WATER LEVEL MEASUREMENTS

STATE WELL NUMBER	WELL USE	WELL DEPTH IN FEET	PERIOD OF RECORD		GROUND SURFACE ELEVATION IN FEET	DATE	GROUND TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA						
			BEGIN	END											
SHASTA VALLEY 1-04.00															
44N/05W-34H01 M	2	96	52		2637.0	7-26-62	25.6	2611.4	5000						
						8-23-62	(1)		5000						
						9-21-62	26.5	2610.5	5000						
						10-23-62	28.3	2608.7	5000						
						11-28-62	26.9	2610.1	5000						
						12-17-62	27.0	2610.0	5000						
						1-23-63	28.3	2608.7	5000						
						2-20-63	28.9	2608.1	5000						
						3-21-63	28.1	2608.9	5000						
						4-25-63	28.6	2608.4	5000						
						5-22-63	(1)		5000						
						6-20-63	26.5	2610.5	5000						
						45N/05W-29B01 M	1	23	53		2635.0	7-26-62	18.6	2616.4	5000
												8-23-62	18.6	2616.4	5000
9-21-62	20.0	2615.0	5000												
10-23-62	20.6	2614.4	5000												
11-28-62	18.8	2616.2	5000												
12-17-62	18.2	2616.8	5000												
1-23-63	20.3	2614.7	5000												
2-20-63	20.9	2614.1	5000												
3-21-63	21.4	2613.6	5000												
4-25-63	22.6	2612.4	5000												
5-22-63	21.5	2613.5	5000												
6-20-63	20.8	2614.2	5000												
45N/06W-19E01 M	1	425	53		2538.0							7-26-62	21.7	2516.3	5000
												8-23-62	21.3	2516.7	5000
						9-21-62	26.5	2511.5	5000						
						10-23-62	20.2	2517.8	5000						
						11-28-62	18.1	2519.9	5000						
						12-17-62	17.8	2520.2	5000						
						1-23-63	18.6	2519.4	5000						
						2-20-63	16.6	2521.4	5000						
						3-21-63	15.4	2522.6	5000						
						4-25-63	17.0	2521.0	5000						
						5-22-63	17.0	2521.0	5000						
						6-20-63	17.6	2520.4	5000						
						SCOTT RIVER VALLEY 1-05.00									
						42N/09W-08C03 M	1	66	60		2836.0	7-26-62	37.7	2798.3	5000
8-22-62	46.5	2789.5	5000												
9-21-62	47.8	2788.2	5000												
10-23-62	50.8	2785.2	5000												
11-27-62	(7)		5000												
12-18-62	49.1	2786.9	5000												
1-23-63	(1) 35.5	2800.5	5000												
2-20-63	26.3	2809.7	5000												
3-21-63	28.6	2807.4	5000												
4-25-63	32.5	2803.5	5000												
5-22-63	(1)		5000												
6-20-63	31.5	2804.5	5000												

TABLE C-1 (Continued)

## GROUND WATER LEVEL MEASUREMENTS

STATE WELL NUMBER	WELL USE	WELL DEPTH IN FEET	PERIOD OF RECORD		GROUND SURFACE ELEVATION IN FEET	DATE	GROUND TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA						
			BEGIN	END											
SCOTT RIVER VALLEY 1-05.00															
42N/09W-27N01 M	0	19	53		2930.0	7-26-62	6.3	2923.7	5000						
						8-22-62	8.1	2921.9	5000						
						9-21-62	8.6	2921.4	5000						
						10-23-62	7.6	2922.4	5000						
						11-28-62	3.2	2926.8	5000						
						12-18-62	2.2	2927.8	5000						
						1-23-63	5.3	2924.7	5000						
						2-20-63	3.4	2926.6	5000						
						3-21-63	3.1	2926.9	5000						
						4-25-63	1.8	2928.2	5000						
						5-22-63	0.8	2929.2	5000						
						6-20-63	2.0	2928.0	5000						
						43N/09W-24F01 M	2	205	53		2735.0	7-26-62	(1)		5000
												8-22-62	(1)		5000
9-21-62	(1)		5000												
10-23-62	12.3	2722.7	5000												
11-28-62	11.9	2723.1	5000												
12-18-62	10.5	2724.5	5000												
1-23-63	12.0	2723.0	5000												
2-20-63	8.5	2726.5	5000												
3-21-63	8.6	2726.4	5000												
4-25-63	7.4	2727.6	5000												
5-22-63	5.3	2729.7	5000												
6-20-63	4.6	2730.4	5000												
44N/09W-28F01 M	0	65	53		2711.0							7-26-62	6.6	2704.4	5000
												8-22-62	10.4	2700.6	5000
						9-21-62	17.3	2693.7	5000						
						10-23-62	24.3	2686.7	5000						
						11-28-62	20.8	2690.2	5000						
						12-18-62	21.0	2690.0	5000						
						1-23-63	12.3	2698.7	5000						
						2-20-63	8.4	2702.6	5000						
						3-21-63	10.0	2701.0	5000						
						4-25-63	9.4	2701.6	5000						
						5-22-63	(7)		5000						
						6-20-63	(7)		5000						
						MAD RIVER VALLEY 1-08.00									
						06N/01E-06H01 H	3	27	51		151.0	7-25-62	11.0	140.0	5000
8-21-62	12.4	138.6	5000												
9-20-62	13.7	137.3	5000												
10-24-62	11.4	139.6	5000												
11-27-62	0.7	150.3	5000												
12-18-62	0.5	150.5	5000												
1-22-63	4.2	146.8	5000												
2-19-63	1.0	150.0	5000												
3-20-63	2.6	148.4	5000												
4-24-63	1.6	149.4	5000												
5-21-63	3.0	148.0	5000												
6-19-63	5.7	145.3	5000												

TABLE C-1 (Continued)

## GROUND WATER LEVEL MEASUREMENTS

STATE WELL NUMBER	WELL USE	WELL DEPTH IN FEET	PERIOD OF RECORD		GROUND SURFACE ELEVATION IN FEET	DATE	GROUND TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
			BEGIN	END					
MAD RIVER VALLEY 1-08.00									
06N/01E-29P01 H	4	46	52		25.0	7-25-62	14.3	10.7	5000
						8-21-62	13.3	11.7	5000
						9-20-62	13.0	12.0	5000
						10-24-62	11.3	13.7	5000
						11-27-62	9.5	15.5	5000
						12-18-62	9.1	15.9	5000
						1-22-63	9.2	15.8	5000
						2-19-63	8.2	16.8	5000
						3-20-63	9.0	16.0	5000
						4-24-63	7.9	17.1	5000
						5-21-63	8.9	16.1	5000
						6-19-63	10.2	14.8	5000
						EEL RIVER VALLEY 1-10.00			
03N/01W-18D01 H	1	24	51		24.0	7-24-62	2.8	21.2	5000
						8-21-62	2.9	21.1	5000
						9-19-62	2.9	21.1	5000
						10-24-62	3.0	21.0	5000
						11-27-62	3.2	20.8	5000
						12-18-62	3.0	21.0	5000
						1-22-63	3.6	20.4	5000
						2-19-63	3.2	20.8	5000
						3-20-63	3.3	20.7	5000
						4-24-63	1.6	22.4	5000
						5-21-63	1.5	22.5	5000
						6-19-63	1.5	22.5	5000
						03N/01W-34J01 H	0	496	51
8-21-62	34.9	25.1	5000						
9-19-62	35.6	24.4	5000						
10-24-62	35.8	24.2	5000						
11-27-62	32.8	27.2	5000						
12-18-62	32.5	27.5	5000						
1-22-63	33.2	26.8	5000						
2-19-63	31.4	28.6	5000						
3-20-63	32.3	27.7	5000						
4-24-63	30.0	30.0	5000						
5-21-63	31.1	28.9	5000						
6-19-63	32.6	27.4	5000						
03N/02W-26R01 H	2	30	51		20.0				
						8-21-62	9.5	10.5	5000
						9-19-62	9.6	10.4	5000
						10-24-62	9.5	10.5	5000
						11-27-62	6.4	13.6	5000
						12-18-62	6.1	13.9	5000
						1-22-63	6.5	13.5	5000
						2-19-63	3.2	16.8	5000
						3-20-63	5.9	14.1	5000
						4-24-63	2.8	17.2	5000
						5-21-63	5.2	14.8	5000
						6-19-63	7.1	12.9	5000

TABLE C-1 (Continued)

## GROUND WATER LEVEL MEASUREMENTS

STATE WELL NUMBER	WELL USE	WELL DEPTH IN FEET	PERIOD OF RECORD		GROUND SURFACE ELEVATION IN FEET	DATE	GROUND TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
			BEGIN	END					
ROUND VALLEY 1-11-00									
22N/12W-04B01 M	2	200	51		1351.0	7-24-62	10.9	1340.1	5000
						8-20-62	12.7	1338.3	5000
						9-18-62	13.8	1337.2	5000
						10-25-62	14.5	1336.5	5000
						11-26-62	8.8	1342.2	5000
						12-20-62	6.8	1344.2	5000
						1-21-63	6.8	1344.2	5000
						2-18-63	6.4	1344.6	5000
						3-19-63	6.0	1345.0	5000
						4-23-63	5.3	1345.7	5000
						5-20-63	6.4	1344.6	5000
						6-18-63	7.5	1343.5	5000
						22N/13W-12R01 M	9	321	61
2-18-63	6.1	1393.9	5000						
3-19-63	6.6	1393.4	5000						
4-23-63	5.5	1394.5	5000						
5-20-63	5.4	1394.6	5000						
6-18-63	7.9	1392.1	5000						
23N/12W-31N01 M	2	200	51		1388.5	7-24-62	FLOW		5000
						8-20-62	4.3	1384.2	5000
						9-18-62	5.2	1383.3	5000
						10-25-62	5.6	1382.9	5000
						11-26-62	-2.0	1390.5	5000
						12-20-62	-3.1	1391.6	5000
						1-21-63	-3.1	1391.6	5000
						2-18-63	-10.9	1399.4	5000
						3-19-63	-10.4	1398.9	5000
						4-23-63	-22.0	1410.5	5000
						5-20-63	-8.5	1397.0	5000
						6-18-63	-7.3	1395.8	5000
						23N/13W-36C03 M	9	289	61
10-25-62	26.9	1382.6	5000						
11-26-62	16.1	1393.4	5000						
12-20-62	14.7	1394.8	5000						
1-21-63	10.7	1398.8	5000						
2-18-63	7.8	1401.7	5000						
3-19-63	8.2	1401.3	5000						
4-23-63	7.0	1402.5	5000						
5-20-63	10.0	1399.5	5000						
6-18-63	10.9	1398.6	5000						
23N/13W-36Q01 M	9	300	61		1403.0	8-20-62	15.6	1387.4	5000
						9-18-62	16.8	1386.2	5000
						10-25-62	17.7	1385.3	5000
						11-26-62	10.1	1392.9	5000
						12-20-62	8.6	1394.4	5000
						1-21-63	4.5	1398.5	5000
						2-18-63	0.4	1402.6	5000
						3-19-63	2.4	1400.6	5000
						4-23-63	-0.8	1403.8	5000
						5-20-63	1.7	1401.3	5000
						6-18-63	4.0	1399.0	5000

TABLE C-1 (Continued)  
**GROUND WATER LEVEL MEASUREMENTS**

STATE WELL NUMBER	WELL USE	WELL DEPTH IN FEET	PERIOD OF RECORD		GROUND SURFACE ELEVATION IN FEET	DATE	GROUND TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
			BEGIN	END					
LAYTONVILLE VALLEY 1-12.00									
21N/14W-30M01 M	7	23	52		1688.0	7-23-62	15.0	1673.0	5000
						8-21-62	15.4	1672.6	5000
						9-19-62	16.8	1671.2	5000
						10-24-62	17.1	1670.9	5000
						11-26-62	10.0	1678.0	5000
						12-19-62	7.8	1680.2	5000
						1-21-63	6.7	1681.3	5000
						2-18-63	3.9	1684.1	5000
						3-19-63	5.3	1682.7	5000
						4-23-63	2.7	1685.3	5000
						5-20-63	5.0	1683.0	5000
						6-18-63	9.8	1678.2	5000
						21N/15W-12M02 M	1	50	62
8-21-62	17.1	1527.9	5000						
9-19-62	17.4	1527.6	5000						
10-18-62	17.3	1527.7	5000						
11-26-62	5.1	1539.9	5000						
12-19-62	4.8	1540.2	5000						
1-21-63	12.0	1533.0	5000						
2-18-63	5.0	1540.0	5000						
3-19-63	7.2	1537.8	5000						
4-23-63	2.8	1542.2	5000						
5-20-63	6.9	1538.1	5000						
6-18-63	12.6	1532.4	5000						
21N/15W-24A01 M	1	22	52		1653.0				
						8-21-62	7.9	1645.1	5000
						9-19-62	9.7	1643.3	5000
						10-24-62	11.3	1641.7	5000
						11-26-62	(7)		5000
						12-19-62	(7)		5000
						1-21-63	3.3	1649.7	5000
						2-18-63	1.5	1651.5	5000
						3-19-63	1.6	1651.4	5000
						4-23-63	1.9	1651.1	5000
						5-20-63	2.6	1650.4	5000
						6-18-63	3.9	1649.1	5000
						LITTLE LAKE VALLEY 1-13.00			
18N/13W-08L01 M	1	19	53		1340.0	7-23-62	6.9	1333.1	5000
						8-21-62	10.1	1329.9	5000
						9-18-62	10.5	1329.5	5000
						10-25-62	3.6	1336.4	5000
						11-26-62	0.8	1339.2	5000
						12-20-62	0.5	1339.5	5000
						1-21-63	1.1	1338.9	5000
						2-18-63	0.3	1339.7	5000
						3-19-63	0.4	1339.6	5000
						4-23-63	0.3	1339.7	5000
						5-20-63	2.1	1337.9	5000
						6-18-63	3.6	1336.4	5000

TABLE C-1 (Continued)

## GROUND WATER LEVEL MEASUREMENTS

STATE WELL NUMBER	WELL USE	WELL DEPTH IN FEET	PERIOD OF RECORD		GROUND SURFACE ELEVATION IN FEET	DATE	GROUND TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA				
			BEGIN	END									
LITTLE LAKE VALLEY 1-13.00													
18N/13W-17J01 M	1	40	58	1350.0	7-23-62	12.7	1337.3	5000					
					8-21-62	13.9	1336.1	5000					
					9-18-62	15.0	1335.0	5000					
					10-25-62	14.6	1335.4	5000					
					11-26-62	10.1	1339.9	5000					
					12-20-62	10.6	1339.4	5000					
					1-21-63	8.2	1341.8	5000					
					2-18-63	5.8	1344.2	5000					
					3-19-63	6.1	1343.9	5000					
					4-23-63	4.8	1345.2	5000					
					5-20-63	5.8	1344.2	5000					
					6-18-63	8.1	1341.9	5000					
					18N/13W-18E01 M	0	493	58	1350.0	7-23-62	23.8	1326.2	5000
										8-21-62	25.6	1324.4	5000
9-18-62	26.6	1323.4	5000										
10-25-62	24.2	1325.8	5000										
11-26-62	22.3	1327.7	5000										
12-20-62	22.6	1327.4	5000										
1-21-63	21.6	1328.4	5000										
2-18-63	22.0	1328.0	5000										
3-19-63	21.0	1329.0	5000										
4-23-63	20.8	1329.2	5000										
5-20-63	20.6	1329.4	5000										
6-18-63	20.9	1329.1	5000										





APPENDIX D  
SURFACE WATER QUALITY



TABLE OF CONTENTS

	<u>Page</u>
Surface Water Quality . . . . .	62

TABLES

Table

D-1	Sampling Station Data and Index . . . . .	64
D-2	Analyses of Surface Water . . . . .	65
D-3	Spectrographic Analyses of Surface Water . . . . .	89
D-4	Radioassay of Surface Water . . . . .	90

## SURFACE WATER QUALITY

The Surface Water Quality Monitoring Program provides basic information on the quality characteristics of the State's surface waters. Data presented in this appendix are measured values of the chemical, physical, and radiological characteristics of surface waters in the North Coastal Area, as shown on the "Area Orientation Map". The surface water quality program is performed in cooperation with other state, local, and federal agencies.

All data presented in this volume are within the North Coastal Water Pollution Control Region (No. 1) excluding the Russian River drainage basin and the area along the coast south of the Mattole River drainage. Plate 5 shows the locations of surface water sampling stations for the 1962-63 water year. Surface water quality samples are collected at or near existing stream gaging stations.

The Surface Water Quality Monitoring Program consists of selecting locations to be sampled, collection of samples by Department personnel or cooperators, laboratory analysis by an assigned agency, examination of the data to note trends or significant changes, and publication of the data and findings.

Except where noted, tabulated values for temperature and dissolved oxygen are those measured in the field at the time of sampling. Comments on local conditions are noted in the field books but are not included in the tabulation.

Tabulated values for dissolved minerals are the analytical quantity reported in parts per million (ppm) and a computed value for equivalents per million (epm). Electrical conductivity is reported as micromhos at 25°C and temperature is in degrees Fahrenheit. Laboratory analyses of surface water

samples were performed by the U. S. Geological Survey (USGS) in accordance with "Methods for Collection and Analysis of Water Samples", Water-Supply Paper 1454. Analysis of surface water samples for trace elements was performed by spectrograph by the USGS and is reported in parts per billion.

Analyses for radioactivity were made by the California Disaster Office Laboratory in Sacramento and results are expressed in terms of activity, measured in micro-micro curies per liter (mmc/l) which is equivalent to pico-curies per liter (pc/l). The most probable error is reported with the measured value.

Bacteriologic determinations were made by the Department of Public Health, Berkeley, and are expressed as the most probable number (MPN) of coliform bacteria per milliliter of sample. In view of the rapidity and frequency of change in the density of coliform organisms, frequent and lengthy sampling is necessary before a truly reliable evaluation can be made.

TABLE D-1  
SAMPLING STATION DATA AND INDEX

Station	Station Number	Location <sup>a</sup>	Period of Record <sup>b</sup>	Frequency of Sampling <sup>c</sup>	Sampled by <sup>d</sup>	Pages on page
Antelope Creek near Tennant	1e	43N/01W-25	MAR 59	M	DWR	69
Buñe Creek near Macdoel	1d	45N/01W-19	MAR 59	M	DWR	68
Eel River near Dos Rios	5d	21N/13W-31	APR 58	M	DWR	84
Eel River near McCann	5	02S/03E-04*	APR 51	M	DWR	80
Eel River, Middle Fork at Dos Rios	5c	21N/13W-06	APR 58	M	DWR	83
Eel River at Scotia	6	02N/01E-31*	APR 51	M	DWR	85
Eel River, South Fork near Miranda	7	03S/04E-30*	APR 51	M	DWR	87
Klamath River above Hamburg Reservoir Site	1c	46N/10W-14	DEC 58	M	DWR	67
Klamath River below Iron Gate Dam	1f	47N/05W-17	DEC 61	M	DWR	70
Klamath River near Klamath	3	13N/01E-24*	APR 51	M	DWR	74
Klamath River near Seiad Valley	2b	46N/12W-03	DEC 58	M	DWR	73
Klamath River at Somesbar	2	11N/06E-04*	APR 51	M	DWR	71
Mad River near Arcata	6a	06N/01E-15*	NOV 58	M	DWR	86
Mattole River near Petrolia	7a	02S/02W-11*	JAN 59	M	DWR	88
Outlet Creek near Longvale	5b	20N/14W-01	MAY 58	M	DWR	82
Redwood Creek at Crick	3b	10N/01E-04*	NOV 58	M	DWR	76
Salmon River at Somesbar	2a	11N/06E-02*	NOV 58	M	DWR	72
Scott River near Fort Jones	1b	44N/10W-29	DEC 58	M	DWR	66
Shasta River near Yreka	1a	46N/07W-24	DEC 58	M	DWR	65
Smith River near Crescent City	3a	16N/01E-14*	APR 51	M	DWR	75
Trinity River near Burnt Ranch	4b	05N/07E-19*	APR 58	M	DWR	79
Trinity River near Hoopa	4	08N/05E-31*	APR 51	M	DWR	77
Trinity River at Lewiston	4a	33N/08W-17	APR 51	M	DWR	78
Van Duzen River near Bridgeville	5a	01N/03E-17*	APR 58	M	DWR	81

<sup>a</sup> Except as indicated below location is referenced to Mt. Diablo Base and Meridian

<sup>a</sup>Humboldt Base and Meridian

<sup>a</sup>San Bernardino Base and Meridian

<sup>b</sup> Beginning of record

<sup>c</sup> M-Monthly, B-Bimonthly, Q-Quarterly, S-Semiannually

<sup>d</sup> California Department of Water Resources (DWR)

TABLE D-2  
ANALYSES OF SURFACE WATER  
NORTH COASTAL REGION (NO. 1)

SILASIA RIVER NEAR YREKA (STA. 1a)

Date and time sampled P.S.T.	Discharge in cfs	Temp in °F	Dissolved oxygen in ppm	% Sat	Specific conductance at 25°C in μmhos/cm	pH	Mineral constituents in equivalents per million										Total dissolved solids in ppm	Percent calcium	Hardness total in ppm	Turbidity in pt	Conformity in ppm	Analyzed by
							Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Carbonate (CO <sub>3</sub> )	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)	Nitrate (NO <sub>3</sub> )	Fluoride (F)						
1/2/82	154	55	9.6	91	525	8.3	4.24 <sup>e</sup>	1.71	4.4	0.37	2.6	2.25	0.66	24	0.2	0.2	0.2	32	702	6	1.1	UGS
10/4/84	195	43	9.4	76	583	8.1	3.98 <sup>e</sup>	1.11	4.1	0.49	2.6	2.77	0.92	21	0.2	0.2	0.2	34	199	5	Maximum 2.4	UGS
11/15/83	300	43	11.3	96	541	8.4	4.20 <sup>e</sup>	1.37	3.6	0.33	3.0	4.92	1.02	22	0.6	0.6	0.6	26	225	10	Maximum 2.4	UGS
12/12/84	243	44	11.8	96	497	7.7	4.20 <sup>e</sup>	1.57	2.6	0.33	2.6	4.92	0.92	21	0.4	0.4	0.4	26	246	5	Maximum 2.4	UGS
1/2/82	368	49	10.8	74	483	8.1	4.18 <sup>e</sup>	1.33	3.1	0.28	2.6	4.72	0.92	21	0.2	0.2	0.2	24	209	5	Maximum 2.4	UGS
2/14/83	285	46	11.5	96	478	8.2	3.90 <sup>e</sup>	1.39	2.6	0.47	2.6	4.34	0.92	18	0.4	0.4	0.4	26	199	5	Maximum 2.4	UGS
3/6/85	4/9/85	260	48	11.2	103	481	8.1	1.18	3.4	0.37	2.6	4.92	0.92	18	0.3	0.3	0.3	27	199	7	Maximum 2.4	UGS
5/2/80	11/8/80	505	55	10.0	101	537	7.6	1.55	3.6	0.37	2.6	4.92	0.92	24	0.2	0.2	0.2	26	224	12	Maximum 2.4	UGS
6/3/80	1/4/80	148	69	9.0	106	517	8.4	1.36 <sup>e</sup>	1.18	0.87	2.6	4.92	0.92	17	0.5	0.5	0.5	29	241	5	Maximum 2.4	UGS
7/9/80	93	73	7.4	91	569	8.2	4.70 <sup>e</sup>	1.03	4.2	0.60	3.6	5.34	1.02	24	0.5	0.5	0.5	26	234	0	Maximum 2.4	UGS
8/6/85	31	80	8.8	116	681	8.2	5.20 <sup>e</sup>	2.18	2.6	0.80	2.6	5.51	1.02	31	0.4	0.4	0.4	30	260	2	Maximum 2.4	UGS
1/35/85	100	65	9.3	105	591	8.3	4.20 <sup>e</sup>	2.05	4.4	0.80	3.6	5.51	1.02	30	0.5	0.5	0.5	29	240	7	Maximum 2.4	UGS
9/11/83	1230	100	9.3	105	591	8.4	4.18 <sup>e</sup>	3.10	4.4	0.80	3.6	5.51	1.02	30	0.5	0.5	0.5	29	240	7	Maximum 2.4	UGS

a Field pH  
b Laboratory pH  
c Sum of calcium and magnesium in ppm  
d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as 0.0 except as shown  
e Derived from conductivity vs TDS curves  
f Determined by addition of analyzed constituents  
g Gravimetric determination  
h Annual median and range, respectively. Calculated from analyses of duplicate monthly samples made by California Department of Public Health, Division of Laboratories, or United States Public Health Service  
i Mineral analyses made by United States Geological Survey, Quality of Water Branch (USGS); United States Department of the Interior, Bureau of Reclamation (USBR); United States Public Health Service (USPHS); San Bernardino County Flood Control District (SBCFCD); Metropolitan Water District of Southern California (MWD); Los Angeles Department of Water and Power (LADWP); City of Los Angeles, Department of Public Health (LADPH); City of Long Beach, Department of Public Health (LBDPH); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (DWR); as indicated  
3205-2-81 6-81 200 390







TABLE D-2 (Continued)  
ANALYSES OF SURFACE WATER

NORTH COASTAL REGION (NO. 1)  
BUFFY CREEK NEAR MACQUEB, (SFA-1d)

Date sample P.S.T.	Discharge Temp in °F in cfs month/year	Dissolved oxygen ppm	% Sat	Specific conductance (at 25°C) µmhos/cm	pH	Mineral constituents in equivalents per million										Total solids in ppm	Per- cent solids in ppm	Head- loss as CaCO <sub>3</sub> ppm	Tur- bidity in ppm	Colo- rity by APM/m	Analyzed by <sup>1</sup>						
						Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Chloride (Cl)	Sulfate (SO <sub>4</sub> )	Bicarbonate (HCO <sub>3</sub> )	Iron (Fe)	Ni- trate (NO <sub>3</sub> )	Fluoride (F)							Boron (B)	Other constituents				
1/22		11.3	87	75	7.3	0.27	0.17	4.7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27	27	0	3		1365		
1/23	1	11.4	81	61	7.3	0.15	0.13	3.4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26	26	0	5				
1/24	0	12.4	87	69	7.3	0.17	0.15	4.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24	24	0	3				
1/25	0	12.2	85	63	7.0	0.16	0.17	3.7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	25	25	0	2				
2/13	0	11.2	86	61	7.3	0.14	0.10	3.7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26	26	0	7				
3/5	30	11.5	89	66	7.3	0.10	0.10	3.2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23	23	0	4				
3/14	40	10.4	94	66	7.4	0.10	0.10	3.6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24	24	0	5				
5/1	30	9.1	100	70	7.4	0.17	0.16	3.8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	22	22	0	9				
5/30	0	9.0	100	65	7.2	0.15	0.12	3.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	21	21	0	10				
7/4	30	8.4	105	73	7.4	0.14	0.12	3.2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	22	22	0	5				
7/9	2	8.3	109	80	7.5	0.13	0.11	3.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24	24	0	1				
8/7	1	8.7	107	90	7.6	0.11	0.10	2.8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	21	21	0	3				
9/10		8.7	107	90	7.6	0.11	0.10	2.8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	21	21	0	3				
1335																											

a Field pH

b Laboratory pH

c Sum of calcium and magnesium in ppm

d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as 0.0 except as shown.

e Derived from conductivity vs TDS curves

f Determined by addition of analyzed constituents.

g Gravimetric determination.

h Annual median and range, respectively. Calculated from analyses of duplicate monthly samples made by California Department of Public Health, Division of Laboratories, or United States Public Health Service.

i Mineral analyses made by United States Geological Survey, Quality of Water Branch (USGS); United States Department of the Interior, Bureau of Reclamation (USBR); United States Public Health Service (USPHS); San Bernardino County Flood Control District (SBFCFD); Metropolitan Water District of Southern California (MWD); Los Angeles Department of Water and Power (LADWP); City of Los Angeles, Department of Public Health (LADPH); City of Long Beach, Department of Public Health (LBDPH); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (DWR), as indicated.

TABLE D-2 (Continued)  
ANALYSES OF SURFACE WATER

NORTH COASTAL REGION (NO. 1)

ATELAPEE CREEK NEAR TERRAIT (SEA - 1c)

Date and time sampled P.S.T.	Discharge Temp in °F	Disolved oxygen ppm %Sat	Specific pH (micromhos at 25°C)	Calcium (Ca) %/b	Mineral constituents in equivalents per million							Total dissolved solids in ppm	Per cent lead in ppm	Hardness as CaCO <sub>3</sub> Total N.C. ppm	Total Coliform by i	
					Magnesium (Mg)	Sodium (Na)	Polysum (K)	Carbonates (CO <sub>3</sub> )	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)					Nitrate (NO <sub>3</sub> )
1/4/2	27	7.3	81	7.3	0.16	4.2	0	0	0	0	1.0	0	0	24	0	2
10/3	40	7.5	81	7.5	0.16	7.13	0	0	0	0	0.03	0	0	20	0	1
1/4/5	38	7.4	85	7.4	0.11	2.6	0	0	0	0	0.06	0	0	23	0	2
11/14	35	7.4	86	7.4	0.13	2.4	0	0	0	0	0.01	0	0	20	0	1
1/4/5	35	7.4	86	7.4	0.13	2.4	0	0	0	0	0.01	0	0	23	0	2
12/11	35	7.4	86	7.4	0.13	2.4	0	0	0	0	0.01	0	0	20	0	1
11/40	37	7.2	86	7.2	0.10	2.4	0	0	0	0	0.01	0	0	24	0	2
1/2	38	7.2	87	7.2	0.10	2.2	0	0	0	0	0.01	0	0	24	0	2
1/135	33	7.2	88	7.2	0.11	2.5	0	0	0	0	0.01	0	0	22	0	2
2/13	41	7.2	87	7.2	0.10	2.2	0	0	0	0	0.01	0	0	24	0	2
12/30	41	7.2	88	7.2	0.10	2.2	0	0	0	0	0.01	0	0	22	0	2
3/5	48	7.2	102	7.2	0.11	2.6	0	0	0	0	0.01	0	0	23	0	3
4/8	44	7.2	99	7.2	0.11	2.4	0	0	0	0	0.01	0	0	23	0	2
13/45	68	7.2	101	7.2	0.11	2.4	0	0	0	0	0.01	0	0	24	0	2
5/1	86	7.2	101	7.2	0.10	2.4	0	0	0	0	0.01	0	0	21	0	2
14/35	86	7.2	101	7.2	0.10	2.4	0	0	0	0	0.01	0	0	23	0	2
6/4	28	7.2	100	7.2	0.13	3.1	0	0	0	0	0.01	0	0	24	0	2
7/9	12	7.3	102	7.3	0.14	3.2	0	0	0	0	0.01	0	0	23	0	1
14/15	9	7.4	102	7.4	0.13	3.0	0	0	0	0	0.01	0	0	21	0	1
9/10		7.3		7.3	0.13	3.0	0	0	0	0	0.01	0	0	24	0	1
12/30		7.3		7.3	0.13	3.0	0	0	0	0	0.01	0	0	23	0	1

a Field pH

b Laboratory pH

c Sum of calcium and magnesium in ppm

d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as 0.0 except as shown.

0.00

e Derived from conductivity vs. TDS curves

f Determined by addition of analyzed constituents

g Gravimetric determination

h Annual median and range. Calculated from analyses of duplicate monthly samples made by California Department of Public Health, Division of Laboratories, or United States Public Health Service

i Mineral analyses made by United States Geological Survey, Quality of Water Branch (USGS); United States Department of the Interior, Bureau of Reclamation (USBR); United States Public Health Service (USPHS); San Bernardino County Flood Control District (SBFCFD); Metropolitan Water District of Southern California (MWD); Los Angeles Department of Water and Power (LADWP); City of Los Angeles, Department of Public Health (LADPH); City of Long Beach, Department of Public Health (LBDPH); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (CDWR), as indicated.

TABLE D-2 (Continued)  
ANALYSES OF SURFACE WATER

NORTH COASTAL REGION (NO. 1)

KLAMATH RIVER BELOW IRON GATE DAM (SDA, 14)

Date and time sampled P.S.T.	Discharge Temp in °F in cfs	Dissolved oxygen in ppm	Specific conductance at 25°C pH	Major constituents in				parts per million				Total dissolved solids in ppm	Hardness as CaCO <sub>3</sub> in ppm	Total Coliforms in ppm	Coliforms MPN/ml	Analyzed by 1							
				Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Carbonates (CO <sub>3</sub> )	Bicarbonates (HCO <sub>3</sub> )	Sulfates (SO <sub>4</sub> )	Chlorides (Cl)						Nitrate (NO <sub>3</sub> )	Fluoride (F)	Boron (B)	Silica (SiO <sub>2</sub> )	Other constituents		
12/2	1,610	7-7	80	7.6	1.89	16	0	0	0	0	0	0	0	0	0	0	36	62	0	4	Median 18.	USGS	
10/4 0945	2,960	9-1	83	7.3	227	21	0	0	0	0	0	0	0	0	0	0	40	68	0	5	Maximum 2,400.		
11/15 0945	3,270	4-3	11-2	90	238	23	0	0	0	0	0	0	0	0	0	0	43	67	0	20	Minimum .23		
1000						14.00																	
1/6/3	3,100	4-0	11-7	90	232	23	0	0	0	0	0	0	0	0	0	0	42	68	0	8			
1/3 0930	1,600	4-1	11-4	89	223	20	0	0	0	0	0	0	0	0	0	0	40	64	0	15			
2/14 0920	3,080	4-6	10-9	91	250	22	0	0	0	0	0	0	0	0	0	0	38	77	0	15			
3/6 0945	3,300	4-8	10-3	95	256	19	0	0	0	0	0	0	0	0	0	0	33	83	5	5			
1/9 0930	3,140	4-9	10-6	99	168	14	0	0	0	0	0	0	0	0	0	0	35	54	0	5			
5/2 0830	976	6-8	10-2	119	201	18	0	0	0	0	0	0	0	0	0	0	39	60	0	5			
6/3 1415	740	7-2	10-8	132	177	14	0	0	0	0	0	0	0	0	0	0	34	58	0	10			
7/10 1225	1,020	7-2	9-3	114	171	13	0	0	0	0	0	0	0	0	0	0	33	44	0	1			
8/6 1245	1,400	6-8	7-1	83	170	13	0	0	0	0	0	0	0	0	0	0	33	56	0	5			
9/11 0830						13	0	0	0	0	0	0	0	0	0	0	118 <sup>f</sup>	124 <sup>g</sup>					

o Field pH.

b Laboratory pH.

c Sum of calcium and magnesium in ppm.

d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as .00 except as shown.

e Derived from conductivity vs. TDS curves

f Determined by addition of analyzed constituents.

g Gravimetric determination.

h Annual median and range, respectively. Calculated from analyses of duplicate monthly samples made by California Department of Public Health, Division of Laboratories, or United States Public Health Service.  
i Mineral analyses made by United States Geological Survey, Quality of Water Branch (USGS), United States Department of the Interior, Bureau of Reclamation (USBR), United States Public Health Service (USPHS); San Bernardino County Flood Control District (SBFCFD); Metropolitan Water District of Southern California (MWD); Los Angeles Department of Water and Power (LADWP); City of Los Angeles, Department of Public Health (LADPH); City of Long Beach, Department of Public Health (LBPH); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (DWR), as indicated.

TABLE D-2 (Continued)  
ANALYSES OF SURFACE WATER

NORTH COASTAL REGION (NO. 1)  
KUMAMTH RIVER AT SOMESBAR (STA. 2)

Date and time sampled P.S.T.	Discharge Temp. in cfs in ft.	Dissolved oxygen ppm	Specific conductance in (25°C) pH	Mineral constituents in ————— parts per million										Total dissolved solids in ppm	Percent total dissolved solids in ppm	Hardness as CaCO <sub>3</sub> in ppm	Tur- bid- ity in ppm	Coriform MPN/ml	Analyzed by 1
				Calcium (Ca)	Magne- sium (Mg)	Sodium (Na)	Potass- ium (K)	Chloride (Cl)	Sulfate (SO <sub>4</sub> )	Bicarbonate (HCO <sub>3</sub> )	Chlo- rine (Cl)	Nit- rous (NO <sub>2</sub> )	Fluo- ride (F)						
1/22	4,140	58	10.6	103	178	7.8	7.8	0	0	0.93	5.2	0.1	0.1	26	67	0	8	Median 6.2	USGS
1/24	4,380	56	7.7	73	198	8.1	8.1	0	0	1.02	5.9	0.0	0.0	30	70	0	5	Maximum 230.	
1/25	594,100	48	12.5	108	95	7.3	7.3	0	0	5.0	1.0	0.0	0.0	15	44	3	180	Minimum 4.23	
1/25	6,430	41	13.4	105	199	7.5	7.5	0	0	1.00	5.0	0.1	0.1	28	74	0	5		
2/5	45,700	47	12.9	110	106	7.3	7.3	0	0	6.0	2.9	0.0	0.0	16	46	0	30		
2/5	6,480	48	12.5	108	194	7.8	7.8	0	0	1.02	4.8	0.0	0.0	20	78	0	6		
4/1	15,600	47	12.5	108	136	7.4	7.4	0	0	7.1	1.5	0.0	0.0	16	98	0	10		
5/6	26,500	50	12.1	109	98	7.5	7.5	0	0	5.5	1.0	0.0	0.0	16	42	0	15	65F 76F	
1/45	6,840	63	9.9	104	140	7.6	7.6	1	1	1.28	3.2	0.0	0.0	16	61	0	1	Tot. alk. 80	
7/16	2,530	70	9.1	103	173	8.1	8.1	1	1	1.00	5.5	0.0	0.0	18	76	0	2	Tot. alk. 102	
8/12	2,190	73	9.0	105	188	7.9	7.9	0	0	1.00	5.6	0.0	0.0	23	75	0	1		
9/3	2,240	71	9.1	104	202	8.0	8.0	1	1	1.03	2.0	0.0	0.0	24	78	0	5	Tot. alk. 111 126F 124F	

a Field pH

b Laboratory pH

c Sum of calcium and magnesium in ppm.

d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as 0.0 except as shown.

e Derived from conductivity vs TDS curves

f Determined by addition of analyzed constituents.

g Gravimetric determination.

h Annual median and range, respectively. Calculated from analyses of duplicate monthly samples made by California Department of Public Health, Division of Laboratories, or United States Public Health Service.

i Mineral analyses made by United States Geological Survey, Quality of Water Branch, (USGS); United States Department of the Interior, Bureau of Reclamation (USBR); United States Public Health Service (USPHS); San Bernardino County of Public Health (SBCPHD); Metropolitan Water District of Southern California (MWD); Los Angeles Department of Water and Power (LADWP); City of Los Angeles, Department of Public Health (LADPH); City of Long Beach, Department of Public Health (LBDPH); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (DWR); as indicated.

TABLE D-2 (Continued)

NORTH COASTAL REGION (NO. 1)  
SALMON RIVER AT SHERBURN (STA. 26)

Date on which sample was collected P.S.T.	Discharge Temp in cfs in °F	Dissolved oxygen in ppm	Specific conductance at 25°C	pH	Major constituents in equivalents per million								Total solids in ppm	Per cent solids in ppm	Hardness as CaCO <sub>3</sub> Total ppm	Turbidity in N.C. ppm	Turbidity in MPN/ml	Applied by						
					Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Carbonate (CO <sub>3</sub> )	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)							Nitrate (NO <sub>3</sub> )	Fluoride (F)	Bromide (Br)	Silica (SiO <sub>2</sub> )	Other constituents	
1/20																								
1/18 1/19	56	11.2	107	7.8 7.7	0.792	2.4 0.10	0	0	0	2.2 0.06	0.73	0	0	0	0.0	0	0	10	46	0	3	Median 2-3	USGS	
1/17 1/18	54	10.5	97	8.0 8.0	0.798	2.0 0.11	0	0	0	2.2 0.06	1.08	0	0	0	0.0	0	0	10	49	0	1	Maximum 230		
12/3 1/10	49	12.4	108	7.8 7.6	0.797	2.4 0.09	0	0	0	1.0 0.03	0.69	0	0	0	0.1	0	0	12	34	0	70	Minimum .13		
1/13																								
1/7 1/25	41	13.2	103	7.3 7.9	1.02	2.1 0.09	0	0	0	1.2 0.03	1.02	0	0	0	0.0	0	0	8	51	0	1			
2/5 1/14	47	12.4	105	7.3 7.5	0.798	1.5 0.07	0	0	0	1.8 0.05	0.66	0	0	0	0.0	0	0	9	34	1	45			
3/12 1/30	45	12.6	104	7.6 7.9	1.06	2.1 0.09	0	0	0	1.0 0.03	1.07	0	0	0	0.0	0	0	8	53	0	2			
4/1 1/10	46	12.4	104	7.3 7.3	0.798	2.0 0.09	0	0	0	1.2 0.03	1.02	0	0	0	0.0	0	0	8	49	0	3			
5/6 1/25	49	11.8	105	7.4 7.0	0.797	1.6 0.07	0	0	0	1.1 0.03	0.94	0	0	0	0.0	0	0	50 <sup>a</sup> 50 <sup>b</sup>	32	0	10			
6/10 1/24	60	10.2	104	7.4 8.0	0.773	1.8 0.08	0	0	0	1.2 0.03	0.75	0	0	0	0.0	0	0	10	36	0	1			
7/16 1/14	62	9.7	101	8.1 8.2	1.01	2.7 0.12	0	0	0	2.8 0.08	1.07	0	0	0	0.0	0	0	11	50	0	1			
8/12 1/30	72	9.4	109	7.4 8.1	1.00	2.2 0.14	0	0	0	3.1 0.08	1.21	0	0	0	0.0	0	0	10	60	0	1			
9/3 1/10	69	9.6	108	8.1 8.1	0.797	2.2 0.11	0	0	0	4.0 0.11	1.28	0	0	0	0.0	0	0	60 <sup>c</sup> 69 <sup>d</sup>	63	0	1			

a Field pH  
b Laboratory pH  
c Sum of calcium and magnesium in ppm  
d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as 0.0 except as shown.  
e Derived from conductivity vs. TDS curves  
f Determined by addition of analyzed constituents.  
g Gravimetric determination.  
h Annual median and range, respectively. Calculated from analyses of duplicate monthly samples made by California Department of Public Health, Division of Laboratories, or United States Public Health Service.  
i Annual analyses made by United States Geological Survey, Quality of Water Branch (USGS); United States Department of the Interior, Bureau of Reclamation (USBR); United States Public Health Service (USPHS); San Bernardino County Flood Control District (SBFCFD); Metropolitan Water District of Southern California (MWD); Los Angeles Department of Water and Power (LADWP); City of Los Angeles, Department of Public Health (LADPH); City of Long Beach, Department of Public Health (LBDPH); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (DWR), as indicated.



TABLE D-2 (Continued)  
ANALYSES OF SURFACE WATER  
NORTH COASTAL REGION (NO. 1)  
KAWATH RIVER NEAR SEJAD VALLEY (SEA. 28)

Date and time sampled P.S.T.	Dissolved Temp in cfs in °F	Dissolved oxygen ppm	% Sat	Specific conductance (microhm/cm at 25°C)	pH	a/b	Mineral constituents in equivalents per million							Total dissolved solids in ppm	Per cent total hardness as CaCO <sub>3</sub>	Total Hardness in ppm	Temp - Coliform MPN/ml	Temp - Coliform in ppm	Analyzed by
							Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Carbonates (CO <sub>3</sub> )	Bicarbonates (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )						
1/4/2	1,970	62	10.6	108	228	8.2	1.7	1.62	0.74	0.00	1.20	1.97	7.0	2.1	0.1	81	0	4	USGS
10/4	1830	49	10.7	93	219	7.4	1.6	1.50	0.70	0.00	1.16	1.87	6.4	2.1	0.1	75	0	11	
11/15	1210	43	12.0	97	237	7.2	1.7	1.70	0.74	0.00	1.15	1.88	6.2	1.4	0.2	85	0	15	
1/6/3	5,120	43	12.2	98	239	7.6	1.8	1.28	0.78	0.00	1.18	1.93	6.5	2.5	0.0	84	0	6	
2/14	5,300	45	11.8	98	214	7.7	1.7	1.75	0.48	0.00	1.16	1.90	5.6	0.9	0.0	88	0	20	
3/6	4,870	47	11.9	101	253	7.2	1.7	1.80	0.74	0.00	1.22	2.02	7.8	1.7	0.1	93	0	10	
4/9	7,120	48	11.2	101	210	7.6	1.6	1.28	0.41	0.00	1.03	1.69	4.9	1.5	0.1	84	0	10	
5/2	6,300	49	10.9	100	180	7.7	1.6	1.80	0.44	0.00	1.26	1.57	3.2	0.9	0.2	74	0	15	
6/4	2,870	58	9.7	99	189	7.4	1.8	1.45	0.43	0.00	1.01	1.66	3.9	0.4	0.1	74	0	5	
7/10	1,400	67	9.2	104	230	7.6	1.6	2.04	0.57	0.00	1.30	2.13	6.4	0.6	0.2	102	0	5	
8/7	1,350	72	8.7	104	204	8.0	1.6	1.94	0.57	0.00	1.08	1.77	2.2	2.3	0.0	77	0	2	
9/11	1,590	68	9.4	108	208	8.0	1.4	1.70	0.61	0.00	1.12	1.78	9.0	0.9	0.2	76	0	1	
10/5						7.9	1.82	0.70	0.61	0.00	1.28	2.19	7.17	0.01	0.02				

a Field pH  
b Laboratory pH  
c Sum of calcium and magnesium in ppm  
d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as 0.0 except as shown.  
e Derived from conductivity vs TDS curves  
f Determined by addition of analyzed constituents  
g Gravimetric determination  
h Annual median and range, respectively. Calculated from analyses of duplicate monthly samples made by California Department of Public Health, Division of Laboratories, or United States Public Health Service.  
i Mineral analyses made by United States Geological Survey, Quality of Water Branch (USGS); United States Department of the Interior, Bureau of Reclamation (USBR); United States Public Health Service (USPHS); San Bernardino County Flood Control District (SBFCFD); Metropolitan Water District of Southern California (MWD); Los Angeles Department of Water and Power (LADWP); City of Los Angeles, Department of Public Health (LADPH); City of Long Beach, Department of Public Health (LDBPH); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (DWR), as indicated.















TABLE D-2 (Continued)

ANALYSES OF SURFACE WATER

NORTH COASTAL REGION (NO. 1)

EEL RIVER NEAR MCCANN (STA. 5)

Date and time sampled P.S.T.	Discharge rate in ft <sup>3</sup> /s	Dissolved oxygen ppm %Sat	Specific conductance at 25°C	pH	Mineral constituents in equivalents per million										Total dissolved solids in ppm	Hardness as CaCO <sub>3</sub> Total ppm	Temporary hardness in ppm	Analyzed by <sup>a</sup>
					Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Carbonate (CO <sub>3</sub> )	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)	Nitrate (NO <sub>3</sub> )	Fluoride (F)				
1/26/62		9.6	264	7.9	1.7	1.9	1.1	0	0	0	0	0	0	0	0	0	0	USGS
10/9/62		9.9	264	8.0	6.33	2.10	1.42	1.08	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	USGS
11/6/62		9.2	231	7.8	6.5	2.22	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS
14/6/62		10.2	119	7.5	4.9	1.12	1.1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	USGS
13/4/62		10.2	119	7.6	4.7	1.12	1.1	1.07	1.07	1.07	1.07	1.07	1.07	1.07	1.07	1.07	1.07	USGS
1/24/64		12.2	158	7.0	4.4	1.09	1.4	1.08	1.47	1.47	1.47	1.47	1.47	1.47	1.47	1.47	1.47	USGS
1/11/64		10.3	135	7.3	4.4	1.22	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS
2/6/64		10.3	135	7.3	4.4	1.22	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS
10/9/64		10.0	210	8.2	5.1	1.34	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS
4/2/65		10.5	136	7.4	4.9	1.22	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS
11/30/65		9.8	129	7.1	4.8	1.06	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS
5/7/66		9.8	203	7.1	4.8	1.06	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS
6/11/66		9.8	203	7.1	4.8	1.06	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS
7/18/66		9.7	252	8.1	6.6	2.10	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS
8/13/66		9.8	264	8.1	7.3	2.18	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS
10/4/66		8.4	271	7.7	7.4	1.75	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS
11/10/66		8.4	271	7.7	7.4	1.75	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	USGS

a Field pH  
 b Laboratory pH  
 c Sum of calcium and magnesium in ppm.  
 d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as 0.0 except as shown.  
 e Derived from conductivity vs TDS curves  
 f Determined by addition of analyzed constituents.  
 g Gravimetric determination.  
 h Annual median and range, respectively. Calculated from analyses of duplicate monthly samples made by California Department of Public Health, Division of Laboratories, or United States Public Health Service.  
 i Mineral analyses made by United States Geological Survey, Quality of Water Branch (USGS); United States Department of the Interior, Bureau of Reclamation (USBR); United States Public Health Service (USPHS); San Bernardino County Flood Control District (SBCFD); Metropolitan Water District of Southern California (MWD); Los Angeles Department of Water and Power (LADWP); City of Los Angeles, Department of Public Health (LADPH); City of Long Beach, Department of Public Health (LBDPH); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (CDWR), as indicated.  
 j 3250-0-06 (6-61) 220 390





TABLE D-2 (Continued)  
 ANALYSES OF SURFACE WATER

NORTH COASTAL REGION (NO. 1)  
 OUTLET CREEK NEAR LONGVALE (SDA. 51)

Date and time sampled P.S.T.	Discharge in cfs in 4'	Temp. in 4'	Dissolved oxygen ppm	Specific conductance at 25°C	pH	Mineral constituents in equivalents per million										Total dissolved solids in ppm	Hardness as CaCO <sub>3</sub> Total ppm	Temp. by MPN/ml	Conform h	Analyzed by
						Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Carbonate (CO <sub>3</sub> )	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)	Nitrate (NO <sub>3</sub> )	Fluoride (F)					
1/26	2,860	60	9.3	111	7.0	7.0	4.3	0	0	0	32	6.0	0.17	0.2	18	43	11	200	USGS	
10/10						0.19	0.19	0.00	0.64	8.8	0.25	0.3	0.3	21	73	0	5			
11/14	45	52	10.7	183	7.8	0.15	0.7	0	0	0	91	0.25	0.3	19	58	0	5			
1600					8.1	0.20	0.36	0.00	1.09	4.8	0.11	0.4	0.4							
12/11	145	49	10.8	142	7.2	0.16	0.20	0.00	1.21	8.8	0.25	0.3	0.3	19	62	0	5			
1545					8.1	0.20	0.20	0.00	1.21	4.8	0.11	0.4	0.4							
1/23	98	46	11.5	150	7.1	0.20	0.30	0.00	1.20	8.8	0.25	0.3	0.3	17	48	3	60			
1/45					7.5	0.20	0.20	0.00	1.08	3.0	0.25	0.2	0.2	18	70	0	3			
2/12	1,400	54	10.6	106	7.0	0.20	0.20	0.00	0.90	4.1	0.21	0.0	0.0	18	32	0	50			
1525					7.5	0.20	0.20	0.00	1.40	7.4	0.21	0.0	0.0	17	61	0	3			
3/12	76	56	10.9	170	8.0	0.40	0.31	0.00	1.40	2.2	0.16	0.0	0.0	89 <sup>f</sup>						
1550					8.0	0.20	0.14	0.00	0.67	4.1	0.16	0.0	0.0	89 <sup>f</sup>						
4/10	3,090	52	10.6	99	7.7	0.20	0.14	0.00	0.67	5.8	0.17	6.0	0.2	17	61	0	3			
1730					7.7	0.20	0.14	0.00	0.67	7.6	0.15	6.0	0.2	18	88	0	2			
5/7	178	61	9.6	142	7.6	0.75	0.25	0.03	1.28	8.2	0.25	6.8	0.6	19	104	0	2			
1300					8.2	1.76	0.39	0.00	1.88	0	0.00	0.19	0.6	20	112	0	1			
1500	31	76	9.3	113	8.2	1.76	0.39	0.00	1.88	11	0.18	1.2	1.0	20	123	2	1			
6/10					8.4	2.08	0.48	0.00	2.18	0	0.00	1.2	1.0	175 <sup>f</sup>						
7/8	10	73	9.1	107	8.4	2.08	0.48	0.00	2.18	2	0.16	1.5	1.3	176 <sup>f</sup>						
8/5	3	83	7.2	94	8.3	2.29	0.57	0.10	2.23	14	0.05	1.0	1.8	20	123	2	1			
1545					8.3	2.29	0.57	0.10	2.23	14	0.05	1.0	1.8	20	123	2	1			
9/11	2	69	8.5	97	7.4	1.90	0.61	0.00	2.43	0	0.00	1.4	0.1	175 <sup>f</sup>						
0945					8.1	1.90	0.61	0.00	2.43	0	0.00	1.4	0.1	176 <sup>f</sup>						

a Field pH

b Laboratory pH

c Sum of calcium and magnesium in ppm

d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as 0.0 except as shown

e Derived from conductivity vs TDS curves

f Determined by addition of analyzed constituents

g Gravimetric determination

h Annual median and range, respectively

i Mineral analyses made by United States Geological Survey, Quality of Water Branch (USGS); United States Department of the Interior, Bureau of Reclamation (USBR); United States Public Health Service (USPHS); San Bernardino County Flood Control District (SBCFCD); Metropolitan Water District of Southern California (MWD); Los Angeles Department of Water and Power (LADWP); City of Los Angeles, Department of Public Health (LADPH); City of Long Beach, Department of Public Health (LBDPH); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (DWR); as indicated







TABLE D-2 (Continued)  
ANALYSES OF SURFACE WATER

NORTH COASTAL REGION (NO. 1)  
EEL RIVER AT SCOTIA (SR. 6)

Date and time of day and P.S.T.	Discharge temp in cfs in of ppm	Specific conductance at 25°C	pH	Mineral constituents in — parts per million — equivalents per million										Total dissolved solids in ppm	Percent sodium in ppm	Hardness on CaCO <sub>3</sub> Total N.C. ppm	Tur- bid- ity in ppm	Coliform MPN/ml	Analyzed by 1
				Calcium (Ca)	Magne- sium (Mg)	Sodium (Na)	Potas- sium (K)	Carbon- ate (CO <sub>3</sub> )	Bicar- bonate (HCO <sub>3</sub> )	Sul- fur (SO <sub>4</sub> )	Chlo- ride (Cl)	Ni- trate (NO <sub>3</sub> )	Fluo- ride (F)						
1962 10/10 0915	3,160	59	9.3	91	231	7.5 0.44	10 0.44	0	0	109 0.479	6.5 0.33	0.1	0.1	18	100	11	170	Median 15.	USGS
11/7 0940	1,040	55	7.5	71	232	7.7 0.32	1.3 0.32	0	0	121 0.00	4.8 0.14	0.2	0.2	13	108	9	1	Maximum 7,000.	
12/4 1455	36,200	53	10.9	100	116	7.3 1.1	2.7 0.25	0	0	61 1.00	1.8 0.05	0.1	0.1	19	53	3	320	Minimum 1,045-	
1963 1/8 1410	2,440	55	11.5	108	213	7.4 0.2	8.2 0.36	0	0	116 1.90	11 0.31	0.0	0.0	16	94	0	2		
2/6 1355	23,100	55	10.6	100	136	7.3 0.1	2.1 0.22	0	0	72 0.00	4.0 0.11	0.1	0.1	16	58	0	220		
3/13 1340	2,510	55	12.1	114	209	8.1 0.70	5.5 0.24	0	0	115 1.88	3.2 0.09	0.0	0.0	11	94	0	3		
4/2 1405	28,000	50	11.4	100	131	7.6 0.70	4.4 0.19	0	0	72 1.18	2.2 0.06	0.0	0.0	15	56	0	250		
5/7 1230	10,200	62	10.0	102	141	7.6 0.70	5.2 0.43	0.8 0.02	0	76 1.29	2.8 0.08	0.1 0.01	0.1	16	62	0	100	87, 948	
6/11 1340	1,530	72	10.0	114	215	8.0 0.4	6.2 0.27	3 0.10	0	116 1.90	6.1 0.17	0.0	0.0	12	100	0	2	Tot., alk. 122	
7/18 1315	430	71	9.1	102	264	8.0 0.73	7.6 0.33	1 0.03	0	150 2.40	7.2 0.20	0.0	0.0	12	124	0	1	Tot., alk. 132	
8/13 1320	210	75	9.7	113	253	8.3 0.45	8.9 0.39	4 0.13	0	130 2.30	8.5 0.24	0.0	0.0	14	115	2	1	Tot., alk. 138	
9/4 1400	148	79	13.0	159	272	8.3 0.45	8.5 0.37	6 0.20	0	148 2.26	6.5 0.18	0.1 0.01	0.1	13	124	1	5	Tot., alk. 150 151.6 10.05 As ABS 0.020	

a Field pH  
b Laboratory pH  
c Sum of calcium and magnesium in spm.  
d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as 0.0 except as shown.  
e Derived from conductivity vs TDS curves.  
f Determined by addition of analyzed constituents.  
g Gravimetric determination  
h Annual median and range, respectively. Calculated from analyses of duplicate monthly samples made by California Department of Public Health, Division of Laboratories, or United States Public Health Service.  
i Mineral analyses made by United States Geological Survey, Quality of Water Branch (USGS); United States Department of the Interior, Bureau of Reclamation (USBR); United States Public Health Service (USPHS); San Bernardino County Flood Control District (SB-CFD); Metropolitan Water District of Southern California (MWD); Los Angeles District of Water and Power (LADWP); City of Los Angeles, Department of Public Health (LADPH); City of Long Beach, Department of Public Health (LBPH); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (DWR), as indicated.



TABLE D-2 (Continued)  
ANALYSES OF SURFACE WATER

NORTH COASTAL REGION (NO. 1)  
EEL RIVER, SOUTH FORK, NEAR MIRANDA (STA. 7)

Date and time sampled P.S.T.	Discharge Temp in °F (est.)	Dissolved oxygen in ppm	Specific conductance at 25°C pH	Calcium (Ca) (Mg)	Sodium (Na) (K)	Potassium (K)	Carbon-14 (C <sup>14</sup> )	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)	Major constituents in parts per million					Total dissolved solids in ppm	Per cent total suspended	Hardness on CaCO <sub>3</sub> Total N C ppm	Tur- bid- ity MPN/ml	Analyzed by
											NO <sub>3</sub>	Flu- oride (F)	Boron (B)	Silico (SiO <sub>2</sub> )	Other constituents					
1/22	500 (est.)	9-3	228	7.6 7.9	2.03 <sup>c</sup>	1.0 0.44	0 0.00	1.25 2.05	9.2 0.22	0.22	0.0	0.0	0.0	0.0	18	102	0	35	Median 23.	USGS
1/16	340	9-6	183	7.7 7.8	1.54 <sup>c</sup>	7.4 0.32	0 0.00	4.5 0.13	4.5	0.2	0.2	0.0	0.0	0.0	17	77	0	1	Maximum 7,000.	
1/24	8,210	53	11.1	102	7.5 7.6	0.80 <sup>b</sup>	0 0.00	5.2 0.87	3.4 0.10	0.0	0.0	0.0	0.0	22	40	0	180	Minimum 462		
1/22	635	45	12.0	99	7.4 7.8	1.32 <sup>c</sup>	0 0.00	8.2 0.19	6.6 0.19	0.1	0.1	0.0	0.0	19	66	0	2			
2/6	5,400	55	10.7	100	7.3 7.8	0.90 <sup>b</sup>	0 0.00	6.0 0.38	4.9 0.14	0.1	0.1	0.0	0.0	21	45	0	95			
3/13	556	52	11.7	106	7.7 8.1	1.38 <sup>c</sup>	0 0.00	8.6 1.41	4.0 0.11	0.0	0.0	0.0	0.0	16	68	0	3			
4/2	5,760	50	11.5	102	7.4 7.9	0.88 <sup>b</sup>	0 0.00	6.1 1.00	3.2 0.09	0.0	0.0	0.0	0.0	21	44	0	120			
5/7	1,370	58	10.1	99	7.7 8.1	1.14 0.70	6.1 0.50	7.0 1.25	7.0 0.15	0.2	0.1	0.0	0.0	91 <sup>f</sup> 99 <sup>g</sup>	18	60	0	95		
6/11	290	71	9-7	110	8.0 8.2	1.52 <sup>c</sup>	0 0.00	9.9 1.62	6.5 0.16	0.0	0.0	0.0	0.0	16	76	0	1			
7/18	1,50	73	9-5	110	8.1 8.2	1.85 <sup>c</sup>	0 0.00	12.0 1.97	7.0 0.20	0.0	0.1	0.0	0.0	15	92	0	1			
8/13	84	74	9-4	110	8.1 8.3	2.05 <sup>c</sup>	3 0.37	12.1 1.98	7.8 0.22	0.0	0.0	0.0	0.0	15	102	0	2			
9/4	58	75	9-4	111	8.1 8.2	2.01 1.20	3.5 0.78	8.0 2.05	8.0 0.17	0.0	0.1	0.1	7.2	12 <sup>f</sup> 125 <sup>g</sup>	15	99	0	1		

a Field pH.  
b Laboratory pH.  
c Sum of calcium and magnesium in ppm.  
d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as 0.0 except as shown.  
e Derived from conductivity vs TDS curves.  
f Determined by addition of analyzed constituents.  
g Gravimetric determination.  
h Annual median and range, respectively. Calculated from analyses of duplicate monthly samples made by California Department of Public Health, Division of Laboratories, or United States Public Health Service.  
i Mineral analyses made by United States Geological Survey, Quality of Water Branch (USGS); United States Department of the Interior, Bureau of Reclamation (USBR); United States Public Health Service (USPHS); San Bernardino County Flood Control District (SBCFCD); Metropolitan Water District of Southern California (MWD); Los Angeles Department of Water and Power (LADWP); City of Los Angeles, Department of Public Health (LADPH); City of Long Beach, Department of Public Health (LBDPH); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (DWR), as indicated.

TABLE D-2 (Continued)  
ANALYSES OF SURFACE WATER

NORTH CASCADIA REGION (NO. 1)

MATTLE RIVER NEAR FERGUSIA (SDA, 7a)

Date on which sample P.S.T.	Discharge in cfs in °F	Temp in °F	Dissolved oxygen in ppm	Specific conductance at 25°C in µmhos/cm	pH	Mineral constituents in equivalents per million										Total dissolved solids in ppm	Percent aluminum	Hardness as CaCO <sub>3</sub> Total ppm	Turbidity in ptm	Conform with MPN/ml	Analyzed by
						Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Carbonate (CO <sub>3</sub> )	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)	Nitrate (NO <sub>3</sub> )	Fluoride (F)						
1/22	1,000	62	9.5	97	7.5	8.2	0	0	0	0	88	4.8	0	0	0	0	19	85	13	95	USGS
1/27	482	54	8.9	82	7.5	7.3	0	0	0	88	2.0	0	0	0	0	17	80	8	1	Maximum 7,000	
11/6	4,500	52	11.0	100	7.8	5.4	0	0	0	51	3.6	0	0	0	0	21	42	0	35	Minimum 4.62	
12/4					7.3	0.23	0	0	0	0	0	0	0	0	0						
1/23	470	44	12.1	99	7.2	6.2	0	0	0	71	1.7	0	0	0	0	17	64	6	6		
1/8	6,500	55	10.6	105	7.3	7.1	0	0	0	47	3.5	0	0	0	0	28	42	2	300		
2/6	478	49	11.9	104	7.7	7.1	0	0	0	78	4.0	0	0	0	0	16	67	3	3		
3/13	4,080	49	11.5	100	8.0	5.0	0	0	0	54	3.2	0	0	0	0	20	43	0	170		
5/7	3,200	55	10.3	97	7.4	5.2	0	0	0	54	2.5	0	0	0	0	20	44	0	200		
6/11	384	65	9.4	99	7.7	6.8	0	0	0	86	4.0	0	0	0	0	17	74	3	1		
7/18	94	66	9.4	100	8.1	7.2	0	0	0	112	4.8	0	0	0	0	14	92	0	1		
8/15	60	67	9.6	104	8.1	7.2	0	0	0	112	4.8	0	0	0	0	16	98	1	3		
8/13	50	69	9.7	107	8.3	8.2	0	0	0	4	1.0	0	0	0	0	14	104	6	1		
9/4					7.9	7.0	0	0	0	112	1.8	0	0	0	0	14	104	6	1		
9/20					8.2	0.36	0	0	0	0	0	0	0	0	0	143.1				1388	

a Field pH.

b Laboratory pH.

c Sum of calcium and magnesium in ppm.

d Iron (Fe), aluminum (Al), arsenic (As), copper (Cu), lead (Pb), manganese (Mn), zinc (Zn), and hexavalent chromium (Cr<sup>6+</sup>), reported here as 0.0 except as shown.

e Derived from conductivity vs TDS curves.

f Determined by addition of analyzed constituents.

g Gravimetric determination.

h Annual median and range, respectively.

i Annual median and range, respectively.

Calculated from analyses of duplicate monthly samples made by California Department of Public Health, Division of Laboratories, or United States Public Health Service. Mineral analyses made by United States Geological Survey, Quality of Water Branch (USGS); United States Public Health Service (USPHS); San Bernardino County Flood Control District (SBFCFD); Metropolitan Water District of Southern California (MWD); Los Angeles Department of Water and Power (LADWP); City of Long Beach, Department of Public Health (LBPDHP); Terminal Testing Laboratories, Inc. (TTL); or California Department of Water Resources (DWR); as indicated.



TABLE D-3  
SPECTROGRAPHIC ANALYSES OF SURFACE WATER  
NORTH COASTAL REGION (NO. 1)

Station	Site No	Date	Constituents in parts per billion																
			Aluminum (Al)	Beryllium (Be)	Bismuth (Bi)	Cadmium (Cd)	Cobalt (Co)	Chromium (Cr)	Copper (Cu)	Iron (Fe)	Gallium (Ga)	Germanium (Ge)	Manganese (Mn)	Molybdenum (Mo)	Nickel (Ni)	Lead (Pb)	Titanium (Ti)	Vanadium (V)	Zinc (Zn)
Klamath River below Iron Gate Dam Klamath River at Somebar Klamath River near Seiad Valley Klamath River near Klamath Trinity River near Hoopa Bel River, Middle Fork, at Dos Rios	1f	5-02-61	85	1.3*	1.3*	3.3*	1.3*	1.3*	3.3*	1.3*	1.3*	3.3*	6.7*	1.3*	3.3*	1.3*	1.3*	17	6.7*
	2	5-06-61	27	1.3*	1.3*	3.3*	1.3*	1.3*	3.3*	1.3*	1.3*	3.3*	6.7*	1.3*	3.3*	1.3*	1.3*	1.3*	6.7*
	2b	5-02-61	187	1.3*	1.3*	3.3*	3.3*	1.3*	3.3*	1.3*	1.3*	3.3*	6.7*	1.3*	3.3*	1.3*	1.3*	11	6.7*
	3	5-08-61	170	1.3*	1.3*	3.3*	3.3*	1.3*	3.3*	1.3*	1.3*	3.3*	6.7*	1.3*	3.3*	1.3*	1.3*	1.3*	6.7*
	4	5-06-61	108	1.3*	1.3*	3.3*	3.3*	1.3*	3.3*	1.3*	1.3*	3.3*	6.7*	1.3*	3.3*	1.3*	1.3*	1.3*	6.7*
	5c	5-07-61	55	1.3*	1.3*	3.3*	3.3*	1.3*	3.3*	1.3*	1.3*	3.3*	6.7*	1.3*	3.3*	1.3*	1.3*	1.3*	6.7*
Bel River at Scotia Med River near Arcata	6	5-07-61	67	1.3*	1.3*	3.3*	1.3*	1.3*	3.3*	1.3*	1.3*	3.3*	6.7*	1.3*	3.3*	1.3*	1.3*	1.3*	6.7*
	6a	5-08-61	197	1.3*	1.3*	3.3*	3.3*	1.3*	3.3*	1.3*	1.3*	3.3*	6.7*	1.3*	3.3*	1.3*	1.3*	1.3*	6.7*
Klamath River below Iron Gate Dam Klamath River at Somebar Klamath River near Seiad Valley Klamath River near Klamath Trinity River near Hoopa Bel River, Middle Fork, at Dos Rios	1f	9-11-61	23	1.3*	0.67*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	20	13*	0.67*	3.3*	0.67**	0.67**	21	1.3*
	2	9-03-61	8-7	1.3*	0.67*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	9.3	13*	0.67*	3.3*	0.67**	2.2	1.3*	16
	2b	9-11-61	13	1.3**	0.67*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	17	13*	0.67*	3.3*	0.67**	1.1	3.3*	23
	3	9-05-61	123	1.3*	0.67*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	8.7	13*	0.67*	3.3*	0.67**	3.3	1.3*	11
	4	9-03-61	5.5	1.3*	0.67*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	9.3	13*	0.67*	3.3*	0.67**	1.1	3.3*	6.7
	5c	9-11-61	5.2	1.3*	0.67*	3.3*	3.3*	3.3**	3.3*	3.3*	3.3*	4.4	13*	0.67*	3.3*	0.67**	0.67**	1.3*	0.67*
Bel River at Scotia Med River near Arcata	6	9-04-61	6.3	1.3*	0.67*	3.3*	3.3*	3.3*	3.3*	3.3*	5.2	13*	0.67*	3.3*	0.67**	0.67**	3.3*	1.3*	0.67*
	6a	9-05-61	11	1.3*	0.67*	3.3*	3.3*	3.3*	3.3*	3.3*	6.7	13*	0.67*	3.3*	0.67**	0.67**	3.3*	1.3*	0.67*

Note: For all stations the following results were also reported in May 1963: Silver (Ag) 5.0\*

\* Results are less than the amount indicated.

\*\* Results are equal to but slightly less than the amount indicated.

## RADIOASSAY OF SURFACE WATERS

Sta. No.	Stream	Near	Date	1963			Micro-micro curies per liter		
				Dissolved Alpha	Solid Alpha	Solid Beta	Dissolved Beta	Solid Beta	
1E	ANTELOPE CREEK	TENNANT	5/1	0.5 ± 0.3	0.3 ± 0.3	0.0 ± 0.3	0.0 ± 0.3	0.0 ± 6.2	
1D	BUTTE CREEK	MACDOEL	5/1	0.0 ± 0.4	0.2 ± 0.4	10.2 ± 6.3	3.2 ± 6.2	3.2 ± 6.2	
5D	EEL RIVER	DOS RIOS	5/7	0.1 ± 0.1	0.3 ± 0.2	7.0 ± 4.2	14.9 ± 4.4	14.9 ± 4.4	
5	EEL RIVER	McCANN	5/7	0.2 ± 0.2	0.9 ± 0.4	1.2 ± 6.4	16.7 ± 6.7	16.7 ± 6.7	
5C	EEL RIVER, MID. FK.	BELOW DOS RIOS	5/7	0.0 ± 0.2	0.1 ± 0.2	5.7 ± 4.7	11.4 ± 4.8	11.4 ± 4.8	
6	EEL RIVER	SCOTTA	5/7	0.1 ± 0.3	0.6 ± 0.4	0.0 ± 6.4	9.2 ± 6.6	9.2 ± 6.6	
7	EEL RIVER, SO. FK.	MIRANDA	5/7	0.1 ± 0.5	0.4 ± 0.4	3.0 ± 6.2	5.4 ± 6.3	5.4 ± 6.3	
1C	KLAMATH RIVER	ABV HAMBURG RES.	5/2	0.0 ± 0.4	0.0 ± 0.4	7.7 ± 6.3	5.4 ± 6.3	5.4 ± 6.3	
1F	KLAMATH RIVER	IRON GATE DAM	5/2	0.3 ± 0.3	0.1 ± 0.3	0.0 ± 6.4	0.0 ± 6.5	0.0 ± 6.5	
3	KLAMATH RIVER	KLAMATH	5/8	0.1 ± 0.3	0.4 ± 0.4	0.8 ± 6.6	0.0 ± 6.5	0.0 ± 6.5	
2B	KLAMATH RIVER	SEIAD VALLEY	5/2	0.0 ± 0.2	0.2 ± 0.3	0.0 ± 6.2	1.9 ± 6.3	1.9 ± 6.3	
2	KLAMATH RIVER	SOMESBAR	5/6	0.0 ± 0.5	0.3 ± 0.6	1.4 ± 6.2	5.2 ± 6.3	5.2 ± 6.3	
6A	MAD RIVER	ARCATA	5/8	0.4 ± 0.6	0.4 ± 0.6	2.2 ± 6.4	13.4 ± 6.6	13.4 ± 6.6	
7A	MATTOLE RIVER	PETROLIA	5/7	0.3 ± 0.4	1.2 ± 0.6	0.0 ± 6.3	20.4 ± 6.7	20.4 ± 6.7	
5B	OUTLET CREEK	LONGVALE	5/7	0.0 ± 0.1	0.0 ± 0.2	6.6 ± 4.7	1.8 ± 4.6	1.8 ± 4.6	
3B	REDWOOD CREEK	ORICK	5/8	0.0 ± 0.4	0.6 ± 0.5	4.0 ± 6.3	9.4 ± 6.4	9.4 ± 6.4	
2A	SALMON RIVER	SOMESBAR	5/-	0.0 ± 0.4	0.0 ± 0.4	2.1 ± 6.2	2.9 ± 6.2	2.9 ± 6.2	



## RADIOASSAY OF SURFACE WATERS

Sta. No.	Stream	Near	Date	Micro-micro curies per liter			
				Dissolved Alpha	Solid Alpha	Dissolved Beta	Solid Beta
1963							
1B	SCOTT RIVER	FORT JONES	5/2	0.0 ± 0.4	0.3 ± 0.5	0.0 ± 6.4	3.1 ± 6.5
1A	SHASTA RIVER	YREKA	5/2	0.6 ± 0.4	0.1 ± 0.3	3.5 ± 6.2	5.0 ± 6.2
3A	SMITH RIVER	CRESCENT CITY	5/8	0.1 ± 0.3	0.1 ± 0.3	0.9 ± 6.4	3.0 ± 6.4
4B	TRINITY RIVER	BURNT RANCH	5/9	0.0 ± 0.4	0.0 ± 0.4	4.6 ± 6.5	12.1 ± 6.6
4	TRINITY RIVER	HOOPA	5/6	0.2 ± 0.3	0.5 ± 0.4	0.0 ± 6.4	0.0 ± 6.4
4A	TRINITY RIVER	LEWISTON	5/6	0.0 ± 0.2	0.0 ± 0.2	6.3 ± 6.4	0.0 ± 6.3
5A	VAN DUZEN RIVER	BRIDGEVILLE	5/7	0.1 ± 0.4	0.4 ± 0.5	7.0 ± 6.5	15.6 ± 6.6
1E	ANTELOPE CREEK	TENNANT	9/10	0.1 ± 0.3	0.0 ± 0.3	2.2 ± 6.1	0.0 ± 6.0
1D	BUTTE CREEK	MACDOEL	9/10	0.0 ± 0.3	0.0 ± 0.3	4.8 ± 6.1	0.0 ± 6.0
5D	EEL RIVER	DOS RIOS	9/11	0.3 ± 0.4	0.3 ± 0.4	3.7 ± 6.2	7.5 ± 6.2
5	EEL RIVER	McCANN	9/4	0.0 ± 0.3	0.0 ± 0.3	6.4 ± 6.1	4.8 ± 6.1
5C	EEL RIVER, MID FK.	BELOW DOS RIOS	9/11	0.0 ± 0.3	0.0 ± 0.3	4.8 ± 6.2	0.0 ± 6.1
6	EEL RIVER	SCOTTA	9/4	0.0 ± 0.4	0.1 ± 0.4	0.0 ± 6.1	0.1 ± 6.1
7	EEL RIVER, SO FK.	MIRANDA	9/4	0.0 ± 0.4	0.0 ± 0.4	2.3 ± 6.2	0.0 ± 6.1
1C	KLAMATH RIVER	ABV HAMBURG RES.	9/11	0.1 ± 0.4	0.0 ± 0.3	5.6 ± 6.2	0.0 ± 6.1
1F	KLAMATH RIVER	IRON GATE DAM	9/11	0.5 ± 0.4	0.0 ± 0.3	1.8 ± 6.0	1.6 ± 6.1

TABLE D-4 (Continued)  
 RADIOASSAY OF SURFACE WATERS

Sta. No.	Stream	Near	Date	Micro-micro curies per liter			
				Dissolved Alpha	Solid Alpha	Dissolved Beta	Solid Beta
			1963				
3	KLAMATH RIVER	KLAMATH	9/5	0.0 ± 0.3	0.0 ± 0.3	0.0 ± 6.1	0.0 ± 6.1
2B	KLAMATH RIVER	SEIAD VALLEY	9/11	0.3 ± 0.3	0.0 ± 0.2	4.0 ± 6.2	1.4 ± 6.2
2	KLAMATH RIVER	SOMESBAR	9/3	0.1 ± 0.4	0.0 ± 0.3	2.5 ± 6.1	4.5 ± 6.1
6A	MAD RIVER	ARCATA	9/5	0.0 ± 0.5	0.0 ± 0.5	6.0 ± 5.9	9.8 ± 6.1
7A	MATTOLE RIVER	PETROLIA	9/4	0.1 ± 0.2	0.1 ± 0.2	6.8 ± 6.0	3.8 ± 6.0
5B	OUTLET CREEK	LONGVALE	9/11	0.0 ± 0.3	0.0 ± 0.3	9.6 ± 6.3	0.0 ± 6.1
3B	REDWOOD CREEK	ORICK	9/5	0.0 ± 0.3	0.0 ± 0.3	0.0 ± 6.1	0.0 ± 6.1
2A	SALMON RIVER	SOMESBAR	9/3	0.0 ± 0.3	0.0 ± 0.3	4.4 ± 6.1	7.6 ± 6.1
1B	SCOTT RIVER	FORT JONES	9/10	0.2 ± 0.4	0.0 ± 0.3	0.0 ± 6.1	0.0 ± 6.1
1A	SHASTA RIVER	YREKA	9/11	0.0 ± 0.2	0.1 ± 0.2	5.2 ± 6.2	0.0 ± 6.0
3A	SMITH RIVER	CRESCENT CITY	9/5	0.0 ± 0.3	0.0 ± 0.3	0.0 ± 6.1	0.0 ± 6.0
4B	TRINITY RIVER	BURNT RANCH	9/6	0.1 ± 0.7	0.0 ± 0.6	6.5 ± 6.1	0.0 ± 5.9
4	TRINITY RIVER	HOOPA	9/3	0.1 ± 0.4	0.0 ± 0.3	1.5 ± 6.0	0.0 ± 5.9
4A	TRINITY RIVER	LEWISTON	9/3	0.0 ± 6.4	0.0 ± 6.4	1.6 ± 6.0	0.0 ± 6.1
5A	VAN DUZEN RIVER	BRIDGEVILLE	9/4	0.0 ± 0.3	0.0 ± 0.3	3.0 ± 6.1	1.9 ± 6.1

APPENDIX E  
GROUND WATER QUALITY

5A VAN DOZIEB RIJVEN BUREAU 1-11



TABLE OF CONTENTS

	<u>Page</u>
Ground Water Quality . . . . .	96

TABLES

Table

E-1	Analyses of Ground Water . . . . .	99
-----	------------------------------------	----

## GROUND WATER QUALITY

Data presented in this appendix are measured values of selected quality characteristics of ground waters in the North Coastal Area, as shown on the "Area Orientation Map". The Ground Water Quality Monitoring Program is based on systematic sampling of a predetermined network and is reported annually by water year. The Ground Water Quality Monitoring Program is performed in cooperation with other state, local, and federal agencies.

All data presented in this volume are within the North Coastal Water Pollution Control Region (No. 1) excluding the Russian River drainage basin and the area along the coast south of the Mattole River drainage. Wells sampled in the ground water quality program are arranged by basin and tabulated in sequence by township, range, and section. The nine ground water basins sampled annually in the North Coastal Area are shown on Plate 4.

The Ground Water Quality Monitoring Program consists of selecting locations to be sampled, collection of samples by Department personnel or cooperators, laboratory analysis by an assigned agency, examination of the data to note trends or significant changes, and publication of the data and findings.

Except where noted, tabulated values for temperature are those measured in the field at the time of sampling. Comments on local conditions are noted in the field books but are not included in the tabulation.

Tabulated values for dissolved minerals are the analytical quantity reported in parts per million (ppm) and a computed value for equivalents per million (epm). Electrical conductivity is reported as micromhos at 25°C and temperature is in degrees Fahrenheit. Laboratory analyses of ground waters were performed in the Department's Chemical Laboratory at Bryte, in accordance

with "Standard Methods for the Examination of Water and Waste Water", Eleventh Edition, or by the USGS. The methods yield comparable accuracy of analysis. The determination of trace elements was performed by the "wet" analysis at the Bryte Laboratory. The results are reported in parts per billion.

Analyses for radioactivity were made by the California Disaster Office Laboratory in Sacramento and results are expressed in terms of activity, measured in micro-micro curies per liter (mmc/l) which is equivalent to pico-curies per liter (pc/l). The most probable error is reported with the measured value. Other values are reported in parts per million or are stated in table headings.

Results of bacterial, radiological, and organic determinations presented in this bulletin should be considered qualitative and undue emphasis should not be given to the quantitative values.

Quality information for most wells in the monitoring program is augmented by well logs and well construction information.

#### Well Numbering System

The State well numbering system used in this report is based on the township, range, and section subdivision of the Public Land Survey. It is the system used in all ground water investigations and for numbering all wells for which data are published or filed by the Department of Water Resources. In this report the number of a well, assigned in accordance with this system, is referred to as the State Well Number and is described in Appendix C of this bulletin.





TABLE E-1  
ANALYSES OF GROUND WATER  
1963

Owner and use	State well number and other number	Date sampled	Temp in F	Specific conductance in F (micro-mhos per 25 C)	pH	Mineral constituents in parts per million						parts per million			Total dissolved solids in ppm	Percent sulfur	Hardness as CaCO <sub>3</sub> Total ppm	Analyzed by c			
						Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)	Nitrate (NO <sub>3</sub> )	Fluoride (F)					Boron (B)	Silica (SiO <sub>2</sub> )	Other constituents
						NORTH CASCADE REGION (No. 1)															
						SMITH RIVER PLAIN (1-1)															
A. Short domestic	16N/1M-601	7-10-63	--	227	8.0	16.3	10.0	17.0	0.3	0.0	12.3	1.0	8.2	0.0	0.1	2.2	154	32	0	LL	
L. L. Early domestic	-1501	7-10-63	--	61	6.7	3.2	2.9	5.5	0.1	0.0	1.8	2.4	11.0	0.0	0.0	1.2	38	37	0	LL	
W. Storey domestic	-2081	7-10-63	--	158	7.3	3.7	8.0	1.4	1.0	0.0	3.5	6.6	16.0	0.0	0.1	0.1	90	41	13	DWR	
G. Lebarra irrigation	17N/1M-421	9-13-63	--	263	7.5	5.2	28.0	4.4	0.5	0.0	1.7	1.6	8.8	1.3	0.1	0.1	142	7	128	8	DWR
Rehwood School domestic	-1401	7-10-63	--	251	8.2	27.0	2.27	0.19	0.02	0.00	2.41	0.03	0.25	0.02	0.0	0.0	154	25	105	0	LL
F. Malloy irrigation	-2001	9-12-63	--	116	7.4	0.24	0.14	0.70	1.4	0.0	1.2	0.1	0.2	0.04	0.01	0.0	74	27	38	2	DWR
R. W. Struebing domestic	18N/1M-501	7-10-63	--	155	7.0	9.0	3.3	2.1	0.6	0.0	1.5	1.0	17.0	0.23	0.0	0.0	108	55	36	24	LL
M. J. Sierka domestic	-1701	7-10-63	--	460	7.5	6.4	16.0	8.8	1.3	0.0	1.4	5.8	20.0	0.0	0.2	0.1	274	70	85	0	LL
M. J. Sierka domestic	-1722	7-10-63	--	192	8.0	14.0	0.83	1.1	0.2	0.0	1.02	0.0	11.0	0.0	0.0	0.0	116	24	75	0	LL
M. C. Jepson domestic and stock	-3402	7-10-63	--	405	8.3	25.0	2.75	3.1	0.8	3.0	2.23	4.8	6.1	8.3	0.1	0.0	226	41	108	11	LL
						WHITE VALLEY (4-3)															
R. Cheyne irrigation	46N/1M-221	7-13-63	56	385	8.0	4.3	1.27	0.0	0.0	221.0	3.02	4.0	0.11	0.0	0.0	0.0	102				DWR
G. W. Osborn & Son irrigation	-1701	9-12-63	54	341	8.2	1.9	1.45	4.1	0.0	2.05	3.4	4.4	1.2	1.2	0.0	0.0	204	37	110	0	DWR
R. Robinson municipal	-1701	1-30-63	--	469	8.5	4.0	2.06	4.2	12.0	24.4	12.0	2.4	0.08	3.0	0.2	0.0	277	16	203	0	DWR
K. Holbrook irrigation	47N/1M-32A1	7-13-63	68	203	7.7	1.22	0.0	0.0	11.0	1.05	0.0	0.14	0.0	0.0	0.0	0.0	34				DWR

a. Determined by addition of constituents.  
b. Gravimetric determination.  
c. Government Survey, Quantity of Water Branch (U.S.G.S.), Pacific Chemical Consultants (P.C.C.), Lehigh Laboratory (L.L.L.), Terminal Testing Laboratory (T.T.L.) or State Department of Water Resources (D.W.R.) as indicated.  
d. Iron (Fe), Aluminum (Al), Arsenic (As), Copper (Cu), Lead (Pb), Manganese (Mn), Zinc (Zn), reported here as  $\mu\text{g/l}$  except as shown

TABLE E-1 (Continued)  
ANALYSES OF GROUND WATER  
1963

Owner and use	Stots well number and other number	Date sampled	Temp in F	Specific conductance (micro-mhos at 25 C)	pH	Mineral constituents in parts per million											Total dissolved solids in ppm	Per cent total iron	Hardness on CaCO <sub>3</sub>		Analyzed by c
						Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Carbonates (CO <sub>3</sub> )	Bicarbonates (HCO <sub>3</sub> )	Sulfates (SO <sub>4</sub> )	Chlorides (Cl)	Nitrates (NO <sub>3</sub> )	Fluoride (F)	Boron (B)			Silica (SiO <sub>2</sub> )	Other constituents	
W. M. Culp domestic	MDBM-47N/1W-23RE	9-12-63	--	227	7.5	7.9	4.7	28	7.4	0.0	112	7.8	5.3	4.0	154	56	39	0	DMR		
						0.39	0.39	1.22	0.19	0.00	1.04	0.02	0.22	0.28	0.00	0.00	0.00	0.00		0.00	0.00
Butte Valley Farms irrigation	-34Q1	7-13-63	55	609	8.9	22	1.50	36	13	30	306	11	15	0.6	417	56	130	0	USGS		
						1.10	0.30	3.71	0.33	1.09	5.02	0.27	0.31	0.73	0.00	0.00	0.00	0.00		0.00	0.00
Spring Creek School domestic (abandoned)	47N/2W-2001	1-28-63	56	314	8.3	24	1.40	20	8.6	0.00	200	1.0	2.4	0.1	189	25	120	0	DMR		
						1.20	0.37	0.87	0.22	0.00	3.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00
L. M. Huffman domestic	21R2	1-29-63	50	145	7.9	21	1.15	20	10	1.4	194	4.3	2.6	0.2	180	26	110	0	LL		
						1.04	0.37	0.87	0.26	0.03	3.11	0.03	0.12	0.04	0.01	0.00	0.00	0.00		0.00	0.00
J. Liskey irrigation	42N/1E-30E1	9-12-63	--	124	7.7	8.4	6.0	6.1	2.3	0.0	67	4.3	2.3	0.1	102	22	45	0	LL		
						0.42	0.39	0.27	0.26	0.00	1.10	0.09	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00
City of Dorris municipal	42N/1E-30R1	1-30-63	--	318	8.3	29	1.30	24	7.5	3	206	4.80	0.8	0.1	232	28	127	0	LL		
						1.06	0.30	1.05	0.19	0.10	3.38	0.10	0.10	0.00	0.00	0.00	0.00	0.00		0.00	0.00
American Forest Products domestic and industrial	42N/1E-30R1	8-20-63	--	340	8.3	16	1.78	21	7.4	0.0	247	5.8	2.4	0.4	205	27	114	0	DMR		
						0.70	0.39	0.91	0.19	0.00	2.74	0.33	0.16	0.00	0.00	0.00	0.00	0.00		0.00	0.00
N. Unis irrigation	42N/1W-2011	1-29-63	--	1190	8.5	27	4.72	172	27	22	107	32	1.7	0.4	782	52	304	0	DMR		
						1.35	0.37	1.10	0.69	0.13	11.5	0.07	0.12	0.02	0.00	0.00	0.00	0.00		0.00	0.00
E. Spada domestic	42N/5W-2011	5-12-63	--	339	8.2	33	1.5	26	7.0	3	224	4.8	2.0	0.2	270	27	145	0	LL		
						1.07	0.37	1.13	0.18	0.10	3.73	0.10	0.14	0.00	0.00	0.00	0.00	0.00		0.00	0.00
G. G. Maxwell domestic	42W/6N-1001	9-11-63	--	550	8.4	11	0.55	4.0	3.5	0.0	203	6.3	1.4	0.1	211	27	128	0	DMR		
						0.55	0.31	0.17	0.09	0.00	3.33	0.03	0.18	0.02	0.00	0.00	0.00	0.00		0.00	0.00

a. Determined by addition of constituents.  
b. Government determination.  
c. Terminal Testing Laboratory (T.T.L.) or State Department of Water Resources (D.W.R.) as indicated.  
d. Iron (Fe), Aluminum (Al), Arsenic (As), Copper (Cu), Lead (Pb), Manganese (Mn), Zinc (Zn), reported here as ppm except as shown.



TABLE E-1 (Continued)  
ANALYSES OF GROUND WATER  
1963

Owner and use	State well number and other number	Date sampled	Temp in °F	Specific conductivity (micro-mhos of 25° C)	pH	Mineral constituents in parts per million										Total dissolved solids in ppm	Per- cent total iron	Merchandise as CaCO <sub>3</sub> Total ppm	Analyzed by
						Calcium (Ca)	Magnesium (Mg)	Sodium (No)	Potassium (K)	Carbonate (CO <sub>3</sub> )	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)	Nitrate (NO <sub>3</sub> )	Fluoride (F)				
						HAYWICK VALLEY (1-6)													
H. A. Reynolds domestic and irrigation	31M/11W-581	7-10-63	67	122	7.6	6.0 0.75	4.4 0.17	1.0 0.02	7.3 1.25	0.3 0.01	0.7 0.27	0.1 0.05	0.0	0.0	1.2 (total) Al 0.01 Ca 0.05 Fe 0.01 Mn 0.01 Pb 0.01 Zn 0.01	15	52	DMR	
R. Hoob domestic	33M/12W-1101	7-10-63	69	274	8.0	11 0.78	8.2 0.37	0.3 0.01	167 3.77	4.6 0.13	1.8 0.67	0.1 0.05	0.0	0.0	0.09 (total) Al 0.01 Ca 0.01 Fe 0.01 Mn 0.01 Pb 0.01 Zn 0.01	17	131	DMR	
J. Langberg domestic	-152A	7-10-63	64	197	7.7	10 0.35	6.8 0.30	0.4 0.01	179 1.77	4.0 0.12	4.1 1.17	0.1 0.05	0.0	0.0	0.01 (total) Al 0.01 Ca 0.01 Fe 0.01 Mn 0.01 Pb 0.01 Zn 0.01	15	85	DMR	
Sevuse Ranch domestic	-15K1	7-10-63	58	249	7.9	12 1.00	9.2 0.37	0.3 0.01	136 3.23	5.4 0.15	5.3 1.40	0.1 0.05	0.0	0.0	0.01 (total) Al 0.01 Ca 0.01 Fe 0.01 Mn 0.01 Pb 0.01 Zn 0.01	15	110	DMR	
J. R. Morris domestic	33M/11W-3501	7-10-63	58	374	7.9	11 0.78	14 0.71	2.6 0.05	180 3.29	24 0.70	15 4.72	0.1 0.05	0.0	0.0	0.05 (total) Al 0.01 Ca 0.01 Fe 0.01 Mn 0.01 Pb 0.01 Zn 0.01	17	149	DMR	
						MUD RIVER VALLEY (1-8)													
Lane Portland Lumber Industrial	5M/1B-631	8-29-63	61	301	7.9	0.0 1.77	2.9 0.07	0.0 0.05	126 3.07	0.0 0.01	2.9 0.77	0.0 0.05	0.0	0.0	0.0	95		DMR	
F. Coleman domestic and irrigation	6M/1B-701	8-29-63	59	485	8.2	16 0.70	16 0.70	0.0 0.05	284 4.16	0.0 0.01	16 4.70	0.0 0.05	0.0	0.0	0.0	754		DMR	
C. Barber domestic	-8R1	8-26-63	56	188	7.7	6.1 0.73	14 0.71	5.2 0.13	62 1.82	0.0 0.01	19 5.39	0.0 0.05	0.0	0.0	0.2 (total) Al 0.01 Ca 0.01 Fe 0.01 Mn 0.01 Pb 0.01 Zn 0.01	31	66	LL	
Iverton Irrigation	-17D1	8-1-63	64	430	8.2	11 0.78	11 0.78	0.0 0.05	269 4.38	0.0 0.01	21 5.59	0.0 0.05	0.0	0.0	0.0	11	11	DMR	
W. Halperson domestic and stock	-1141	8-29-63	--	380	8.2	10 0.74	10 0.74	0.0 0.05	234 3.67	0.0 0.01	11 3.31	0.0 0.05	0.0	0.0	0.0	189		DMR	
F. North domestic and irrigation	-31011	8-29-63	59	462	8.2	9.1 0.71	9.1 0.71	0.0 0.05	210 3.47	0.0 0.01	11 3.31	0.0 0.05	0.0	0.0	0.0	173		DMR	
Arcata Plywood Plant Industrial	-32P1	8-29-63	66	758	8.2	1.0 0.06	1.0 0.06	0.0 0.05	277 4.24	0.0 0.01	1.0 0.30	0.0 0.05	0.0	0.0	0.0	89		DMR	
Acc. Bulb Farm domestic and irrigation	6M/1W-311	7-22-63	64	167	6.9	16 0.70	16 0.70	0.0 0.05	24 0.73	0.0 0.01	19 5.37	0.0 0.05	0.0	0.0	0.0	38		DMR	
G. A. Curtis domestic	7M/1E-1861	8-1-63	64	101	6.8	2.2 0.30	0.4 0.01	0.6 0.01	18 0.59	0.3 0.01	12 3.34	0.0 0.05	0.0	0.0	0.06 (total) Al 0.01 Ca 0.01 Fe 0.01 Mn 0.01 Pb 0.01 Zn 0.01	50	49	DMR	

a. Determined by addition of constituents.

b. Gravimetric determination.

c. Analyzed by U.S. Geological Survey, Quality of Water Branch (U.S.G.S.), Pacific Chemical Consultants (P.C.C.), Davis Laboratory (L.D.), and other laboratories. SiO<sub>2</sub> determined by gravimetric method.

d. Iron (Fe), Aluminum (Al), Arsenic (As), Copper (Cu), Lead (Pb), Manganese (Mn), Zinc (Zn), reported here as ppm except as shown.

TABLE E-1. (Continued)  
ANALYSES OF GROUND WATER  
1963

Owner and use	State well number and other number	Date sampled	Temp in °F	Specific conductance (micro-mhos at 25° C)	pH	Mineral constituents in parts per million											Total dissolved solids in ppm	Hardness of CaCO <sub>3</sub>		Analyzed by c			
						Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Calcium carbonate (CaCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)	Nitrate (NO <sub>3</sub> )	Fluoride (F)	Boron (B)	Silica (SiO <sub>2</sub> )		Other constituents <sup>d</sup>	Total ppm		N.C. ppm		
T. Galaty domestic	HR&M -30B1	8-1-63	65	109	7.1	6.0	5.1	8.0	0.4	0.0	0.0	0.0	3.2	5.7	1.3	0.1	0.0	2.0	90	34	36	10	LL
						0.37	0.42	0.39	0.01	0.03	0.35	0.28	0.21	0.01									
S. Christensen Irrigation	3W/1W-5K1	8-29-63	58	128	7.6	7.0	2.1	1.4	0.8	0.0	5.5	3.4	1.5	0.6	0.2	0.0	2.5	104	4.3	38	0	LL	
						0.35	0.42	0.70	0.02	0.03	0.93	0.77	0.70	0.01									
Pacific Gas & Electric Industrial Irrigation	4N/1W-8P1	8-29-63	55	168	7.6	6.0	1.1	0.0	1.5	0.0	6.1	3.1	1.5	0.1	0.0	0.0	0.0	0.0	1/2	31	52	0	DMR
						0.29	0.15	0.10	0.04	0.03	1.6	0.76	0.39										
P. Lorenzen Irrigation	-16H1	8-29-63	57	485	8.1	3.8	2.7	4.3	5.6	0.0	2.5	6.2	2.8	6.2	0.1	0.0	3.7	328	25	203	0	LL	
						1.09	0.18	1.13	0.14	0.03	4.51	0.13	0.75										
Pacific Gas & Electric Industrial	-17B1	8-29-63	59	371	7.6	6.5	0.6	1.2	1.5	0.0	6.7	3.3	1.2	1.4	0.0	0.0	0.0	98	32	54	0	DMR	
						0.37	0.71	0.01	0.01	0.03	1.10	0.07	0.02										
Arcata Refraco Co. domestic and industrial	5W/1E-18Q1	8-29-63	62	873	8.6	1.2	1.8	1.0	0.2	1.4	3.6	1.0	1.0	1.0	0.1	1.4	50	50.0	74	104	0	USGS	
						0.57	1.03	0.24	0.04	0.07	5.01	0.72	3.16										
L. L. Spinney domestic and stock	-00L	8-29-63	57	277	7.0	2.0	2.0	2.0	0.0	1.08	3.0	3.0	3.0	3.0	0.0	0.0	85					DMR	
						1.04	1.04	0.03	0.03	1.77	0.57												
A. Caspell Irrigation	2W/1W 4D1	7-22-63	59	429	8.0	4.0	4.0	4.0	0.0	1.87	3.74	2.5	2.5	2.5	0.2	2.0	188					LL	
						0.00	0.00	0.03	0.03	3.74	0.27												
E. Calanchini Irrigation	-7P1	8-28-63	--	439	8.2	1.0	2.0	1.0	1.6	0.6	1.0	1.0	1.0	0.2	0.2	0.0	200					LL	
						0.01	0.01	0.04	0.04	0.11	1.75	0.05	0.05										
A. Johnson domestic and irrigation	-1-0P1	8-8-63	--	174	8.2	1.0	0.0	0.0	1.6	0.0	8.4	7.0	5.0	1.5	0.4	0.0	26					USGS	
						0.55	0.55	0.57	0.57	0.03	1.35	0.14	0.72										
C. Anderson Irrigation	-17O1	9-4-63	--	557	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	202					DMR	
						1.74	1.74	0.00	0.00	1.67	1.67												
T. Galaty Irrigation	3W/1W-2-6I1	8-28-63	--	515	8.3	2.6	2.6	2.6	0.0	2.74	1.4	1.4	1.4	0.0	0.0	226						DMF	
						1.13	1.13	0.03	0.03	1.40	0.57												
R. Nelson Irrigation	-500L1	4-29-63	--	492	7.8	2.7	2.7	2.7	0.0	2.40	1.0	1.0	1.0	0.0	0.0	241						DMR	
						0.12	0.12	0.00	0.00	4.08	0.36												

<sup>a</sup> Determined by addition of constituents  
<sup>b</sup> Gravimetric determination.  
<sup>c</sup> Analysis by U.S. Geological Survey, Pacific Chemical Consultants (P.C.C.), Inc. Laboratory (L.L.),  
<sup>d</sup> Iron (Fe), Aluminum (Al), Arsenic (As), Copper (Cu), Lead (Pb), Manganese (Mn), Zinc (Zn), reported here as <sup>600</sup> except as shown

TABLE E-1 (Continued)  
ANALYSES OF GROUND WATER  
1963

Owner and use	State well number and other number	Date sampled	Temp in °F	Specific conductance (micro- mhos/cm at 25°C)	pH	Mineral constituents in parts per million										Total dissolved solids in ppm	Per- cent total solids in ppm	Hardness as CaCO <sub>3</sub> Total ppm	Analyzed by c		
						Calcium (Ca) (Mg)	Sodium (Na) (K)	Potas- sium (K)	Carbon- ate (CO <sub>3</sub> ) (HCO <sub>3</sub> )	Bicar- bonate (HCO <sub>3</sub> )	Sul- fate (SO <sub>4</sub> )	Chlo- ride (Cl)	Ni- trate (NO <sub>3</sub> )	Flu- oride (F)	Boron (B)					Silica (SiO <sub>2</sub> )	Other constituents <sup>a</sup>
						DEER RIVER VALLEY (1-11)															
J. V. Toste Irrigation	HEBA 30V/24-242	8-26-63	--	2220	8.0	85 4.24	94 7.76	2.7 0.01	0.0 0.00	84 1.36	29 0.10	648 14.23	4.3 0.07	0.1 0.01	0.0	1.9	1590	42	600	531	USGS
E. E. Tunderani Irrigation	-13U1	9-5-63	--	3350	7.7	204 8.07	204 8.07	0.0 0.00	254 4.16	254 4.16	0.0 0.00	293 6.83	7.6 0.12	0.2 0.01	0.1	27	4260	55	1650	1473	DMR
R. M. Christiansen Irrigation	-2701	8-5-63	--	7530	8.1	292 0.79	24.02	0.0 0.00	216 3.54	187 2.45	187 2.45	2930 67.42	7.6 0.12	0.2 0.01	0.1	27	4260	55	1650	1473	USGS
P. C. Lorenzen Irrigation	-35XU	8-5-63	--	1390	8.2	100 4.35	100 4.35	0.0 0.00	298 4.83	298 4.83	0.0 0.00	296 6.35	2.8 0.05	0.1 0.01	0.1	20	152	21	111	0	LL
						ROCK VALLEY (1-11)															
W. B. Mooy domestic and irrigation	MDRMA 22N/128-612	9-63	--	275	7.8	27 1.35	11 0.47	0.5 0.01	0.0 0.00	156 2.57	2.9 0.06	2.5 0.07	2.8 0.05	0.1 0.01	0.1	20	152	21	111	0	LL
A. D. Pellingham Irrigation	-19F1	9-63	--	490	8.2	36 1.78	3.91	0.4 0.01	0.0 0.00	256 4.15	22 0.35	1.4 0.04	3.5 0.06	0.1 0.01	0.1	21	362	8	280	5	LL
R. T. Rurt domestic and irrigation	22N/138-12K1	9-63	--	340	7.7	33 1.63	16 0.99	0.4 0.01	0.0 0.00	231 3.62	4.3 0.69	5.3 0.15	0.0 0.00	0.2 0.01	0.1	18	222	65	145	0	LL
F. F. Robbough domestic	-13A1	9-63	--	230	8.1	26 1.30	11 0.89	0.7 0.02	0.0 0.00	182 2.50	2.9 0.06	3.2 0.09	0.8 0.01	0.1 0.01	0.1	15	144	15	110	0	LL
G. Cravler Irrigation	23N/124-11U1	9-63	--	255	8.2	32 1.60	7.5 0.62	0.7 0.02	0.0 0.00	137 2.45	11 0.22	0.6 0.07	1.2 0.02	0.1 0.01	0.1	17	148	19	111	0	LL
E. Bauer domestic and irrigation	-33U1	9-63	--	600	8.0	67 3.24	30 2.49	0.3 0.01	0.0 0.00	432 7.06	3.4 0.07	3.5 0.10	3.5 0.06	0.2 0.03	0.2	27	372	19	292	0	LL
W. Clark domestic and irrigation	23N/138-23F1	9-63	--	228	8.1	30 1.50	8.2 0.67	0.8 0.02	0.0 0.00	138 2.10	11 0.23	3.5 0.10	2.4 0.04	0.1 0.01	0.0	11	140	9	108	3	LL
C. A. Gray Irrigation	-36F2	9-63	--	240	8.1	26 1.27	11 0.92	0.2 0.01	0.0 0.00	130 2.15	4.8 0.10	4.6 0.13	10 0.16	0.1 0.01	0.0	12	146	12	110	4	LL

<sup>a</sup> Determined by addition of constituents.  
<sup>b</sup> Governed by U.S. Geological Survey, Quality of Water Branch (USGS), Pacific Chemical Consultants (PCC), Lein Laboratory (L.L.),  
<sup>c</sup> Terminal Testing Laboratory (T.T.L.) or State Department of Water Resources (D.W.R.) as indicated.  
<sup>d</sup> Iron (Fe), Aluminum (Al), Arsenic (As), Copper (Cu), Lead (Pb), Manganese (Mn), Zinc (Zn), reported here as  $\mu\text{g/l}$  except as shown













Handwritten text in the top-left quadrant, possibly a list or notes.


Handwritten text in the top-right quadrant, possibly a list or notes.

Handwritten text in the bottom-left quadrant, possibly a list or notes.

Handwritten text in the bottom-right quadrant, possibly a list or notes.








INDEX TO STATIONS

- 1 Little Shasta River near Montague
- 2 Shasta River at Edgewood
- 3 Etno Creek near Etno
- 4 Moffett Creek near Fort Jones
- 5 Browns Creek near Douglas City
- 6 Weaver Creek near Douglas City
- 7 North Fork Trinity River at Helena
- 8 Big Creek near Hayfork




LEGEND  
 ▲ STREAM GAGING STATION  
 --- BOUNDARY OF NORTH COASTAL AREA


STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 NORTHERN BRANCH

SURFACE WATER  
 MEASUREMENT STATIONS  
 IN NORTH COASTAL AREA  
 1962-1963

SCALE OF MILES  
 0 5 10 15








INDEX OF GROUND WATER BASINS

- 1.00 Smith River Plain
- 3.00 Butte Valley
- 4.00 Shasta Valley
- 5.00 Scott River Valley
- 6.00 Hayfork Valley
- 8.00 Mad River Valley
- 9.00 Eureka Plain
- 10.00 Eel River Valley
- 1.00 Round Valley
- 2.00 Laytanville Valley
- 3.00 Little Lake Valley

STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 NORTHERN BRANCH

GROUND WATER BASINS  
 IN NORTH COASTAL AREA  
 1962-1963







INDEX OF GROUND WATER BASINS


- 1.00 Smith River Plain
- 3.00 Butte Valley
- 4.00 Shasta Valley
- 5.00 Scatter River Valley
- 6.00 Hayfork Valley
- 8.00 Mad River Valley
- 9.00 Eureka Plain
- 10.00 Eel River Valley
- 11.00 Round Valley
- 12.00 Laytonville Valley
- 13.00 Little Lake Valley

LEGEND

- BOUNDARY OF GROUND WATER BASIN
- BOUNDARY OF NORTH COASTAL AREA


STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 NORTHERN BRANCH

GROUND WATER BASINS  
 IN NORTH COASTAL AREA  
 1962-1963









INDEX TO STATIONS

- 1a Shasta River near Yreka
- 1b Scott River near Fair Jones
- 1c Klamath River above Hamburg Reservoir Site
- 1d Butte Creek near MacDael
- 1e Antelope Creek near Tennant
- 1f Klamath River below Iron Gate Dam
- 2 Klamath River at Samesbar
- 2a Salmon River at Samesbar
- 2b Klamath River near Seiad Valley
- 3 Klamath River near Klamath
- 3a Smith River near Crescent City
- 3b Redwood Creek at Drick
- 4 Trinity River near Haopa
- 4a Trinity River at Lewiston
- 4b Trinity River near Burnt Ranch
- 5 Eel River near McCann
- 5a Van Duzen River near Bridgeville
- 5b Outlet Creek near Longvale
- 5c Eel River, Middle Fork at Das Rias
- 5d Eel River near Das Rias
- 6 Eel River at Scotia
- 6a Mad River near Arcata
- 7 Eel River, South Fork near Miranda
- 7a Mattole River near Petrolia



LEGEND

● STREAM SAMPLING STATION

--- BOUNDARY OF NORTH COASTAL AREA

STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 NORTHERN BRANCH

**SURFACE WATER QUALITY  
 MONITORING STATIONS  
 IN NORTH COASTAL AREA**  
 1962-1963  
 SCALE OF MILES  
 0 4 8 16

RD





THIS BOOK IS DUE ON THE LAST DATE  
STAMPED BELOW

RENEWED BOOKS ARE SUBJECT TO IMMEDIATE  
RECALL

OOD LIBRARY

DUE JUN 12 1970

JUL 5 REC'D

OCT 26 1977

OCT 25 REC'D

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-50m-12,'64 (F772s4)458

399684

California. Dept.  
of Water Resources.  
Bulletin.

PHYSICAL  
SCIENCES  
LIBRARY

TC824  
C2  
A2  
no.130:63  
v.1  
c.2

UNIVERSITY OF CALIFORNIA DAVIS



3 1175 02468 7173

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS

399684

California. Dept. of  
Water Resources.  
Bulletin.

Call Number:

TC824  
C2  
A2  
no.130:63  
c.2

